

Supplement of Nat. Hazards Earth Syst. Sci., 18, 2203–2219, 2018
<https://doi.org/10.5194/nhess-18-2203-2018-supplement>
© Author(s) 2018. This work is distributed under
the Creative Commons Attribution 4.0 License.



Natural Hazards
and Earth System
Sciences
Open Access
EGU

Supplement of

Paleotsunami deposits along the coast of Egypt correlate with historical earthquake records of eastern Mediterranean

Asem Salama et al.

Correspondence to: Mustapha Meghraoui (m.meghraoui@unistra.fr)

The copyright of individual parts of the supplement might differ from the CC BY 4.0 License.

Methodology

1. Grain size

Grain-size statistical parameters and graphic representations are given in φ units. Converting from microns to mm (as 1 micron = 10^{-3} mm) to Phi units using the following equation: -

$$\varphi = -\log_2(d) \text{ where } d \text{ is grain diameter in millimetres}$$

The calculated grain size analyses distribution parameters have been calculated following Folk and Ward (1957) to determine to mean grain size, sorting. The most useful parameters of grain-size analysis for this study are the mean grain size and sorting. This following equations of calculate mean size, sorting according to Folk (1968).

1. "Mean" - is the average grain-size. Several formulas are used in calculating the mean. The most inclusive graphically derived value is that given by Folk (1968),
According to equations:

$$M_Z = \frac{\varphi 16 + \varphi 50 + \varphi 84}{3}$$

Where 16, 50, and 84 represent the size at 16, 50, and 84 percent of the sample by weight.

2. Sorting is a method of measuring the grain-size variation of a sample by encompassing the largest parts of the size distribution as measured from a cumulative curve.

Folk (1968) introduced the "inclusive graphic standard deviation", that is calculated as follows:=

$$\sigma = \frac{\varphi 84 - \varphi 16}{4} + \frac{\varphi 95 - \varphi 5}{6.6}$$

where 84, 16, 95, and 5 represent the phi values at 84, 16, 95, and 5 percentiles.

The classification scale for sorting:

<0.350: very well sorted;

0.35-0.500: well sorted;

0.5-0.710: moderately well sorted;

0.71-1.00: moderately sorted;

1.00-2.00: poorly sorted;

2.00-4.00: very poorly sorted;

> 4.00: extremely poorly sorted.

2. Bulk mineralogy and x-ray diffraction

According to (Pecharsky et al., 2009), X-ray diffraction (XRD analysis) is a very useful tool for the identification of bulk mineral phases in powder specimens in the form of powder thin-film samples. The key for identifying materials by this method is their unique crystalline structure. The XRD instrument was called an X-ray diffractometer.

In cooperation with the Central Metallurgical Research Center Laboratory, Cairo, the collected samples were mounted in X-ray specimen holder on glass slides. The powder specimens were stuck on a glass slide using double-sided tape or Vaseline. The machine is equipped with a Philips PW 1730 X-ray diffractometer to measure the samples in the studied area under target Fe, filter Mn, KV 30, Ma 20, with speed 1 degree.

The data were analyzed in a semi-quantitative way following Cook et al. (1975). The intensity of the most intense diffraction peak of each mineral was measured and the identification of crystalline substance and crystalline phases in a specimen is achieved by comparing the specimen diffraction spectrum with spectra of known crystalline substances (Table 1). X-ray diffraction data from a known substance (called fingerprint) are recorded as a powder diffraction file (PDF).

Most PDFs were obtained with $\text{CuK}\alpha$ radiation Standard diffraction published by the International Centre for Diffraction Data (ICDD) and summarized in Table 1, and they are updated and expanded from time to time.

Table 1: Diffraction standard main peak identify minerals according to (ICDD)

Minerals	Principal diffraction peak (\AA)
Gypsum (CaSo ₄ .2H ₂ O)	7.56
Quartz	3.34
Calcite	2.92
Dolomite (CaMg(Co ₃) ₂)	2.89
Feldspar (Albite)	3.1875
Feldspar (Orthoclase)	3.3193
Aragonite	3.3985
Halite	2.81
Goethite	4.19
Pyrite (FeS)	2.7090
Illite	10
Montmorillonite	15

3. Regional wave regime during storms

In the Mediterranean, the tropical to subtropical cyclones storms are frequent seasonal events, with ~100 recorded tropical like storms between 1947 and 2011. From tide stations recorded in front of Alexandria, the maximum wave height surge is 43 cm between 1971-2004 (Hamed et al., 1988), the maximum wave height surge is 76.9 cm between 1996-2000 (Hussein et al., 2010).

References

Cook, H. E., Johnson, P. D., Matti, J. C. & Zemmels, I., Methods of sample preparation and x-ray diffraction data analysis, x-ray mineralogy laboratory. In: Kaneps, A. G. (Ed.), Initial reports of the DSDP 28, Washington DC, p.997-1007, 1975

Folk, R.L.: Petrology of sedimentary rocks, 170 pp, Hemphill's Book Store, in Austin, Texas), 1968

Folk RL, Ward WC. : Brazos River bar: a study in the significance of grain size parameters. Journal of Sedimentary Petrology 27: 3–26, 1957.

Hamed, A.A. and El Gindy, A.A., Storm surge generation by winter cyclones at Alexandria, Egypt, International Hydrographic Review, Monaco, LXV(1), January 1988.

Hussein, M.M.A., Moursy, Z.A., and Tayel, M.F., General Pattern of Alexandria Western Harbor Sea Level Changes, JKAU: Mar. Sci., Vol. 21, No. 2, pp: 47-61, 2010. DOI : 10.4197/Mar. 21-2.4

Pecharsky, V.K. and P.Y. Zavalij.:Fundamentals of Powder Diffraction and Structural Characterization of Materials. 2009: Springer US., pp.713, 2009

Figures




Figure S1 a: Description of Trench no.1 with black arrow refers to white coarse sand high energy sedimentary layer rich in reworked fossils




Figure S1 b: Description of Trench no.2 with black arrow refers to white coarse sand high energy sedimentary layer rich in reworked fossils




Figure S1 c: Description of Trench no.3 with black arrow refers to white coarse sand high energy sedimentary layer rich in reworked fossils.




Figure S1 d: Description of Trench no.4 with black arrow refers to white coarse sand high energy sedimentary layer rich in reworked fossils.




Figure S1 e : Description of Trench no.5




Figure S2 – 1: Description of core no.1 section 2 with photography, x-ray scanning, detail description of lithology, mean grain size, sorting, total organic and inorganic matter and bulk mineralogy. The fourth layer (see pointed arrows) of high energy deposits with coarse sand and mixed clay and organic matter. This layer characterized by low value at top to high value at bottom of magnetic susceptibility in the bottom due to presence of pyrite and also, high organic matter content are interpreted as deposits of high energy sedimentary origin.




Figure S2 - 2 : Description of core no.2 with photography, x-ray scanning, detail description of lithology, mean grain size, sorting, total organic and inorganic matter and bulk mineralogy. The core is at s ~90 cm deep located south of core 1 at ~264 m from the shoreline. It reveals 2 main layers (see numbers and pointed arrows) of high energy deposits with coarse sand and mixed clay and organic matter. The layers with low values of magnetic susceptibility (especially for 1 and 2) and organic matter are interpreted as deposits of high energy sedimentary origin.




Figure S2 -3: Description of core no.3 with photography, x-ray scanning, detail description of lithology, mean grain size, sorting, total organic and inorganic matter and bulk mineralogy. The core is located at 270 m far from the shoreline and the outlet of seawater. It reveals 3 main layers (see numbers and pointed arrows) of high energy deposits with coarse sand and mixed clay and organic matter. The layers with low values of magnetic susceptibility (especially for 1 and 2 and 3) while high value at the bottom of layer 2 and with laminations at 2 and high organic matter content are interpreted as deposits of high energy sedimentary origin.




Figure S2 - 4: Description of core no.4 with photography, x-ray scanning, detail description of lithology, mean grain size, sorting, total organic and inorganic matter and bulk mineralogy. The core is at 435 m from the shoreline 166 m from the shoreline. It reveals 2 main layers (see numbers and pointed arrows) of high energy deposits with coarse sand and mixed clay and organic matter. The layers with low values of magnetic

susceptibility (especially for 1 and 3) and high content organic matter are interpreted as deposits of high energy sedimentary origin.




Figure S2 - 5: Description of core no.5 with photography, x-ray scanning, detail description of lithology, mean grain size, sorting, total organic and inorganic matter and bulk mineralogy. The core is at 490 m distance from the shoreline and the sedimentary succession does not show any possible sedimentary catastrophic layer of high energy sedimentary origin.




Figure S2 - 6 : Description of core no.6 with photography, x-ray scanning, detail description of lithology, mean grain size, sorting, total organic and inorganic matter and bulk mineralogy. The core is at 320 m from the shoreline and reveals 3 main layers (see numbers and pointed arrows) of high energy deposits with coarse sand and mixed clay

and organic matter. The layers with low values of magnetic susceptibility and high organic matter content are interpreted as deposits of high energy sedimentary origin.




Figure S2 - 7 : Description of core no.7 with photography, x-ray scanning, detail description of lithology, mean grain size, sorting, total organic and inorganic matter and bulk mineralogy. The core is at 273 m from the shoreline and reveals 3 main layers (see numbers and pointed arrows) of high energy deposits with coarse sand and mixed clay and organic matter. The layers with low values of magnetic susceptibility (especially for 1 and 2) and high organic matter content are interpreted as deposits of high energy sedimentary origin.




Figure S2 - 8 : Description of core no.8 with photography, x-ray scanning, detail description of lithology, mean grain size, sorting, total organic and inorganic matter and bulk mineralogy. The core is at 214 m from the shoreline and reveals 3 main layers (see

numbers and pointed arrows) of high energy deposits with coarse sand and mixed clay and organic matter. The layers with high values of magnetic susceptibility (especially for 2) and organic matter are interpreted as deposits of high energy sedimentary origin.




Figure S2 - 9: Description of core no.10 with photography, x-ray scanning, detail description of lithology, mean grain size, sorting, total organic and inorganic matter and bulk mineralogy. The core is at 245 m from the shoreline and reveals 3 main layers (see numbers and pointed arrows) of high energy deposits with coarse sand and mixed clay and organic matter. The layers with high values of magnetic susceptibility (especially for 1) and high organic matter content are interpreted as deposits of high energy sedimentary origin.




Figure S2 – 10 : Description of core no.11 with photography, x-ray scanning, detail description of lithology, mean grain size, sorting, total organic and inorganic matter and bulk mineralogy. The core is at 151 m from the shoreline and reveals 3 main layers (see

numbers and pointed hands) of high energy deposits with coarse sand and mixed clay and organic matter. The layers with high values of magnetic susceptibility (especially for 1 and, base of layer 2) and high organic matter content are interpreted as deposits of high energy sedimentary origin




Figure S2 – 11a : Description of core no.12 section 1 with photography, x-ray scanning, detail description of lithology, mean grain size, sorting, total organic and inorganic matter and bulk mineralogy. The core is at 151 m from the shoreline and reveals 3 main layers (see numbers and pointed hands) of high energy deposits with coarse sand and mixed clay and organic matter. The layers with low values of magnetic susceptibility (especially for 1 and, 2 and 3) and organic matter are interpreted as deposits of high energy sedimentary origin.




Figure S2 – 11 b : Description of core no.12 section 2 with photography, x-ray scanning, detail description of lithology, mean grain size, sorting, total organic and inorganic matter and bulk mineralogy. The fourth layer (see numbers and pointed hands) of high energy deposits with coarse sand and mixed clay and organic matter. The layers with low values of magnetic susceptibility and high organic matter content are interpreted as deposits of tsunami origin




Figure S3 Turibitic features found in some core in El Alamein site by X ray scanning (rip up clasts, laminations and some gastropods before open the cores)

Bulk mineralogy semi quantitative data

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
17	6.54906	14.1	24.2	0.1959	Gypsum	1.767138739
25.207	4.43635	10.4	17.9	0.2284	-	0
26.2	4.27096	80.4	224.4	0.2609	-	
26.878	4.16509	7.3	20.4	0.2648	Goethite	0.914901617
29.135	3.84871	7.3	20.4	0.2668	-	
30.344	3.69869	64.1	174.5	0.2688	-	
31.308	3.5876	17.6	47.9	0.3164	-	
31.725	3.54154	15.6	42.3	0.3401	-	
32.31	3.47908	13.5	36.7	0.352	Aragonite	1.691941346
33.633	3.34596	336.5	1545.2	0.3639	Quartz	42.17320466
34.65	3.25063	130	597.2	0.3755	Feldspar (orthoclase)	16.29276852
35.152	3.20569	145.5	668.2	0.3813	Albite	18.23536784
37.221	3.03326	65.9	338.3	0.3872	Calcite	8.259180348
39.075	2.89461	62.2	304.3	0.3949	dolomite	7.795463091
40.166	2.81908	12.5	60.9	0.3591	Halite	1.566612357
42.422	2.67551	10.4	50.8	0.3412	Pyrite	1.303421481
45.598	2.49811	17.6	86.1	0.3323	-	
46.356	2.45949	46.7	181.3	0.3233	-	
47.353	2.41057	9.4	36.4	0.312	-	
48.189	2.37119	9.4	36.4	0.3063	-	
50.147	2.28426	50.2	165.7	0.3006	-	
Total		797.9				

Table S1-1 X ray diffraction data of core 1 sample no.1




Fig.S4-1 X ray diffractogram of core 1 sample no.1

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
11.008	10.09211	13.1	74.7	0.3574	Illite	3.116821318
24.681	4.52938	12.6	51.4	0.3356	-	0
26.207	4.26987	30.8	97.7	0.2652	-	
27.931	4.0111	7.6	24.3	0.2974	-	
29.077	3.85612	21.4	90.1	0.3297	-	
30.351	3.69791	10.6	44.6	0.2948	Aragonite	2.522008089
33.57	3.35211	154.2	353.1	0.26	Quartz	36.68807994
34.523	3.26222	24.6	56.2	0.3908	Feldspar (orthoclase)	5.85296217
35.108	3.2096	14.4	33	0.4562	Albite	3.426124197
37.22	3.03336	139.9	945.6	0.5217	Calcite	33.28574828
39.053	2.89614	40	215.2	0.4159	dolomite	9.517011658
40.031	2.82818	11.9	63.9	0.3186	Halite	9.517011658
41.875	2.70891	11.6	26.4	0.2213	Pyrite	2.759933381
45.7	2.49284	32.8	355.3	0.9235	-	
47.208	2.41755	15.3	165.4	0.5999	-	
Total		420.3				

Table S1-2 X ray diffraction data of core 1 sample no.2




Fig.S4-2 X ray diffractogram of core 1 sample no.2

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
15.408	7.22089	12.4	89.9	0.5334	Gypsum	1.651571657
24.948	4.4817	10.4	75.3	0.3984	-	0
26.212	4.26897	70.9	212.5	0.2634	-	
29.054	3.85916	16.6	49.8	0.2498	-	
30.366	3.69605	32.8	82.5	0.2363	-	
31.326	3.58558	21.8	54.7	0.2368	Aragonite	2.903569526
33.592	3.35	325.3	699.6	0.2373	Quartz	43.32711774
34.646	3.25106	133.2	286.5	0.33	Feldspar (orthoclase)	17.74107619
37.218	3.03354	196.2	948.1	0.4227	Calcite	26.13212573
39.072	2.8948	61.9	261.7	0.3479	dolomite	8.244539158
45.633	2.49629	27.2	406.4	0.9975	-	
46.266	2.464	24.9	371.7	0.7214	-	0
48.712	2.34725	10.4	155.6	0.5833	-	
50.15	2.28412	43.5	242	0.4452	-	
51.246	2.23847	12.5	0	0	-	
52.207	2.20008	11.4	0	0	-	
Total		750				

Table S1-3 X ray diffraction data of core 1 sample no.3




Fig.S4-3 X ray diffractogram of core 1 sample no.3

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
15.354	7.24607	15.8	72	0.4291	Gypsum	2.243362204
26.29	4.25668	39.8	142.2	0.3088	-	0
29.193	3.84117	24.4	87.4	0.2846	-	
30.473	3.68344	36.3	87.5	0.2604	-	
31.586	3.55673	16.6	40.1	0.2581	Aragonite	2.356950163
33.704	3.33918	315	700.4	0.2558	Quartz	44.72525912
34.749	3.24171	73.1	162.7	0.353	Feldspar (orthoclase)	10.37909982
35.347	3.18855	36.1	80.3	0.4016	Albite	5.12565668
37.347	3.02339	185.6	1102.9	0.4502	Calcite	26.35240664
39.207	2.88523	62.1	304.6	0.3948	dolomite	8.81726537
43.033	2.6393	16.8	38.6	0.2072	-	
45.94	2.48052	28	202.3	0.5829	-	
46.373	2.45864	21.5	155.5	0.536	-	
50.333	2.27634	37	263	0.4891	-	
51.415	2.23159	8.8	0	0	-	
Total		703.1				

Table S1-4 X ray diffraction data of core 1 sample no.4




Fig.S4-4 X ray diffractogram of core 1 sample no.4

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
17.139	6.49624	16.5	47.7	0.2592	Gypsum	2.160534241
23.727	4.70878	8.4	24.2	0.2634	-	0
24.966	4.47848	11.5	33.2	0.2654	-	
26.259	4.26147	50.3	144.7	0.2675	-	
27.692	4.04493	9.4	27.2	0.2481	-	
29.097	3.85359	9.4	27.2	0.2288	-	
30.417	3.6901	60	63.5	0.1901	-	
31.328	3.58535	20.9	22.1	0.2439	Aragonite	2.736676706
33.633	3.34595	331.6	1301.9	0.2978	Quartz	43.42019117
34.798	3.23728	178.9	702.5	0.3642	Feldspar (orthoclase)	23.42542883
35.294	3.19323	37.5	147.3	0.3974	Albite	4.910305094
37.244	3.03148	122.2	626.1	0.4307	Calcite	16.00104753
39.1	2.89278	56.1	366.2	0.4861	dolomite	7.34581642
42	2.70119	21	89.7	0.3611	Pyrite	2.749770852
45.748	2.49039	27.2	218.7	0.6017	-	
46.365	2.45903	18.8	151.4	0.5858	-	
48.1	2.37531	13.6	100	0.57	-	
50.244	2.28014	30.8	93	0.3152	-	0
Total		763.7				

Table S1-5 X ray diffraction data of core 1 sample no.5




Fig.S4-5 X ray diffractogram of core 1 sample no.5

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
14.926	7.4528	140.2	268.1	0.2051	Gypsum	23.04404997
24.139	4.62956	9.8	18.7	0.2147	-	
25.181	4.44076	8.8	16.9	0.2243	-	0
25.877	4.32342	10.8	20.6	0.2435	-	
26.652	4.19975	58	176.9	0.2819	Goethite	9.533201841
29.9	3.75237	48.7	138.5	0.2685	-	
30.83	3.64184	30.2	85.9	0.2611	Aragonite	4.963839579
33.436	3.3651	36	102.5	0.2574	Quartz	5.917159763
34.005	3.31046	305.5	866.3	0.2537	-	
35.087	3.21139	39.9	113.2	0.3511	Feldspar (orthoclase)	6.558185404
35.696	3.15841	28.2	80.1	0.3998	Albite	4.635108481
37.661	2.99911	150.7	858	0.4485	Calcite	24.76988823
39.435	2.86922	79.8	607.4	0.4946	dolomite	13.11637081
40.388	2.80423	17.6	133.6	0.4097	Halite	2.892833662
42.3	2.68291	27.8	122.1	0.3247	Pyrite	4.569362262
46.2	2.46732	31.1	192	0.4667	-	
46.818	2.43654	21.4	132.4	0.3899	-	
Total		608.4				

Table S1-6 X ray diffraction data of core 1 sample no.6




Fig.S4-6 X ray diffractogram of core 1 sample no.6

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
15.414	7.21807	11.4	94.4	0.8724	Gypsum	2.366618227
19.4	5.74515	8.2	94.4	0.8724	-	
21.267	5.24597	7.9	27.1	0.1957	-	
22.609	4.93835	8.8	22.9	0.148	-	
24.888	4.49223	10.4	27.2	0.2573	-	
26.255	4.26213	26.7	123.3	0.3665	-	
29.195	3.84093	19.3	85.8	0.3034	-	0
30.36	3.69679	9.4	41.6	0.2881	-	
33.055	3.40278	35.8	158.8	0.2805	Aragonite	7.432011625
33.631	3.34617	141.8	414.4	0.2729	Quartz	29.43740918
34.689	3.24714	30.1	87.9	0.3337	Feldspar (orthoclase)	6.248702512
35.424	3.18185	24.9	72.8	0.364	Albite	5.169192443
37.29	3.02783	165	698.5	0.3944	Calcite	34.25368487
39.134	2.89041	47.8	334.5	0.5099	dolomite	9.923188707
42.034	2.69908	24.9	136.3	0.4053	Pyrite	5.169192443
45.792	2.48812	42.1	253.4	0.4755	-	
Total		481.7				

Table S1-7 X ray diffraction data of core 1 sample no.7




Fig.S4-7 X ray diffractogram of core 1 sample no.7

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
26.28	4.25817	25.9	106.1	0.3271	-	
29.132	3.84901	18.3	102	0.4633	-	
29.949	3.74633	12.9	71.7	0.3677	-	0
30.416	3.69012	12.9	71.7	0.3199	-	
33.126	3.39576	49.5	276.4	0.296	Aragonite	10.8220376
33.644	3.34495	109.6	390.4	0.2721	Quartz	23.96152164
34.527	3.26188	29.7	106	0.3281	Feldspar (orthoclase)	6.493222562
35.088	3.21137	21.6	76.9	0.356	Albite	4.722343682
37.262	3.03002	183	884.9	0.384	Calcite	40.00874508
39.011	2.89913	33.8	163.6	0.3723	dolomite	7.389593354
41.948	2.70441	30.2	129.8	0.3606	Pyrite	6.602536073
44.144	2.57606	10.1	40.9	0.3333	-	
45.789	2.48828	43.3	213.1	0.3939	-	
48.033	2.37842	20.3	107.9	0.4705	-	
48.821	2.34234	14.6	77.5	0.464	-	
Total	457.4					

Table S1-8 X ray diffraction data of core 1 sample no.8




Fig.S4-8 X ray diffractogram of core 1 sample no.8

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
13.14	8.46016	20.7	66.9	0.2986	Illite	2.920428894
14.542	7.64853	147.8	273.4	0.2206	Gypsum	20.85214447
26.178	4.2745	31.5	90.1	0.2721	-	
28.299	3.95992	9	25.6	0.3067	-	
29.403	3.81438	32.2	122.1	0.3414	-	0
30.366	3.69609	23.1	146.9	0.4859	-	
31.9	3.52268	11.8	100.5	0.7569	-	
32.959	3.41251	26.8	227.2	0.5136	Aragonite	3.781038375
33.559	3.35317	205.7	585.9	0.2703	Quartz	29.02088036
34.543	3.26045	24	68.4	0.2693	Feldspar (orthoclase)	3.386004515
35.288	3.19374	64.2	184.6	0.2684	Albite	9.057562077
37.212	3.03401	165.2	979.9	0.4741	Calcite	23.30699774
39.087	2.89373	26.1	149.9	0.4795	dolomite	3.68227991
39.947	2.83387	11.2	64.3	0.5949	Halite	1.58013544
41.903	2.70715	17.1	157.3	0.7103	Pyrite	2.412528217
43.866	2.59161	9.6	70.6	0.5639	-	
45.737	2.49095	33.2	187.6	0.4583	-	
Total	708.8					

Table S1-9 X ray diffraction data of core 1 sample no.9




Fig.S4-9 X ray diffractogram of core 1 sample no.9

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
13.156	8.45006	23.1	60.7	0.2354	Illite	2.946052799
14.538	7.65071	238.4	465.5	0.2324	Gypsum	30.40428517
23.702	4.71352	10	52.5	0.4071	-	
26.2	4.271	35.7	193.4	0.4343	-	
29.422	3.812	43.7	129.9	0.3166	-	
30.363	3.69645	13.7	40.7	0.267	-	0
31.322	3.58594	24.6	54.1	0.2174	-	
32.876	3.42085	52.4	114.9	0.2426	Aragonite	6.682821069
33.59	3.35019	76.2	225.2	0.2678	Quartz	9.718148195
34.626	3.25281	212.3	418.3	0.2266	Feldspar (orthoclase)	27.07562811
37.218	3.03355	135.8	993.3	0.6056	Calcite	17.31921949
38.994	2.9004	16.7	135.2	0.5603	dolomite	2.129830379
41.867	2.7094	29.2	121.8	0.3559	Pyrite	3.724014794
45.747	2.49042	31.2	182.2	0.4542	-	
48.05	2.37766	17.6	56.4	0.2938	-	
48.85	2.34102	15.2	48.9	0.4407	-	
50.217	2.28129	25.1	191.3	0.5876	-	
Total	784.1					

Table S1-10 X ray diffraction data of core 1 sample no.10




Fig.S4-10 X ray diffractogram of core 1 sample no.10

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
13.205	8.41877	22.2	530.9	0.2312	Illite	2.735000616
14.584	7.62644	260.8	530.9	0.2312	Gypsum	32.13009733
26.258	4.26164	25	103.6	0.3613	-	-
29.473	3.80552	57.8	122.5	0.2422	-	-
30.302	3.70367	19.7	41.8	0.2409	-	-
32.926	3.41576	55	116.6	0.2403	Aragonite	6.775902427
33.645	3.34479	218.1	468.5	0.2396	Quartz	26.86953308
34.45	3.26898	40.2	86.5	0.4538	Feldspar (orthoclase)	4.952568683
35.381	3.1856	16.5	35.4	0.5609	Albite	2.032770728
37.272	3.02925	130.5	1114.7	0.668	Calcite	16.07736849
38.936	2.90455	25.5	217.7	0.5544	dolomite	3.141554762
41.893	2.7078	42.9	244.3	0.4409	Pyrite	5.285203893
45.807	2.48735	34	256.5	0.5778	-	-
48.119	2.37443	25.2	112.3	0.3778	-	-
Total	811.7					

Table S1-11 X ray diffraction data of core 1 sample no.11




Fig.S4-11 X ray diffractogram of core 1 sample no.11

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
29.074	3.85656	27.6	79.1	0.283	Aragonite	3.998261625
33.634	3.34594	27.8	126.2	0.3931	Quartz	4.027234536
35.078	3.21223	29.9	97.3	0.3157	Feldspar (orthoclase)	4.331450094
37.244	3.03147	249.1	988.7	0.3364	Calcite	36.08575981
38.804	2.91402	323.7	1038.5	0.3192	dolomite	46.89265537
39.995	2.83066	17.6	56.4	0.3824	-	-
42.101	2.695	14.6	86.6	0.4457	pyrite	2.115022454
45.716	2.492	28.2	204.7	0.5439	-	-
47.068	2.42434	12.4	90.3	0.4881	-	-
50.233	2.28058	44.5	240.6	0.4322	-	-
52	2.20822	28	135.6	0.3539	-	-
55.133	2.09175	33.5	227.8	0.5053	-	-
Total		690.3				

Table S1-12 X ray diffraction data of core 1 sample no.12




Fig.S4-12 X ray diffractogram of core 1 sample no.12

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
29.053	3.85937	19.5	87.4	0.3652	-	-
29.973	3.74342	13.9	62.4	0.3875	Aragonite	2.302849569
33.529	3.35605	21.5	97.3	0.4098	Quartz	3.561961564
35.011	3.21819	60.4	189.9	0.2922	Feldspar (orthoclase)	10.00662691
37.167	3.03757	154.5	744.2	0.3605	Calcite	25.59642147
38.833	2.9119	341.2	2226.2	0.4437	dolomite	56.52750166
42.017	2.70017	12.1	70.7	0.4667	Pyrite	2.004638834
44.284	2.56835	7.5	43.9	0.4824	-	-
45.674	2.4942	17.4	109.5	0.4981	-	-
47.074	2.42405	17.9	71.5	0.3496	-	-
50.09	2.28668	28	143.2	0.4343	-	-
51.989	2.20866	42.9	175.5	0.3811	-	-
Total	603.6					

Table S1-13 X ray diffraction data of core 1 sample no.13




Fig.S4-13 X ray diffractogram of core 1 sample no.13

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
26.237	4.26512	11.8	78.4	0.4812	-	-
29.117	3.85107	20.1	95	0.4278	-	-
30.154	3.72144	19	89.9	0.3427	Aragonite	2.887537994
33.592	3.34998	53.2	150.4	0.2576	Quartz	8.085106383
35.07	3.21298	85.8	249.7	0.2744	Feldspar (orthoclase)	13.03951368
37.227	3.03281	125.7	508.3	0.3504	Calcite	19.10334347
38.759	2.91728	332.8	1345.4	0.4317	dolomite	50.5775076
40.027	2.82847	29.6	218.4	0.5131	Halite	4.498480243
42.201	2.68892	11.9	88.7	0.5155	Pyrite	1.808510638
45.652	2.49533	20.5	87.4	0.4439	-	-
47.168	2.41947	21.6	145.3	0.5547	-	-
50.167	2.28341	24.5	172.4	0.5065	-	-
52.025	2.20725	52.7	219.8	0.3621	-	-
Total	658					

Table S1-14 X ray diffraction data of core 1 sample no.14




Fig.S4-14 X ray diffractogram of core 1 sample no.14

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
24.68	4.52958	22.1	20.9	0.1821	-	
26.422	4.23575	57.1	160.9	0.2629	Goethite	9.911473702
29.333	3.82326	15.7	44.1	0.2602	-	
30.548	3.67455	25.3	70.6	0.2574	-	
32.097	3.50156	13.8	38.7	0.2614	-	
33.146	3.39375	22.3	62.2	0.2634	Aragonite	3.870855754
33.782	3.33166	190.7	564.2	0.2654	Quartz	33.10189203
34.576	3.25743	19.9	58.7	0.2672	Feldspar (orthoclase)	3.454261413
35.434	3.18101	76.1	238.1	0.269	Feldspar (Albite)	13.20951224
37.425	3.01733	126.8	498.7	0.334	Calcite	22.0100677
39.234	2.88335	56.6	358.6	0.4627	Dolomite	9.824683215
40.2	2.81681	10.2	64.9	0.4647	Halite	1.77052595
42.167	2.691	16.4	84	0.4667	Pyrite	2.846727999
45.824	2.48646	24.7	101.7	0.3456	-	
46.573	2.44863	33.9	134.5	0.3314	-	
48.26	2.3679	10	26.3	0.244	-	
50.434	2.2721	30.8	130.5	0.3732	-	
52.635	2.18346	13.1	105.2	0.5804	-	
54.212	2.12453	13.2	106.7	0.468	-	
55.333	2.08478	21	82.7	0.3556	-	
Total	576.1					

Table S2-1 X ray diffraction data of core 2 sample no.1




Fig.S5-1 X ray diffractogram of core 2 sample no.1

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
5.947	18.65992	228.2	179	0.1295	Mont.	38.16053512
29.701	3.77699	20.5	100	0.4178	-	
33.605	3.34866	30.4	147.9	0.3617	Quartz	5.08361204
34.224	3.28991	88	326	0.3055	Feldspar (orthoclase)	14.71571906
35.02	3.21734	19.1	70.8	0.3124	Albite	3.193979933
37.863	2.98371	196.8	758.3	0.3193	Calcite	32.909699
39.619	2.8564	20.5	79	0.3379	Dolomite	3.428093645
40.769	2.77913	9.9	38.3	0.3472	-	-
42.6	2.66488	15	70	0.3565	Pyrite	2.508361204
46.392	2.45768	34.1	173.3	0.44	-	-
47.844	2.38727	11.3	57.7	0.3613	-	-
48.673	2.34901	14	42.7	0.2825	-	-
50.811	2.25634	34.1	168	0.4058	-	-
Total	598					

Table S2-2 X ray diffraction data of core 2 sample no.2




Fig.S5-2 X ray diffractogram of core 2 sample no.2

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
26.26	4.26137	36.7	102.7	0.2462	-	0
29.156	3.84603	19.6	62	0.317	-	
33.048	3.4035	34	107.6	0.2939	Aragonite	9.366391185
33.643	3.34505	96	290.4	0.2708	Quartz	26.44628099
34.531	3.26148	33	99.8	0.3013	Feldspar (Orthoclase)	9.090909091
37.263	3.03002	159.3	610.4	0.3318	Calcite	43.88429752
38.783	2.9155	11.7	44.8	0.3253	Dolomite	3.223140496
40.069	2.82563	11.7	44.8	0.3221	Halite	3.223140496
41.954	2.70401	17.3	53.7	0.3189	Pyrite	4.76584022
45.75	2.49027	28.5	183.4	0.4474	-	
48.052	2.37752	16.3	96.4	0.473	-	
48.969	2.33571	14.7	86.9	0.4218	-	
50.234	2.28056	29.1	125.5	0.3706	-	
55.217	2.08884	24.6	121.7	0.3801	-	
58.578	1.97873	24.7	129.5	0.3952	-	
Total	363					

Table S2-3 X ray diffraction data of core 2 sample no.3




Fig.S5-3 X ray diffractogram of core 2 sample no.3

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
32.758	3.43282	64.4	214.7	0.2766	Aragonite	18.14084507
33.525	3.35641	72.1	214.7	0.2766	Quartz	20.30985915
34.202	3.29199	37.4	111.2	0.4672	Feldspar (orthoclase)	10.53521127
35.104	3.20995	6.9	20.6	0.5625	Feldspar (Albite)	1.943661972
37.194	3.03538	90.3	833.3	0.6578	Calcite	25.43661972
38.803	2.91412	15.3	140.7	0.458	Dolomite	4.309859155
40.019	2.829	21.5	68.2	0.2583	Halite	6.056338028
41.825	2.71197	47.1	148.9	0.2876	Pyrite	13.26760563
45.678	2.494	34.8	176.7	0.3911	-	
47.013	2.42703	11.8	59.9	0.3525	-	
47.967	2.38153	26.6	105.7	0.3139	-	
48.727	2.34659	22.2	88.1	0.5884	-	
50.7	2.26094	14.3	183.7	0.8628	-	
52.5	2.18866	7.1	69.6	0.6444	-	
54.05	2.13044	6.1	23.1	0.1167	-	
Total		355				

Table S2-4 X ray diffraction data of core 2 sample no.4




Fig.S5-4 X ray diffractogram of core 2 sample no.4

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
32.945	3.41386	70.7	212.3	0.3078	Aragonite	29.6036516
34.155	3.29636	36	108	0.4836	Quartz	15.07537688
37.24	3.03179	89.7	762.8	0.6595	Calcite	37.56281407
41.806	2.71316	42.4	130.2	0.2969	Pyrite	17.75544389
45.687	2.49353	39.6	161.1	0.3731	-	-
47.283	2.41394	10.2	41.6	0.3524	-	-
47.989	2.38048	29.5	121.1	0.3316	-	-
48.924	2.33771	24.4	100	0.6495	-	-
50.5	2.26933	18.2	236.4	0.9674	-	-
52.115	2.20369	9.6	236.4	0.9674	-	-
Total		238.8				

Table S2-5 X ray diffraction data of core 2 sample no.5




Fig.S5-5 X ray diffractogram of core 2 sample no.5

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
33.091	3.39922	83	337.1	0.3292	Aragonite	25.76039727
34.32	3.28098	53.7	218.4	0.4602	Quartz	16.66666667
37.385	3.02047	118.2	881.1	0.5912	Calcite	36.68528864
40.148	2.8203	18.1	134.5	0.4844	Dolomite	5.617628802
41.967	2.70322	49.2	188.8	0.3775	Pyrite	15.27001862
45.85	2.48512	49.3	247.7	0.4326	-	-
47.347	2.41084	18.1	86.9	0.9047	-	-
47.947	2.38242	36.1	12.3	0.1731	-	-
48.976	2.33538	27.4	19.8	0.2418	-	-
50.347	2.27575	18.8	143.6	0.9735	-	-
Total		322.2				

Table S2-6 X ray diffraction data of core 2 sample no.6




Fig.S5-6 X ray diffractogram of core 2 sample no.6

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
22.341	4.9968	12.4	258.9	0.2482	Gypsum	2.094948
23.509	4.75172	14.5	258.9	0.2482	-	
24.829	4.50278	94.1	258.9	0.2482	-	
28.783	3.89478	64.6	181	0.271	-	
32.033	3.50837	330.8	1764.2	0.374	-	
33.023	3.40606	37.1	198	0.3264	Aragonite	6.267951
33.66	3.34336	77.9	231.4	0.2789	Quartz	28.34788937
35.6	3.16659	39.7	118.8	0.3052	feldspar	6.707214
37.467	3.01407	61	358	0.4212	calcite	22.19796215
38.531	2.93391	33	193.7	0.4404	dolomite	12.00873362
42.3	2.68291	13.7	99.5	0.4596	pyrite	2.31458
44.767	2.54206	36	148.3	0.3118	-	
48.583	2.35309	30.2	170.8	0.4067	-	
Total		274.8				

Table S3-1 X ray diffraction data of core 3 sample no.1




Fig.S6-1 X ray diffractogram of core 3 sample no.1

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
25.081	4.45827	90.2	16182.7	0	-	0
33.583	3.3508	124.5	12597.3	5	Quartz	18.34659593
34.578	3.25722	87.4	8843.6	3.0111	feldspar	12.87945771
35.216	3.20007	128.8	9830.7	1.0222	feldspar (Albite)	18.98025346
37.171	3.03721	136.4	2165.3	1.099	calcite	20.10020631
39.05	2.89637	113.5	17280	1.099	Dolomite	16.72561155
40.033	2.82807	88	13402.9	1.099	Halite	12.96787504
45.633	2.49629	79.4	15474.7	1.099	-	
47.193	2.4183	74.1	14450.9	1.099	-	
50.133	2.28483	79	10121.3	1.099	-	
Total		678.6				

Table S3-2 X ray diffraction data of core 3 sample no.2




Fig.S6-2 X ray diffractogram of core 3 sample no.2

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
26.237	4.2651	65	141.3	0.2437	-	
30.395	3.69263	29.9	108.1	0.3231	-	0
33.176	3.39079	45.9	165.9	0.2885	Aragonite	7.9302
33.613	3.34793	274.1	777.9	0.2538	Quartz	47.3566
34.653	3.2504	44.2	125.5	0.3469	Feldspar	7.636489
35.348	3.18846	26	73.9	0.3934	Albite	4.492053
37.224	3.03308	102.1	512.8	0.44	Calcite	17.63994
39.054	2.89611	64.6	339.7	0.4255	Dolomite	11.16102
41.917	2.7063	21.9	73.7	0.3108	Pyrite	3.78369
45.767	2.48941	26.5	179.3	0.4574	-	
46.471	2.45374	20.8	141	0.3504	-	
48.133	2.37377	19	42.3	0.2433	-	
48.904	2.33862	12.2	27.2	0.3083	-	
50.215	2.28135	25.3	98.7	0.3733	-	
52.367	2.19384	16.3	71	0.3667	-	
Total		578.8				

Table S3-3 X ray diffraction data of core 3 sample no.3




Fig.S6-3 X ray diffractogram of core 3 sample no.3

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
26.276	4.25876	45.2	143.5	0.3076	-	0
29.196	3.84075	15.3	48.5	0.2681	-	
30.421	3.68953	27	60.8	0.2286	-	
32.966	3.41179	34.5	77.6	0.2435	Aragonite	5.772126
33.631	3.3462	265.4	565.4	0.2583	Quartz	44.40355
34.671	3.24878	40.9	87.1	0.3559	Feldspar (orthoclase)	6.842898
35.299	3.19275	44.1	93.9	0.4047	Feldspar (Albite)	7.378283
37.264	3.02987	153	933.6	0.4535	calcite	25.59813
38.978	2.90148	33.7	205.4	0.3847	dolomite	5.63828
41.984	2.7022	26.1	114.5	0.3159	pyrite	4.366739
45.75	2.49027	32.5	212.1	0.4647	-	
48.022	2.37893	18.2	65.7	0.3456	-	
50.202	2.28189	35.6	182.6	0.4741	-	
52.621	2.18399	14	85.6	0.4748	-	
54.073	2.1296	16.9	115.4	0.4089	-	
Total		597.7				

Table S3-4 X ray diffraction data of core 3 sample no.4




Fig.S6-4 X ray diffractogram of core 3 sample no.4

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
29.34	3.82237	62	12618.7	0	-	0
33.077	3.40061	135.4	1153.3	0.5883	Aragonite	28.57143
34.271	3.2855	93.9	799.3	0.7727	Feldspar (orthoclase)	19.81431
37.638	3.00084	147.2	2238.7	0.9571	calcite	31.06141
41.962	2.70351	97.4	2053.3	1.6	Pyrite	20.55286
45.833	2.48598	88.5	7870.7	2.4	-	
47.2	2.41793	55.7	4952.3	2.4	-	
48.133	2.37377	77	12202.7	2.4	-	
48.993	2.33446	74.1	11749.6	2.4	-	
50.315	2.27713	64.9	10287.2	2.4	-	
52.433	2.19125	55.1	11308	2.4	-	
54.681	2.1077	68.2	8512	2.4	-	
Total		473.9				

Table S3-5 X ray diffraction data of core 3 sample no.5




Fig.S6-5 X ray diffractogram of core 3 sample no.5

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
14.55	7.64437	132	1633.3	0.9556	Gypsum	12.18387
23.8	4.69447	63	12718.7	0.9556	-	
26.259	4.26147	110.1	1826.7	1.3333	-	
28.283	3.96212	58.1	963.7	1.3333	-	
29.425	3.81158	70.3	1165.4	1.3333	-	
30.395	3.69263	74	15790.7	1.3333	-	
33.013	3.40701	115.7	24685.7	0.858	Aragonite	10.67934
33.609	3.34829	223.7	1048	0.3827	Quartz	20.64796
34.563	3.25862	143.2	671.2	0.6589	Feldspar (orthoclase)	13.21765
35.297	3.19295	117.6	551.2	0.7971	Albite	10.85472
37.278	3.02882	154.2	2156	0.9352	calcite	14.23297
39.1	2.89281	104.3	14274.7	6.8	dolomite	9.6271
40.027	2.82849	92.7	12688.9	6.8	Halite	8.556397
41.25	2.7481	65.1	8920.1	6.8	-	
41.927	2.7057	82	14721.3	6.8	-	
45.756	2.48998	84.7	11344	6.8	-	
47.285	2.41385	61.3	8213.8	6.8	-	
48.019	2.37909	70.3	9414.5	6.8	-	
48.748	2.34561	71.3	7760	6.8	-	
Total		1083.4				

Table S3-6 X ray diffraction data of core 3 sample no.6




Fig.S6-6 X ray diffractogram of core 3 sample no.6

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
13.166	8.44383	79.8	1217.3	0.6667	Illite	7.123092029
14.522	7.65891	140.5	1217.3	0.6667	Gypsum	12.54128358
26.186	4.27326	73.2	12713.3	0.6667	-	
29.429	3.81109	72.6	12608.9	0.6667	-	
30.288	3.70546	76.8	15068	0.6667	-	
33.012	3.40712	111.5	21874.5	0.5117	Aragonite	9.952691243
33.56	3.35302	237	1069.3	0.3567	Quartz	21.15504776
34.574	3.25758	154	694.7	0.6307	Feldspar (orthoclase)	13.74631795
37.278	3.02882	154.1	2069.3	0.9048	Calcite	13.75524413
38.984	2.90106	84.1	1129	0.9048	dolomite	7.50691779
40.087	2.82442	74	993.6	0.9048	Halite	6.605373561
41.9	2.70735	85.3	14253.3	0.9048	pyrite	7.614031956
44.313	2.56673	58.9	9842.8	0.9048	-	
45.8	2.48769	84	12822.7	0.9048	-	
47.345	2.41094	61	9316.6	0.9048	-	
48.1	2.37531	74.5	12541.3	0.9048	-	
48.816	2.34258	66.1	11123.1	0.9048	-	
50.286	2.27836	65.4	11001.8	0.9048	-	
52.333	2.19514	59	9957.3	0.9048	-	
Total		1120.3				

Table S3-7 X ray diffraction data of core 3 sample no.7




Fig.S6-7 X ray diffractogram of core 3 sample no.7

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
26.447	4.23183	63.2	11172	0	-	
29.952	3.74602	59.3	12373.3	0	-	0
33.179	3.39041	132.2	1036	0.563	Aragonite	19.53598
33.856	3.32457	98.4	771	0.8111	Quartz	14.54116
34.45	3.26893	94.3	738.9	0.9352	Feldspar (orthoclase)	13.93527
35.129	3.20768	70.1	549.4	0.9972	Albite	10.3591
37.518	3.01011	126.3	2124	1.0593	calcite	18.66411
40.2	2.8168	62	12397.3	1.0593	Halite	9.16211
42.013	2.70037	93.4	2062.7	1.7222	pyrite	13.80228
45.919	2.48159	82.2	11818.7	1.7222	-	
47.352	2.41065	57.8	8316.8	1.7222	-	
48.147	2.37315	82.4	9737.3	1.7222	-	
48.964	2.33591	72.2	0	0	-	
50.407	2.27323	61.1	0	0	-	
Total		676.7				

Table S3-8 X ray diffraction data of core 3 sample no.8




Fig.S6-8 X ray diffractogram of core 3 sample no.8

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
29.776	3.76761	63.4	13272	0	-	0
32.924	3.41594	140.3	1076	0.5172	Aragonite	17.68785
33.446	3.36411	81	621.4	1.5387	Quartz	10.2118
34.15	3.29679	93.4	716.4	2.0495	-	
34.747	3.24188	110.6	4132	2.5603	feldspar (orthoclase)	13.94352
37.525	3.00962	135.2	2118.7	0.9769	calcite	17.04488
38.812	2.91343	84.1	1318.3	0.9769	dolomite	10.60262
39.956	2.83331	56.8	889.9	0.9769	Halite	7.160867
41.773	2.71519	91.8	13505.3	0.9769	pyrite	11.57337
45.633	2.49629	87.9	12505.3	0.9769	-	
46.993	2.42799	60.9	8666.3	0.9769	-	
47.882	2.38549	82.3	12152	0.9769	-	
48.752	2.34545	68.6	10136.1	0.9769	-	
50.592	2.26548	62.1	9442.7	0.9769	-	
52.253	2.19826	62.2	7386.7	0.9769	-	
Total		793.2				

Table S3-9 X ray diffraction data of core 3 sample no.9




Fig.S6-9 X ray diffractogram of core 3 sample no.9

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
12.995	8.55463	108.2	2074.4	0.421	Illite	11.9969
14.5	7.6705	329.4	2074.4	0.421	Gypsum	36.5229
23.339	4.78594	11.8	86.1	0.5672	-	
25.977	4.30701	53.8	284.7	0.3977	-	
26.474	4.22749	24.6	130.1	0.3204	Goethite	
29.273	3.83091	219.3	603.1	0.2431	-	0
31.24	3.59516	12.6	35.8	0.2209	-	
32.723	3.43638	37.8	107.2	0.2347	Aragonite	4.191152
33.409	3.36782	113.4	315.8	0.2485	Quartz	12.57346
					feldspar (orthoclase)	
34.419	3.27179	75.6	210.4	0.518	(orthoclase)	8.382304
36.383	3.10069	54.2	150.8	0.6528	Albite	6.009535
36.983	3.05207	68.8	695.9	0.7875	calcite	7.62834
39.114	2.89185	34.3	134.3	0.3403	dolomite	3.803082
39.865	2.83952	27.6	108.1	0.4911	halite	3.060206
41.957	2.70385	28	221.2	0.6419	Pyrite	9.080829
44.596	2.5513	10.3	81.1	0.5279	-	
45.519	2.50222	21.6	114	0.4139	-	
47.078	2.42386	11.7	11.4	0.1928	Gypsum	
48.534	2.35536	14.9	95.4	0.4807	Gypsum	
49.875	2.29589	17.6	79.7	0.3828	Gypsum	
51.464	2.22963	13.6	42.5	0.2822	feldspar (orthoclase)	
Total		901.9				

Table S4-1 X ray diffraction data of core 4 sample no.1




Fig.S7-1 X ray diffractogram of core 4 sample no.1

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
13.631	8.1568	8.6	47.9	0.2271	Illite	1.565344
14.954	7.43883	18.4	47.9	0.2271	Gypsum	3.349108
26.664	4.198	81.9	231.4	0.259	Goethite	14.90717
29.492	3.80305	19.5	90.8	0.3681	-	
30.795	3.64586	23.6	49.8	0.2012	-	0
33.522	3.35674	33.6	70.8	0.2302	Aragonite	6.115763
34.025	3.30859	184.3	523.8	0.2591	Quartz	33.54569
37.685	2.99726	158	621.4	0.3496	calcite	28.75865
39.502	2.86453	25.1	141.7	0.3957	dolomite	4.56862
40.572	2.79205	16.5	93.3	0.3907	halite	3.003276
42.401	2.67683	23	122.1	0.3857	Pyrite	4.186385
46.233	2.46564	35.8	193.6	0.4203	Aragonite	
46.699	2.44242	16.5	89.4	0.3725	Gypsum	
48.478	2.35791	16	64.1	0.3247	Gypsum	
49.3	2.32096	11.4	45.8	0.3437	Gypsum	
50.654	2.26287	36.1	153.2	0.3627	Gypsum	
Total		549.4				

Table S4-2 X ray diffraction data of core 4 sample no.2




Fig.S7-2 X ray diffractogram of core 4 sample no.2

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
26.082	4.28994	13.5	65	0.3724	-	
29.071	3.85691	13.5	99.1	0.4811	-	0
32.807	3.42778	59.7	438	0.407	Aragonite	15.98394
33.471	3.36169	66.2	270.5	0.333	Quartz	17.72423
34.152	3.2966	33.8	137.9	0.4481	feldspar (orthoclase)	9.049531
37.144	3.03938	163.5	1182.2	0.5631	calcite	43.7751
38.943	2.90403	11.5	82.8	0.4291	dolomite	3.078983
41.726	2.71812	38.8	119.1	0.2951	Pyrite	10.38822
43.811	2.59471	8.6	34.8	0.2911	-	
45.541	2.50108	38.5	202.7	0.4232	-	
47.095	2.42301	14.6	76.6	0.3812	Aragonite	
47.811	2.38882	23.6	92.2	0.3392	Gypsum	
48.608	2.35197	18.2	71.2	0.4174	Gypsum	
49.938	2.29319	19.3	121.8	0.4956	gypsum	
Total		373.5				

Table S4-3 X ray diffraction data of core 4 sample no.3




Fig.S7-3 X ray diffractogram of core 4 sample no.3

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
26.125	4.28301	60.1	12293.3	0	-	0
29	3.8662	63	13493.3	0	-	
32.864	3.42203	116.8	25010.1	0.3444	Aragonite	17.86752
33.469	3.36194	132	1182.7	0.6889	Quartz	20.19275
					feldspar (orthoclase)	
34.101	3.30143	87.2	781.3	0.8713	(orthoclase)	13.33945
37.427	3.0172	121.8	2036	1.0538	calcite	18.6324
38.71	2.92083	56.3	940.9	1.0538	dolomite	8.612513
39.933	2.83483	59	13505.3	1.0538	halite	9.025547
41.758	2.71612	80.6	13326.7	1.0538	Pyrite	12.32981
45.643	2.4958	74.4	12706.7	1.0538	Aragonite	
47.029	2.42625	55.9	9549.3	1.0538	Aragonite	
47.942	2.38269	76.1	12374.7	1.0538	-	
48.715	2.34712	68.9	11202.9	1.0538	-	
49.952	2.29261	64.1	10429	1.0538	-	
52.456	2.19038	59.1	12281.3	1.0538	Aragonite	
54.567	2.11178	59.3	12214.7	1.0538	-	
58.4	1.98422	88	2720	2.4667	-	
60.744	1.91456	61.4	1897.3	2.4667	-	
61.733	1.88682	77	11885.3	2.4667	-	
64.26	1.82013	68	9206.7	2.4667	-	
Total		653.7				

Table S4-4 X ray diffraction data of core 4 sample no.4




Fig.S7-4 X ray diffractogram of core 4 sample no.4

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
32.977	3.41066	62.8	694.7	0.7333	Aragonite	26.9066
34.255	3.287	47.5	525.3	0.7742	feldspar (orthoclase)	20.35133
37.589	3.00465	79.1	1041.3	0.815	calcite	33.89032
41.805	2.71324	44	942.7	1.4667	Pyrite	18.85176
45.667	2.49456	38	6237.3	1.4667	-	
48	2.37997	38	5693.3	1.4667	-	
48.826	2.34211	31.6	4729.1	1.4667	-	
50.667	2.26234	32	4450.7	1.4667	-	
Total		233.4				

Table S4-5 X ray diffraction data of core 4 sample no.5




Fig.S7-5 X ray diffractogram of core 4 sample no.5

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
29.167	3.84459	60.4	12160	0	-	
29.826	3.76146	57.5	11584	0.9597	-	
30.889	3.63497	55.6	11191.6	1.4396	-	0
33	3.40834	113	2808	1.9194	Aragonite	20.71494
33.588	3.35031	66.8	1659.2	1.4523	Quartz	12.24565
34.325	3.28055	82.8	2058.6	1.2187	feldspar (orthoclase)	15.17874
37.567	3.00636	134.3	2150.7	0.9852	calcite	24.61962
40.033	2.82804	63	12472	0.9852	dolomite	11.54904
41.886	2.70823	85.6	12698.7	0.9852	Pyrite	15.69203
43.976	2.58545	50.7	7523.2	0.9852	-	
45.744	2.49055	77.1	10422.7	0.9852	-	
48.067	2.37686	71	7892	0.9852	-	
48.883	2.33954	68.7	0	0	Aragonite	
Total		545.5				

Table S4-6 X ray diffraction data of core 4 sample no.6




Fig.S7-6 X ray diffractogram of core 4 sample no.6

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
13.147	8.4559	79	1170.7	0.3364	Illite	8.072757
14.487	7.67717	254.9	1170.7	0.3364	Gypsum	26.04741
22.948	4.8662	62.3	12532	0.3364	-	
26.015	4.30078	74.3	12504	0.3364	-	
29.389	3.81615	79.1	13578.7	0.3364	-	
32.901	3.41834	103.4	17747.4	0.4219	Aragonite	10.56611
33.524	3.3566	146.4	1085.3	0.5074	Quartz	14.96015
34.11	3.30055	80.5	597.2	1.2093	feldspar (orthoclase)	8.226037
36.63	3.08053	66.8	495.4	1.5602	Albite	6.826078
37.338	3.02411	102	2962.7	1.9111	calcite	10.42305
39.149	2.88932	62.2	1807.4	1.9111	dolomite	6.356019
41.833	2.71147	83.4	13330.7	1.9111	Pyrite	8.522379
45.75	2.49026	77.1	12605.3	1.9111	Gypsum	
47.111	2.42224	59.2	9673.6	1.9111	Gypsum	
48	2.37997	71	12250.7	1.9111	Gypsum	
48.724	2.34673	63.8	11002	1.9111	Aragonite	
50.6	2.26513	60	12385.3	1.9111	Gypsum	
52.5	2.18866	55.1	12092	1.9111	dolomite	
54.569	2.11169	56.9	12481.3	1.9111	-	
55.433	2.08132	63.8	11328	1.9111	-	
58.5	1.98113	84.5	8129.3	1.9111	-	
Total		978.6				

Table S4-7 X ray diffraction data of core 4 sample no.7




Fig.S7-7 X ray diffractogram of core 4 sample no.7

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
14.54	7.6496	73	13630.7	0	Gypsum	15.04844
26.221	4.26761	88.3	11534.7	0	Gypsum	
29.367	3.81897	60.6	12262.7	0	-	
29.803	3.76435	58.8	11903.2	0.9876	-	
30.864	3.6379	54	10929.2	1.4814	-	
33.027	3.40563	113.7	2874.7	1.9752	Aragonite	23.43847
34.136	3.29812	82.1	2075.9	1.4726	Quartz	16.92435
37.533	3.00894	131	1926.7	0.9699	calcite	27.00474
41.879	2.70863	85.3	12586.7	0.9699	Pyrite	17.584
45.817	2.48683	76.3	11912	0.9699	Gypsum	
47.136	2.42102	59.2	9256.1	0.9699	gypsum	
48.1	2.37531	70.3	11564	0.9699	gypsum	
48.817	2.34253	64.9	10677.9	0.9699	-	
50.585	2.26573	60.5	9951.3	0.9699	feldspar (orthoclase)	
52.519	2.18792	57.2	7060	0.9699	Aragonite	
Total		485.1				

Table S4-8 X ray diffraction data of core 4 sample no.8




Fig.S7-8 X ray diffractogram of core 4 sample no.8

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
26.3	4.25501	59.3	11653.3	0	-	0
29.083	3.85536	68.3	12318.7	0	-	
32.97	3.41133	81.5	14711.3	1.1524	Aragonite	10.51613
33.619	3.34739	110.7	3404	2.3048	Quartz	14.28387
					feldspar (orthoclase)	
34.238	3.28859	71.9	2211.8	1.8904	(orthoclase)	9.277419
34.745	3.24204	105.5	3243.1	1.4761	Albite	13.6129
37.274	3.02914	215.2	1869.3	0.6474	calcite	27.76774
38.802	2.91415	63.7	553.5	0.6474	dolomite	8.219355
40.07	2.82556	59.6	517.8	0.6474	halite	7.690323
41.9	2.70735	66.9	13498.7	0.6474	Pyrite	8.632258
45.744	2.49055	82.1	11736	0.6474	-	
48.067	2.37686	59	9445.3	0.6474	-	
50.256	2.27963	70.1	7308	0.6474	Aragonite	
Total		775				

Table S4-9 X ray diffraction data of core 4 sample no.9




Fig.S7-9 X ray diffractogram of core 4 sample no.9

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
13.212	8.41467	116.7	2539.2	0.5017	Illite	24.15649
14.634	7.60095	328.4	2539.2	0.5017	Gypsum	67.97764
23.548	4.74408	13.7	41.4	0.2592	-	
26.08	4.29032	91.9	352.2	0.3322	-	
26.724	4.18869	25.7	98.3	0.2948	Goethite	5.31981
29.467	3.80626	223	629	0.2574	-	
30.417	3.69007	15.4	43.5	0.2616	-	
33.102	3.39808	27.7	78.1	0.2638	Aragonite	5.733803
33.6	3.34918	91.2	269.5	0.2659	Quartz	18.87808
					feldspar (orthoclase)	
34.445	3.26939	16.4	48.6	0.2844		3.394742
35.369	3.18667	16.4	48.6	0.303	Albite	3.394742
36.772	3.06899	99.6	394.8	0.3401	Calcite	20.61685
39.325	2.87692	35.9	235.8	0.5165	dolomite	7.431174
42.234	2.68692	39.8	188.3	0.385	Pyrite	8.23846
43.761	2.5975	9.3	44	0.383	-	
45.713	2.49215	18.2	77.3	0.381	gypsum	
48.1	2.37531	12.6	34.7	0.25	Gypsum	
Total		483.1				

Table S5-1 X ray diffraction data of core 5 sample no.1




Fig.S8-1 X ray diffractogram of core 5 sample no.1

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
14.591	7.62305	53.5	113.8	0.2546	Gypsum	10.33217
25.082	4.45809	10.2	21.6	0.2793	-	0
26.258	4.26177	28	97.5	0.304	-	
29.228	3.83676	12.6	43.7	0.2963	-	
33.112	3.39712	45.4	157.7	0.2885	Aragonite	8.767864
33.644	3.34493	154.4	558.7	0.273	Quartz	29.81846
34.692	3.24682	41	148.5	0.3154	feldspar (orthoclase)	7.918115
35.352	3.18815	15.5	56	0.3365	Albite	2.993434
35.728	3.1556	9.2	33.3	0.3471	-	
37.261	3.03017	132.2	645.8	0.3577	Calcite	25.53109
39.101	2.89276	38.1	217.7	0.4269	dolomite	7.358053
41.982	2.70227	37.7	152.7	0.3288	Pyrite	7.280803
43.976	2.58542	7.3	29.5	0.3732	-	
45.848	2.48523	38.7	209.3	0.4176	Gypsum	
48.078	2.37636	20.6	228.5	0.7149	Gypsum	
48.915	2.33813	14.5	160.9	0.5387	Aragonite	
50.217	2.28127	29.9	134.3	0.3626	feldspar (orthoclase)	
52.435	2.19118	14.9	66.5	0.3097	dolomite	
55.167	2.09059	24.2	271.9	0.8289	-	
58.592	1.9783	32.7	156	0.3581	-	
Total		517.8				

Table S5-2 X ray diffraction data of core 5 sample no.2




Fig.S8-2 X ray diffractogram of core 5 sample no.2

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
26.344	4.24796	65.2	11717.3	0	-	
29.414	3.81293	62.2	13189.3	0	-	0
29.96	3.74497	61.3	13007.8	0.4405	-	
30.631	3.6649	58.5	12421.6	1.1012	-	
33.156	3.39279	141.7	3205.3	1.7619	Aragonite	19.05082
33.732	3.33647	126.9	2871.5	1.5878	Quartz	17.06104
					feldspar (orthoclase)	
34.402	3.27336	98.9	2238.7	1.4137	(orthoclase)	13.29659
35.324	3.19055	58.9	1332.4	1.2396	Albite	7.918795
36.078	3.126	55.4	1254.3	1.1526	-	
37.336	3.02431	100	2262.1	1.1091	Calcite	13.44447
37.808	2.98789	131.1	2088	1.0656	-	
39.096	2.89313	59.6	949	1.6411	dolomite	8.012907
40.101	2.82345	56.5	899.5	1.785	Halite	7.596128
41.526	2.73064	61	971	1.9289	-	
42.013	2.70042	101.3	2741.3	2.2167	Pyrite	13.61925
45.919	2.48159	87.2	12380	2.2167	-	
47.393	2.40868	64.8	9198	2.2167	-	
48.156	2.37271	91.1	9693.3	2.2167	-	
48.901	2.33874	78.6	0	0	Aragonite	
50.242	2.28021	62.3	0	0	feldspar (orthoclase)	
Total		743.8				

Table S5-3 X ray diffraction data of core 5 sample no.3




Fig.S8-3 X ray diffractogram of core 5 sample no.3

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
33.085	3.39984	126.8	1722.7	1.0667	Aragonite	21.80567
33.553	3.35377	76.4	1037.3	1.0883	Quartz	13.13844
34.238	3.28857	95.7	1299.7	1.11	feldspar (orthoclase)	16.45744
37.7	2.99612	129	2336	1.1533	dolomite	22.18401
40.1	2.82353	57.3	12921.3	1.1533	halite	9.853826
41.985	2.70212	96.3	1978.7	1.5333	Pyrite	16.56062
45.875	2.48384	90.1	9462.7	5.7	-	0
47.361	2.41017	57.4	6031.1	5.7	-	
48.133	2.37377	85	12134.7	5.7	-	
48.928	2.33751	72.4	10339.1	5.7	Aragonite	
50.299	2.27777	59.4	8481.9	5.7	feldspar (orthoclase)	
50.933	2.25128	62	12364	5.7	-	
52.258	2.19807	57.4	11455.1	5.7	dolomite	
54.742	2.10552	70.1	10548	5.7	-	
55.882	2.06595	59.8	8999	3.3056	-	
56.959	2.03005	57	8583.8	2.1083	-	
58.642	1.97675	99	1229.3	0.9111	-	
Total		581.6				

Table S5-4 X ray diffraction data of core 5 sample no.4




Fig.S8-4 X ray diffractogram of core 5 sample no.4

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
29.301	3.82728	10.3	32.1	0.1989	-	
30.415	3.69027	17.2	32.1	0.1989	-	0
33.11	3.39737	74.4	139	0.2336	Aragonite	18.81639
33.641	3.34522	122.5	359.2	0.2682	Quartz	30.98128
34.347	3.27844	40.5	118.7	0.5226	feldspar (orthoclase)	10.24279
37.707	2.99559	93.1	1131.2	0.7769	calcite	23.54578
38.917	2.90588	14.5	176.5	0.6549	dolomite	3.667172
40.194	2.81719	16.2	107.5	0.5329	halite	4.097117
41.488	2.73305	9.6	63.5	0.4416	-	
41.983	2.70222	34.2	139.8	0.3504	Pyrite	8.649469
44.233	2.57114	7.1	39.8	0.3775	-	
45.833	2.48599	36.8	266.8	0.6452	Quartz	
48.14	2.37344	27.6	90.3	0.3078	Pyrite	
49.009	2.33391	21.4	70.1	0.3765	Aragonite	
50.437	2.27198	15.7	51.3	0.4109	Pyrite	
52.466	2.18996	13.9	87.3	0.4453	dolomite	
55.833	2.06759	16.1	408.3	1.6143	-	
Total		395.4				

Table S6-1 X ray diffraction data of core 6 sample no.1




Fig.S9-1 X ray diffractogram of core 6 sample no.1

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
26.215	4.26852	16.7	46.9	0.2115	-	0
29.433	3.81058	13.6	78.4	0.4351	-	
33.044	3.40397	75.8	227.4	0.2787	Aragonite	22.27446
33.597	3.34945	42.4	127.2	0.4976	Quartz	12.45959
34.296	3.28317	43.1	129.2	0.607	feldspar (orthoclase)	12.6653
35.345	3.18876	5	15.1	0.6617	feldspar (Albite)	1.469292
36.131	3.1216	5	15.1	0.6891	-	
37.662	2.99903	104.9	1051.4	0.7164	Calcite	30.82574
38.839	2.91146	14	140.8	0.5365	dolomite	4.114017
39.975	2.83198	11.4	114	0.4465	halite	3.349985
41.9	2.70735	43.7	180.2	0.3565	Pyrite	12.84161
45.82	2.48666	36.4	318.5	0.6795	-	
47.14	2.42086	15.4	134.4	0.5137	Aragonite	
48.085	2.376	27.3	115.1	0.348	Aragonite	
48.8	2.3433	25.1	105.5	0.7028	feldspar	
50.5	2.26932	14.1	234.4	1.0575	Pyrite	
52.4	2.19254	16	138.7	0.644	dolomite	
Total		340.3				

Table S6-2 X ray diffraction data of core 6 sample no.2




Fig.S9-2 X ray diffractogram of core 6 sample no.2

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
23.867	4.68155	51	9598.7	0	-	
26.267	4.26032	57	9589.3	0	-	0
29.367	3.81897	54.3	9978.7	0	-	
33.047	3.40366	82.7	4228	4.1333	Aragonite	17.69741
33.723	3.33733	54.7	2798.5	3.3569	Quartz	11.70554
34.352	3.27801	65.6	3352.7	2.5806	feldspar (orthoclase)	14.03809
35.071	3.21287	56.2	2873.4	1.8042	feldspar (Albite)	12.02654
36.239	3.11261	50	2558.9	1.416	-	
37.227	3.03277	89.3	4565.9	1.2219	Calcite	19.10978
37.627	3.00174	91.8	1522.7	1.0278	-	
38.486	2.93721	50.9	844.5	1.0278	-	
39.115	2.89178	52.7	873.7	1.0278	dolomite	11.27755
41.922	2.70598	66.1	10238.7	1.0278	Pyrite	14.14509
44	2.5841	51	9857.3	1.0278	-	
45.767	2.48941	65.6	9922.7	1.0278	-	
48.033	2.37841	59.3	9829.3	1.0278	Aragonite	
48.999	2.33433	56.8	9418.3	1.0278	-	
50.168	2.28337	55.6	9224	1.0278	Pyrite	
52.533	2.18737	52	6673.3	1.0278	dolomite	
54.1	2.1286	54.4	5157.3	1.0278	-	
Total		467.3				

Table S6-3 X ray diffraction data of core 6 sample no.3




Fig.S9-3 X ray diffractogram of core 6 sample no.3

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
29.874	3.7555	13.3	11.9	0.1432	-	
33.009	3.4074	80.9	259.4	0.3146	Aragonite	24.47066
33.509	3.35803	28.8	92.4	0.5123	Quartz	8.711434
34.184	3.29359	50.3	161.3	0.6111	feldspar (orthoclase)	15.21476
37.54	3.00843	99.4	1046.7	0.71	Calcite	30.06655
39.396	2.87193	4.8	50.2	0.4886	dolomite	1.451906
40.074	2.82528	14.3	46	0.2672	halite	4.325469
41.423	2.73715	13.6	43.6	0.2843	-	
41.904	2.70708	52.1	164.8	0.3014	Pyrite	15.75923
45.75	2.49028	35.9	207.5	0.4446	Aragonite	
47.213	2.4173	15.5	89.8	0.4404	Aragonite	
48.034	2.37839	30.6	188.8	0.4362	Aragonite	
48.661	2.34957	25.6	158.1	0.8919	Aragonite	
50.109	2.28589	15.8	97.7	1.1198	feldspar	
50.784	2.25745	15.2	93.8	1.2337	Pyrite	
52.633	2.18353	11	210.9	1.3476	dolomite	
54.683	2.10762	19	137.1	0.4854	Aragonite	
55.61	2.07524	16.2	116.8	0.3883	-	
Total		330.6				

Table S6-4 X ray diffraction data of core 6 sample no.4




Fig.S9-4 X ray diffractogram of core 6 sample no.4

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
29.108	3.85221	15.7	81	0.2201	-	0
30.352	3.69781	41.5	81	0.2201	-	
32.954	3.41298	68.8	134.2	0.226	Aragonite	12.92019
33.59	3.35016	194.7	411.6	0.2319	Quartz	36.56338
					feldspar (orthoclase)	
34.321	3.28084	39.7	84	0.4562	(orthoclase)	7.455399
36.202	3.1157	7.3	15.4	0.5684	Albite	1.370892
37.284	3.02836	143.6	1363.8	0.6805	Calcite	26.96714
40.085	2.82456	41	160.2	0.3105	dolomite	7.699531
41.9	2.70732	37.4	116.1	0.3034	Pyrite	7.023474
44.065	2.58048	6.2	19.2	0.3802	-	
45.767	2.48941	48.1	293	0.4569	-	
47.142	2.42075	12.3	75.2	0.3729	Aragonite	
48.022	2.37893	27.5	87.7	0.2888	Aragonite	
48.851	2.34097	20.2	64.3	0.4764	Aragonite	
50.4	2.27353	21.8	183.3	0.664	Pyrite	
Total		352.5				

Table S6-5 X ray diffraction data of core 6 sample no.5




Fig.S9-5 X ray diffractogram of core 6 sample no.5

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
13.083	8.4971	28.8	77.7	0.2813	Illite	3.169014
14.609	7.61383	21.3	76.1	0.296	Gypsum	2.34375
17.369	6.41117	17.4	89.6	0.4373	-	
23.864	4.68212	13.5	67	0.3772	-	
26.291	4.25642	165.2	458	0.2596	-	
27.655	4.05034	31.1	86.1	0.2552	-	
30.448	3.68636	89.9	191.3	0.2508	Aragonite	9.892165
33.633	3.34597	329.3	1882.8	0.4046	Quartz	36.2346
34.749	3.24171	139.5	797.5	0.3824	feldspar (orthoclase)	15.34991
35.347	3.18855	121.9	697.1	0.3712	Albite	13.41329
37.278	3.02882	63.4	308.6	0.3601	calcite	6.976232
39.106	2.89242	88.8	474.7	0.4111	dolomite	9.771127
40.133	2.82128	25.9	138.5	0.8705	halite	2.849912
46.4	2.45727	32	114.2	0.3333	Aragonite, gypsum	
50.219	2.28118	36.6	142	0.3108	Pyrite	
51.244	2.23853	24.9	0	0	Gypsum	
Total		908.8				

Table S6-6 X ray diffraction data of core 6 sample no.6




Fig.S9-6 X ray diffractogram of core 6 sample no.6

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
26.275	4.25892	32	96.9	0.2941	-	
29.003	3.8658	14.4	43.6	0.2947	-	0
29.683	3.77913	28.2	84.6	0.2954	-	
30.426	3.68901	13.9	41.9	0.3045	Aragonite	3.020426
33.63	3.34628	147	541.2	0.3136	Quartz	31.94263
					feldspar	
34.694	3.24667	34.1	125.7	0.4636	(orthoclase)	7.409822
35.112	3.20918	26.5	97.6	0.5386	feldspar (Albite)	5.758366
37.265	3.02986	140	1074.2	0.6136	calcite	30.42156
39.072	2.89481	73.8	382.7	0.4123	dolomite	16.03651
39.966	2.83258	13.5	70	0.3169	halite	2.933507
41.913	2.70657	11.4	23.2	0.2215	Pyrite	2.477184
45.833	2.48598	27.8	320.7	0.8956	-	
47.247	2.41566	12.2	140.1	0.7729	Aragonite	
48.837	2.34159	11.3	129.8	0.7116	Aragonite	
50.214	2.28139	29.6	255.5	0.6503	feldspar	
Total		460.2				

Table S6-7 X ray diffraction data of core 6 sample no.7




Fig.S9-7 X ray diffractogram of core 6 sample no.7

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
24.891	4.49172	13.9	142.1	0.242	-	0
26.279	4.25843	51.7	142.1	0.242	-	
27.029	4.1423	9.5	26.1	0.2925	Goethite	2.071974
27.68	4.04677	8.4	23	0.3051	-	
29.074	3.85659	10.6	29.1	0.3177	-	
30.411	3.69075	24.1	94.3	0.343	-	
33.071	3.40126	29.5	115.3	0.2901	Aragonite	6.434024
33.65	3.34437	194.9	421.2	0.2373	Quartz	42.50818
34.837	3.23378	39.5	85.3	0.3018	feldspar (orthoclase)	8.615049
37.267	3.02969	113.4	541.7	0.3663	calcite	24.73282
39.1	2.89279	53	266.3	0.3992	dolomite	11.55943
41.996	2.70143	18.7	92.2	0.3892	Pyrite	4.078517
45.833	2.48597	25.9	183.8	0.5413	-	
47.385	2.40905	14.5	102.7	0.388	-	
48.137	2.37361	17.5	39.6	0.2346	Pyrite	
48.872	2.34004	13.4	30.3	0.2936	Aragonite	
50.25	2.27988	30	142.2	0.3527	Feldspar	
52.286	2.19697	13.2	73.1	0.4874	Dolomite	
55.017	2.09584	15.1	95.9	0.4776	-	
Total		458.5				

Table S6-8 X ray diffraction data of core 6 sample no.8




Fig.S9-8 X ray diffractogram of core 6 sample no.8

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
24.559	4.55157	6	112.1	0.3974	-	0
26.334	4.24955	21.7	112.1	0.3974	-	
29.4	3.81471	16.2	102.6	0.4458	-	
31.134	3.60715	10.8	31.9	0.1871	-	
33.062	3.40212	75	221.6	0.2165	Aragonite	20.20474
33.685	3.34095	106	305.3	0.2459	Quartz	28.55603
34.511	3.26331	44.3	127.5	0.4975	feldspar (orthoclase)	11.93427
37.748	2.99241	94.1	993	0.7491	Calcite	25.35022
38.956	2.90306	9.9	104.8	0.5577	dolomite	2.667026
41.992	2.70168	41.9	226.9	0.3664	Pyrite	11.28772
45.886	2.48326	37.7	250.3	0.4643	-	
48.195	2.3709	32.3	196.8	0.4277	Aragonite	
48.909	2.33837	28.4	173	0.6485	feldspar	
50.341	2.27603	26.1	310.1	0.8694	feldspar	
50.842	2.25507	18.8	224.1	1.0566	Pyrite	
52.7	2.18095	9.1	185.8	1.2438	dolomite	
54.817	2.10289	20.1	100.5	0.3489	-	
55.963	2.06319	15.9	79.6	0.4656	-	
Total		371.2				

Table S6-9 X ray diffraction data of core 6 sample no.9




Fig.S9-9 X ray diffractogram of core 6 sample no.9

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
26.275	4.25894	16.1	74.2	0.3697	Goethite	4.054394
29.941	3.74735	16.4	61.8	0.3381	-	
33.133	3.39502	95	282.5	0.2805	Aragonite	23.92344
33.67	3.34239	51.9	154.3	0.4981	Quartz	13.06976
34.373	3.27606	47	139.6	0.607	feldspar (orthoclase)	11.83581
37.71	2.99538	103.6	1005.2	0.7158	Calcite	26.08915
39.029	2.89789	8.9	86.3	0.5725	dolomite	2.241249
40.215	2.8158	29.7	167.3	0.4291	halite	7.479224
42.05	2.69811	44.9	221.2	0.3484	Pyrite	11.30698
45.913	2.48188	40.2	291.7	0.55	-	
47.374	2.40957	13.5	97.8	0.4694	Aragonite	
48.167	2.37222	35.5	178.8	0.3889	Aragonite	
49.043	2.33238	25.6	129.1	0.5595	feldspar	
50.875	2.25369	17.1	173.9	0.7302	feldspar	
52.614	2.18424	14.2	69.1	0.4222	dolomite	
Total		397.1				

Table S6-10 X ray diffraction data of core 6 sample no.10




Fig.S9-10 X ray diffractogram of core 6 sample no.10

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
13.112	8.47866	73.7	1762.9	0.3861	Illite	9.512132
14.502	7.66945	317.4	1762.9	0.3861	Gypsum	40.96541
26.143	4.28013	48.8	294	0.464	Gypsum	
29.396	3.81529	150.4	427.2	0.2441	Gypsum	0
30.305	3.70336	21.3	60.4	0.2477	-	
33.542	3.35483	194.7	559	0.2514	quartz	25.12907
34.501	3.26431	28.3	81.3	0.2846	feldspar (orthoclase)	3.652555
35.282	3.19423	31.8	106.4	0.3179	feldspar (Albite)	4.104285
36.639	3.07974	48.5	162.3	0.3779	gypsum	
37.177	3.03674	77.2	454.9	0.4379	calcite	9.963862
39.272	2.88065	28.3	166.8	0.3553	dolomite	3.652555
40.044	2.82732	76.4	236.7	0.2727	Feldspar (orthoclase)	
42.192	2.68945	23.4	80.1	0.3076	Pyrite	3.020134
45.648	2.49552	18.3	136.3	0.5556	Gypsum	
Total		774.8				

Table S7-1 X ray diffraction data of core 7 sample no.1




Fig.S10-1 X ray diffractogram of core 7 sample no.1

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
24.849	4.49927	21.8	184.7	0.6198	-	0
26.226	4.26673	27.3	138.1	0.4165	Goethite	9.030764
30.233	3.71195	22.5	99.1	0.3589	-	
33.602	3.34898	89.1	273.1	0.2922	quartz	29.47403
34.706	3.24561	19	58.3	0.3164	feldspar (orthoclase)	6.285147
35.257	3.19644	22.7	99.6	0.3406	Albite	7.509097
37.226	3.03288	76.4	382.1	0.4324	Calcite	25.27291
39.124	2.89107	52.5	269.4	0.4307	Dolomite	17.36685
40.153	2.81996	15.3	78.7	0.9224	Halite	5.061197
44.247	2.57041	17.4	325.7	1.4141	quartz	
45.833	2.48598	17.3	280.9	1.1115	-	
47.167	2.41955	16.8	110	0.5568	quartz	
50.233	2.28058	17	110.6	0.4706	Albite	
Total		302.3				

Table S7-2 X ray diffraction data of core 7 sample no.2




Fig.S10-2 X ray diffractogram of core 7 sample no.2

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
26.211	4.26922	21.2	86.8	0.3373	-	
30.358	3.69709	20.2	112.2	0.466	-	
33.559	3.35316	129.6	383	0.2839	quartz	30.38687
34.538	3.26091	43.7	129.1	0.2816	feldspar (orthoclase)	10.24619
35.211	3.20046	66	205.8	0.2793	Albite	15.47479
37.214	3.03384	105.3	423.6	0.3448	calcite	24.68933
39.052	2.89625	52.3	377.6	0.5451	dolomite	12.2626
40.155	2.81984	12.8	92.8	0.3879	Halite	3.001172
41.942	2.70479	16.8	43.7	0.2308	Pyrite	3.939039
45.767	2.4894	19.9	186.1	0.6276	Gypsum	
48.701	2.34777	11.4	97.9	0.4474	feldspar	
50.18	2.28283	23.9	116.2	0.348	Albite	0
52.284	2.19706	14.1	138.5	0.63	Gypsum	
54.055	2.13026	11.6	114.6	0.6233	quartz	
55.033	2.09525	17.7	141.7	0.6166	-	
Total		426.5				

Table S7-3 X ray diffraction data of core 7 sample no.3




Fig.S10-3 X ray diffractogram of core 7 sample no.3

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
26.19	4.27256	43	100.2	0.2372	-	0
29.066	3.85759	18.7	74.9	0.3563	anhydrite	4.066101
30.531	3.67656	13.5	54.1	0.3132	-	
33.012	3.40712	22.9	91.4	0.2916	Aragonite	4.979343
33.588	3.35034	163.9	483.2	0.27	quartz	35.63818
34.666	3.24921	18.2	53.7	0.2884	feldspar (orthoclase)	3.957382
35.217	3.19992	16.7	49.1	0.3068	Albite	3.631224
37.228	3.03275	152.5	616.2	0.3436	calcite	33.15938
38.934	2.9047	35.1	226.1	0.4846	dolomite	7.632094
40.087	2.82442	13	83.8	0.4283	Halite	2.826701
41.934	2.70527	18.9	92.2	0.372	Magnesite, pyrite	4.109589
					feldspar (orthoclase)	
44.073	2.58003	10.7	213.9	1.4543		
45.797	2.48785	30.3	173.4	0.4234	Gypsum	
47.989	2.3805	10.9	62.6	0.5535	Pyrite	
48.768	2.34474	11.5	112.4	0.6835	anhydrite	
50.189	2.28246	30.9	164	0.4027	feldspar (orthoclase)	
52.123	2.20336	12	63.6	0.3112	Pyrite	
53.148	2.16389	17.6	39.7	0.2197	-	
55.15	2.09117	25.7	125.4	0.4349	-	
Total		459.9				

Table S7-4 X ray diffraction data of core 7 sample no.4




Fig.S10-4 X ray diffractogram of core 7 sample no.4

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
22.3	5.00587	7	26.5	0.3264	Gypsum	1.247772
23.5	4.75346	8.3	26.5	0.3264	Gypsum	
26.252	4.26261	13.6	36.2	0.2612	Gypsum	0
29.074	3.85651	18.8	75.9	0.3596	-	
32.87	3.42148	47.2	190.8	0.3705	Aragonite	8.413547
33.537	3.35533	52.5	215.7	0.3814	quartz	9.358289
34.279	3.28478	29.5	121.2	0.4109	feldspar (orthoclase)	5.258467
37.215	3.03372	169.5	954.8	0.4405	calcite	30.2139
38.947	2.90371	13.4	75.7	0.3464	dolomite	2.388592
40.044	2.82733	42.7	125.2	0.2523	Halite	7.611408
41.87	2.70918	29.7	114.9	0.3483	Magnesite, pyrite	5.294118
45.733	2.49113	41.4	266	0.466	Aragonite	
47.139	2.4209	12.4	79.5	0.4454	Gypsum	
48.033	2.37842	18.6	100.1	0.4247	Pyrite	
48.812	2.34272	15.1	81.2	0.4447	Gypsum	
50.233	2.28058	29.5	190.8	0.4646	Gypsum	
52.2	2.20035	13.1	64.9	0.3585	Gypsum	
Total		561				

Table S7-5 X ray diffraction data of core 7 sample no.5




Fig.S10-5 X ray diffractogram of core 7 sample no.5

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
14.494	7.67379	35.5	78.4	0.2263	Gypsum	7.011653
26.211	4.26919	44.8	129	0.2502	Gypsum	
29.411	3.81333	20.1	139.2	0.5133	-	0
30.313	3.70237	19.8	137.1	0.3936	-	
32.98	3.41035	25.6	176.8	0.3337	Aragonite	5.056291
33.564	3.35263	209.8	624.4	0.2738	quartz	41.43788
35.263	3.19591	31.8	137.1	0.3543	Albite	6.280861
37.211	3.03405	123.7	507.9	0.3458	calcite	24.43215
39.067	2.89517	66.7	399	0.4656	Gypsum	13.17401
42.046	2.69835	13.2	86.8	0.4398	pyrite	2.60715
45.833	2.48598	23	154.3	0.4812	Gypsum	
46.23	2.4658	19.8	132.8	0.4604	calcite	
47.98	2.3809	8.3	55.9	0.4396	Gypsum	
48.813	2.34268	10.3	68.7	0.398	anhydrite	
50.197	2.28212	36.7	148.7	0.3149	calcite	
Total		506.3				

Table S7-6 X ray diffraction data of core 7 sample no.6




Fig.S10-6 X ray diffractogram of core 7 sample no.6

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
29.354	3.82053	14.2	255.6	0.3246	-	
33.086	3.39972	78.2	255.6	0.3246	quartz	35.65891
34.215	3.29073	43.4	141.8	0.5045	-	
37.351	3.02307	86.2	823.7	0.6844	calcite	39.30689
39.24	2.88287	8.8	83.7	0.5892	dolomite	4.012768
41.465	2.73449	15.3	146.3	0.494	Magnesite, pyrite	
41.933	2.7053	46.1	151.6	0.3036	Pyrite	21.02143
43.993	2.58447	6.7	14.5	0.1711	quartz	
45.878	2.4837	36.8	205.5	0.4227	calcite	
47.149	2.42039	14.5	80.9	0.3813	Pyrite	
48.127	2.37407	28.7	122.1	0.3399	-	
48.879	2.33971	22.7	122.1	0.3399	quartz	
Total		219.3				

Table S7-7 X ray diffraction data of core 7 sample no.7




Fig.S10-7 X ray diffractogram of core 7 sample no.7

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
29.167	3.84452	15.5	90.9	0.4459	-	
29.886	3.75409	11.5	67.5	0.3822	-	0
33	3.40836	69.5	220.3	0.3185	Aragonite	20.18588
34.176	3.29437	44.7	141.7	0.4485	quartz	12.98286
35.166	3.20443	32.3	102.4	0.5135	feldspar	9.381353
37.24	3.0318	140.6	951	0.5785	calcite	40.83648
39.992	2.83086	17.1	48.6	0.2254	dolomite	4.966599
41.853	2.71026	40.1	180.7	0.3353	Pyrite	11.64682
45.7	2.49284	39	224.3	0.4524	Aragonite	
47.211	2.41739	12	68.9	0.376	Pyrite	
48.025	2.3788	31.6	116.7	0.2995	Pyrite	
48.779	2.34423	27	99.9	0.2442	-	
Total		344.3				

Table S7-8 X ray diffraction data of core 7 sample no.8




Fig.S10-8 X ray diffractogram of core 7 sample no.8

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
13.117	8.47535	84.3	1835.8	0.4044	Illite	14.85462555
14.5	7.67041	324.9	1835.8	0.4044	Gypsum	57.25110132
25.98	4.30649	65.1	250.2	0.3347	Gypsum	
26.58	4.21097	18.8	72.4	0.293	Geothite	3.31277533
29.386	3.81648	161.1	352.3	0.2513	gypsum	
33.513	3.35759	28.3	120.8	0.3605	Quartz	4.986784141
36.678	3.07661	68	217	0.3095	Gypsum	
37.132	3.04027	39.8	126.8	0.3925	calcite	7.013215859
39.233	2.88337	44.2	273.4	0.4755	dolomite	7.788546256
42.118	2.69398	27.2	134.6	0.4495	Pyrite	4.792951542
45.5	2.50321	31.9	178.7	0.4444	Gypsum	
50.167	2.28341	16.6	87.4	0.4167	Quartz	
Total		567.5				

Table S8-1 X ray diffraction data of core 8 sample no.1




Fig.S11-1 X ray diffractogram of core 8 sample no.1

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
14.441	7.70171	11.6	68	0.5052	Gypsum	2.192816635
24.819	4.50464	10	705.3	0.4653	-	
26.074	4.29126	64.5	1883.2	0.4253	Gypsum	
29.087	3.85492	7.5	46.7	0.3822	Gypsum	
30.175	3.71898	37.2	295.9	0.3391	dolomite	
32.936	3.41473	26.5	111.1	0.2842	Aragonite	5.009451796
33.439	3.36488	285.7	577.9	0.2293	Quartz	54.00756144
34.527	3.26193	20.7	55.1	0.2503	feldspar (orthoclase)	3.913043478
35.28	3.19443	19.1	734.7	0.2713	feldspar (Albite)	3.610586011
37.205	3.03457	101.6	61.5	0.2767	calcite	19.20604915
39.046	2.89667	33.1	118.9	0.282	dolomite	6.257088847
39.966	2.83258	10	128.1	0.3255	halite	1.890359168
41.975	2.70273	20.7	490.7	0.369	Pyrite	3.913043478
44.569	2.55274	15.8	338	0.5075	gypsum	
45.574	2.49939	18.2	119	0.486	calcite	
46.159	2.46937	26.5	59.2	0.4881	Aragonite	
47.917	2.38385	10	118	0.4902	Aragonite	
48.586	2.35295	11.6	146	0.4944	Aragonite	
50.093	2.28656	30.6	123.9	0.2665	calcite	
Total		529				

Table S8-2 X ray diffraction data of core 8 sample no.2




Fig.S11-2 X ray diffractogram of core 8 sample no.2

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
26.214	4.26871	75.3	207.4	0.2619	-	
30.375	3.69505	46.1	167.7	0.2963	-	
32.986	3.40973	36.2	131.7	0.3068	Aragonite	5.707978556
33.567	3.35241	356.8	1218.4	0.3174	Quartz	56.25985494
34.711	3.24515	75.9	259.1	0.3729	feldspar (orthoclase)	11.96783349
37.247	3.03122	106.1	520.8	0.4283	calcite	16.72973825
39.084	2.89395	37.8	292	0.534	dolomite	5.960264901
41.9	2.70735	21.4	115.1	0.4	Pyrite	3.374329864
46.327	2.46093	23	59	0.2442	Aragonite	
48.047	2.37778	18.5	70.6	0.3313	Aragonite	
50.145	2.28435	30.3	122.9	0.3517	feldspar (orthoclase)	
54.1	2.12861	22.2	127.3	0.374	Aragonite	
Total		634.2				

Table S8-3 X ray diffraction data of core 8 sample no.3




Fig.S11-3 X ray diffractogram of core 8 sample no.3

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
13.125	8.4702	313.7	1342.7	0.4503	Illite	28.72447578
14.634	7.60047	314.4	2621.8	0.5505	Gypsum	28.78857248
17.307	6.4337	12.6	42.9	0.2941	-	
23.67	4.7199	10.7	36.4	0.2668	-	
26.141	4.28037	67.9	231.1	0.2532	Gypsum	
26.675	4.19622	67.9	175.6	0.2395	Geothite	6.217379361
29.437	3.81008	329.6	852.6	0.2489	Gypsum	
33.604	3.34877	71	200.7	0.2583	Quartz	6.501236151
34.545	3.26028	13.9	39.2	0.2744	feldspar (orthoclase)	1.272777218
36.851	3.06264	71.1	201	0.2824	Gypsum	
37.202	3.03474	126.5	382.3	0.2904	calcite	11.58318835
39.347	2.87539	115.2	350.3	0.286	dolomite	10.54848457
40.147	2.82039	31.9	96.9	0.289	halite	2.920977932
42.272	2.68459	37.6	116.7	0.292	Pyrite	3.442908159
44.917	2.53401	41.7	125.4	0.2511	Gypsum	
45.666	2.49458	10.7	32.1	0.2588	Gypsum	
46.387	2.45791	41.5	123.9	0.2665	feldspar (orthoclase)	
Total		1092.1				

Table S8-4 X ray diffraction data of core 8 sample no.4




Fig.S11-4 X ray diffractogram of core 8 sample no.4

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
11.214	9.908	11.7	68	0.5052	Illite	1.452153407
13.199	8.42294	121.2	705.3	0.4653	Illite	
14.633	7.60103	331.4	1883.2	0.4253	Gypsum	41.13193496
17.389	6.40362	8.2	46.7	0.3822	-	
26.197	4.27141	76.1	295.9	0.3391	gypsum	
26.692	4.19365	28.6	111.1	0.2842	Geoithite	3.549708328
29.464	3.80659	288.8	577.9	0.2293	gypsum	
30.379	3.6945	27.6	55.1	0.2503	-	
33.611	3.34811	256.3	734.7	0.2713	Quartz	31.81084771
34.821	3.23517	21.5	61.5	0.2767	feldspar (orthoclase)	2.66848703
35.292	3.19333	41.6	118.9	0.282	feldspar (Albite)	170.4918033
36.833	3.06413	44.9	128.1	0.3255	calcite	5.572793844
37.241	3.03173	114.4	490.7	0.369	Gypsum	
39.309	2.87806	49.1	338	0.5075	Dolomite	6.094079682
42.301	2.68282	20.6	119	0.486	Pyrite	2.556782922
43.956	2.58653	10.3	59.2	0.4881	Gypsum	
44.794	2.54056	20.4	118	0.4902	Gypsum	
45.733	2.49112	22	146	0.4944	Gypsum	
50.233	2.28058	24.4	140	0.4323	Quartz	
Total		805.6				

Table S8-5 X ray diffraction data of core 8 sample no.5




Fig.S11-5 X ray diffractogram of core 8 sample no.5

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
14.419	7.71334	11.1	75.4	0.4122	Gypsum	2.149496514
15.481	7.18731	9.8	66.4	0.3705	-	
26.1	4.28703	12.1	76.6	0.3655	Gypsum	
29.035	3.86166	14.3	91	0.2825	-	
30.279	3.70645	22.2	42.9	0.1996	-	
32.814	3.42716	56.6	109.3	0.2296	Aragonite	10.96049574
33.507	3.35825	184.5	546.1	0.2596	Quartz	35.72811774
34.292	3.28354	32.6	96.6	0.4101	-	6.312935709
34.621	3.25332	27.5	81.4	0.4854	feldspar (orthoclase)	5.325329202
34.949	3.22367	26.9	79.7	0.523	feldspar (Albite)	5.209140201
37.156	3.03837	132.2	899.3	0.5606	calcite	25.60030984
38.975	2.90176	17.2	117	0.4565	Dolomite	3.330751356
39.632	2.85553	12.6	85.9	0.4044	-	
41.811	2.71283	27.8	126.3	0.3523	Pyrite	5.383423703
43.85	2.5925	7.1	35.1	0.3333	gypsum	
45.7	2.49284	31.4	194.5	0.4738	gypsum	
46.203	2.46714	18.9	117.2	0.3613	Aragonite	
47.189	2.41846	8.1	49.9	0.3051	Aragonite	
47.995	2.38019	26	65.8	0.2489	Pyrite	
48.668	2.34926	18.9	0	0	Aragonite	
Total		516.4				

Table S8-6 X ray diffraction data of core 8 sample no.6




Fig.S11-6 X ray diffractogram of core 8 sample no.6

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
14.275	7.79104	10.5	92.4	0.5405	Gypsum	2.975347124
15.601	7.13208	12.2	92.4	0.5405	-	
16.979	6.55699	8.1	61.2	0.4369	-	
26.233	4.26563	11.3	51.1	0.3194	Gypsum	
29.283	3.82962	15.1	101.3	0.5155	gypsum	
33.116	3.39669	61.8	248.2	0.2997	Aragonite	17.51204307
33.732	3.3365	54.2	217.5	0.48	Quartz	15.35845849
34.43	3.27084	36.5	146.7	0.5701	feldspar (orthoclase)	10.34287334
37.328	3.02491	126.1	1122	0.6602	calcite	35.73250213
39.141	2.88989	15.7	139.5	0.4568	Dolomite	4.448852366
39.926	2.83531	8.9	78.8	0.3551	halite	2.521960895
40.275	2.81175	9.3	82.4	0.3042	-	
41.986	2.70208	39.2	109.8	0.2533	Pyrite	11.1079626
43.504	2.61213	6.9	19.2	0.355	Quartz	
45.867	2.48427	41	231.4	0.4567	Aragonite	
47.343	2.41107	13.3	74.9	0.4543	Gypsum	
48.148	2.3731	27.2	148.8	0.4519	Aragonite	
49.088	2.33039	25.3	138.6	0.4926	Aragonite	
50.376	2.27453	28.4	176.9	0.5333	gypsum	
50.745	2.25906	19.3	119.9	0.4156	Pyrite	
52.567	2.18608	14.6	51.6	0.2978	feldspar (orthoclase)	
Total		352.9				

Table S8-7 X ray diffraction data of core 8 sample no.7




Fig.S11-7 X ray diffractogram of core 8 sample no.7

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
26.291	4.25642	80	11358.7	0	-	
27.547	4.06589	54.2	7696.3	0	-	
29.34	3.82237	62	12396	0	-	
32.979	3.41045	111.8	22344.7	0.8627	Aragonite	16.66169896
33.62	3.34728	132.5	2822.7	1.7254	Quartz	19.7466468
34.316	3.28133	78.8	1679.2	1.3619	feldspar (orthoclase)	11.74366617
37.278	3.02882	142.2	2190.7	0.9983	calcite	21.19225037
39.08	2.89426	58.7	904.4	0.9983	dolomite	8.748137109
40.073	2.82533	62	12428	0.9983	halite	9.239940387
41.891	2.70789	85	12624	0.9983	Pyrite	12.66766021
45.858	2.48474	84.1	11516	0.9983	Aragonite	
48.189	2.37119	68.3	9353.5	0.9983	gypsum	
48.98	2.3352	70.4	8161.3	0.9983	feldspar (orthoclase)	
50.027	2.28936	67.4	0	0	feldspar (orthoclase)	
Total		671				

Table S8-8 X ray diffraction data of core 8 sample no.8




Fig.S11-8 X ray diffractogram of core 8 sample no.8

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
26.234	4.26549	9.5	29	0.2942	-	
29.067	3.85753	11	202.4	1.3297	-	
33.042	3.40411	63.9	250.3	0.342	Aragonite	19.5353103
33.686	3.34089	54.3	212.4	0.5453	Quartz	16.600428
34.35	3.27821	37.5	146.7	0.6469	feldspar (orthoclase)	11.46438398
35.097	3.21058	8.4	33	0.6977	feldspar (Albite)	2.568022012
37.255	3.03059	101.5	1100.1	0.7485	calcite	31.03026597
37.669	2.9985	87.5	948.1	0.6518	-	
38.996	2.90019	15.8	171.7	0.5551	Dolomite	4.830327117
40.075	2.82521	8.1	87.7	0.4584	halite	2.47630694
41.887	2.70817	37.6	155.8	0.3617	Pyrite	11.49495567
45.783	2.48855	37.1	260	0.5242	-	
47.294	2.4134	8.4	59	0.4413	-	
48.023	2.37889	28.8	118.7	0.3583	Pyrite	
48.954	2.33637	21.7	0	0	feldspar	
50.198	2.28206	18.4	0	0	-	
Total		327.1				

Table S8-9 X ray diffraction data of core 8 sample no.9




Fig.S11-9 X ray diffractogram of core 8 sample no.9

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
26.167	4.27631	11.5	67.7	0.45	-	0
29.384	3.81679	12.4	163.9	0.9761	-	
33.017	3.40668	77.8	247.9	0.2918	Quartz	26.4986376
34.243	3.28815	42.7	136.1	0.4985	feldspar (orthoclase)	14.54359673
35.47	3.17789	5.3	17	0.6019	feldspar (Albite)	23.24561404
36.369	3.10183	5	15.9	0.6536	-	
37.589	3.00465	104	1114.9	0.7053	calcite	35.42234332
39.232	2.88347	8	85.4	0.6161	Dolomite	2.72479564
40.033	2.82806	16.8	113.5	0.5268	halite	5.722070845
41.9	2.70733	39	167.7	0.3471	Pyrite	13.28337875
44.017	2.58315	6.1	9.7	0.1979	-	
45.785	2.48847	41.2	206.2	0.4328	-	
47.247	2.41566	9	44.8	0.4098	-	
48.081	2.3762	27.1	118.8	0.3869	-	
48.883	2.33954	22.8	118.8	0.3869	Pyrite	
Total		293.6				

Table S8-10X ray diffraction data of core 8 sample no.10




Fig.S11-10 X ray diffractogram of core 8 sample no.10

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
11.058	10.04719	19.7	70.4	0.2645	Illite	5
14.529	7.65525	13.8	38.2	0.1372	Gypsum	3.502538
26.22	4.26776	26.1	91.7	0.2111	Gypsum	
27.144	4.12503	22.5	79.2	0.2785	-	
29.141	3.84789	16.4	84.5	0.346	illite	
30.491	3.68126	9.8	50.7	0.3137	Gypsum	
32.782	3.43042	44.3	228.6	0.2975	Aragonite	11.24365
33.562	3.35287	81.4	252.6	0.2813	Quartz	20.6599
34.191	3.29299	26.5	82.3	0.3346	feldspar (orthoclase)	6.725888
34.631	3.25237	69	214.2	0.3879	-	
35.248	3.19723	40.7	126.3	0.4411	feldspar (Albite)	10.32995
37.241	3.03175	115.4	745.8	0.4944	Calcite	29.28934
38.95	2.90351	28.9	165.4	0.4184	Dolomite	7.335025
40.004	2.83001	17.1	98	0.3717	halite	
41.868	2.70935	23.3	93	0.325	Pyrite	5.913706
45.719	2.49186	33.2	240.8	0.55	Calcite	
46.434	2.45555	21.8	158.4	0.475	Gypsum	
47.227	2.41664	13.1	95.1	0.4562	Gypsum	
47.932	2.38316	17.1	124.1	0.4375	Pyrite	
48.781	2.34412	21.3	120.2	0.4	gypsum	
50.119	2.28544	24.2	188.8	0.5695	feldspar	
52.3	2.19644	13.2	68.2	0.3	Dolomite	
Total		394				

Table S9-1X ray diffraction data of core 9 sample no.1




Fig.S12-1 X ray diffractogram of core 9 sample no.1

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
15.402	7.22381	13	119.8	0.6363	Gypsum	2.129402
23.733	4.70747	12.9	86.2	0.4821	-	
26.205	4.27016	112.2	325	0.2552	Gypsum	
28.966	3.87064	13.9	60.8	0.2825	-	
30.376	3.6949	45.1	219	0.3495	Aragonite	7.387387
33.567	3.35242	339.2	1406.8	0.3205	Quartz	55.56102
34.569	3.25803	23	95.4	0.3413	feldspar (orthoclase)	3.767404
35.176	3.20358	20.9	86.8	0.362	feldspar (Albite)	3.423423
37.202	3.03475	80.5	436.3	0.4036	Calcite	13.18591
39.071	2.89484	88.8	382.4	0.3469	Dolomite	14.54545
46.272	2.46368	46.5	173.8	0.3152	feldspar (orthoclase)	
48.66	2.34961	13.5	117.5	0.6296	feldspar (orthoclase)	
50.1	2.28625	43.6	199.6	0.3565	feldspar (orthoclase)	
51.121	2.24358	16.8	199.6	0.3565	feldspar (orthoclase)	
Total		610.5				

Table S9-2X ray diffraction data of core 9 sample no.2




Fig.S12-2 X ray diffractogram of core 9 sample no.2

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
30.434	3.68809	14.2	21.7	0.1935	-	0
32.978	3.4106	101.2	155	0.2184	Aragonite	25.33801
33.635	3.34579	130.8	286.9	0.2434	Quartz	32.74912
34.402	3.27336	59.3	130	0.4794	feldspar (orthoclase)	14.84727
37.73	2.99385	48.1	461.6	0.7153	Calcite	12.04306
39.179	2.88719	10.1	97	0.5411	Dolomite	2.528793
41.442	2.73592	15.3	147.3	0.454	-	
41.944	2.70461	49.9	192.9	0.3669	Pyrite	12.49374
45.8	2.48769	41.6	231.2	0.4759	feldspar (orthoclase)	
47.309	2.4127	17	94.3	0.4063	feldspar (orthoclase)	
48.113	2.37473	41.3	168	0.3368	gypsum	
48.901	2.33874	33.5	136.1	0.2245	gypsum	
50.731	2.25966	12.6	3.3	0.1121	Pyrite	
Total		399.4				

Table S9-3X ray diffraction data of core 9 sample no.3




Fig.S12-3 X ray diffractogram of core 9 sample no.3

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
11.053	10.05114	18.2	134.2	0.5284	Illite	4.629865
15.595	7.13484	17.5	203.4	0.8173	Gypsum	4.451793
22.28	5.01019	7.8	59.8	0.4828	-	
23.863	4.68221	7.5	58	0.4346	-	
24.936	4.4838	19.1	147.3	0.3864	-	
26.288	4.25691	35.4	136.8	0.2901	gypsum	
28.978	3.86902	9.9	38.3	0.3712	-	
30.546	3.67484	12.6	48.8	0.4523	-	
31.473	3.5692	13.9	94	0.5064	Aragonite	3.535996
33.651	3.3443	108.3	313.3	0.2597	Quartz	27.55024
34.671	3.24875	27.7	80	0.3134	feldspar (orthoclase)	7.046553
35.166	3.20443	23.9	69.2	0.3402	feldspar (Albite)	6.079878
37.287	3.02811	74.7	387.1	0.3671	Calcite	19.0028
39.167	2.88806	97.8	488.4	0.3849	Dolomite	24.87917
42.032	2.69921	11.1	72.1	0.4696	Pyrite	2.823709
43.927	2.5882	17.5	659.9	2.4667	-	
45.891	2.483	18.1	680.9	1.3996	Aragonite	
46.433	2.4556	21.1	85.4	0.3326	Aragonite	
47.459	2.4055	18.8	75.9	24.9012	Aragonite	
Total		393.1				

Table S9-4X ray diffraction data of core 9 sample no.4




Fig.S12-4 X ray diffractogram of core 9 sample no.4

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
26.189	4.27268	26.9	110.2	0.3512	-	
29.083	3.85544	17	63.2	0.2948	-	
30.367	3.69603	26.1	57	0.2327	-	
32.907	3.41771	29.3	63.9	0.2538	Aragonite	6.508219
33.597	3.34943	192	565.9	0.2749	Quartz	42.64771
35.259	3.19621	22.1	65.2	0.321	feldspar (Albite)	4.908929
37.214	3.03383	135.7	551.9	0.3671	Calcite	30.14216
39.117	2.89157	34.7	279	0.5248	Dolomite	7.707685
39.965	2.83271	16.1	129.3	0.4666	halite	3.576188
41.901	2.7073	20.3	98.3	0.4084	Pyrite	4.509107
45.8	2.48769	32.1	133.8	0.3787	-	
46.238	2.46539	19.9	83.1	0.3697	-	
47.284	2.41391	14.4	60	0.3652	Aragonite	
47.981	2.38087	13.8	57.7	0.3641	Aragonite	
48.765	2.34486	14.4	60	0.363	Aragonite	
50.208	2.28164	43	209.1	0.3608	Feldspar	
Total		450.2				

Table S9-5X ray diffraction data of core 9 sample no.5




Fig.S12-5 X ray diffractogram of core 9 sample no.5

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
29.167	3.8445	18.9	87.6	0.3487	-	0
29.803	3.76424	11	51	0.3428	-	
32.987	3.40963	66.5	268.5	0.337	Aragonite	23.77547
34.259	3.28667	36.1	145.6	0.4634	feldspar (orthoclase)	12.90669
37.248	3.03119	138.6	1118.4	0.5898	Calcite	49.55309
41.865	2.70952	38.5	113.9	0.2779	Pyrite	13.76475
45.742	2.49065	47.1	275.9	0.45	-	
47.294	2.41341	14.1	82.5	0.4383	Aragonite	
48	2.37997	24	128	0.4267	Aragonite	
48.861	2.34051	23.3	128	0.4267	Aragonite	
50.099	2.28629	21.6	128	0.4267	Aragonite	
Total		279.7				

Table S9-6X ray diffraction data of core 9 sample no.6




Fig.S12-6 X ray diffractogram of core 9 sample no.6

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
14.584	7.62642	55.3	168.6	0.2916	Gypsum	12.28889
26.234	4.26548	23.7	121.8	0.3756	Gypsum	
28.066	3.99216	7.4	56.9	0.4755	-	
29.35	3.82115	12.8	139.4	0.7083	-	
33.029	3.40545	81.1	882.8	0.487	Aragonite	18.02222
33.608	3.34837	157.7	457	0.2656	Quartz	35.04444
34.232	3.28915	50.6	146.6	0.5187	Quartz	
					feldspar (orthoclase)	
34.748	3.24181	40.1	116.1	0.6453	(orthoclase)	8.911111
37.261	3.03012	53.3	627.4	0.7719	Calcite	11.84444
37.67	2.99843	46.6	548.4	0.7009	-	
39.233	2.88336	15.8	144.2	0.6298	Dolomite	3.511111
40.076	2.82514	13	119.3	0.4991	halite	
41.365	2.74077	16.5	151.4	0.4337	-	
41.953	2.70405	46.7	225.8	0.3684	Pyrite	10.37778
43.428	2.61645	5	24.4	0.2841	-	
44.267	2.56931	7	10.7	0.1998	-	
45.833	2.48598	40.2	234.5	0.4428	Aragonite	
46.436	2.45546	14.5	84.8	0.4144	-	
47.468	2.4051	13.5	79	0.4003	Aragonite	
48.1	2.37531	36.6	164.6	0.3861	Aragonite	
48.929	2.3375	26.6	119.5	0.6169	Aragonite	
50.767	2.25818	11.2	114	0.8477	Pyrite	
Total		450				

Table S9-7X ray diffraction data of core 9 sample no.7




Fig.S12-7 X ray diffractogram of core 9 sample no.7

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
14.61	7.61338	17.6	52	0.3002	Gypsum	5.929919
26.367	4.24444	11.3	44.1	0.355	-	
30	3.74012	14.4	52.7	0.3212	-	
31.21	3.59854	10.3	37.6	0.3408	-	
33.147	3.39367	87.4	403.1	0.3604	Aragonite	29.44744
					feldspar	
34.336	3.27948	49	225.8	0.5381	(orthoclase)	16.50943
37.71	2.99534	60.4	625.7	0.7159	Calcite	20.3504
39.272	2.88065	9.4	97.6	0.5081	Dolomite	3.167116
40.205	2.81646	24.8	82.6	0.3003	halite	8.355795
42	2.7012	48.2	188.8	0.3515	Pyrite	16.23989
45.933	2.48086	33.8	200.8	0.4628	Aragonite	
46.429	2.45582	25.7	153.1	0.5298	-	
47.252	2.41545	11.9	70.9	0.5465	Aragonite	
48.074	2.37651	28.8	171.2	0.5632	Aragonite	
48.933	2.33729	31.8	228.6	0.5967	Aragonite	
Total		296.8				

Table S9-8X ray diffraction data of core 9 sample no.8




Fig.S12-8 X ray diffractogram of core 9 sample no.8

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
26.234	4.26558	11.4	77.9	0.4278	-	
29.9	3.75241	10.9	263.4	1.8763	-	
33.033	3.405	87.5	458.6	0.4214	Aragonite	27.61123
33.592	3.34993	53.7	281.6	0.5869	Quartz	16.94541
34.331	3.27999	47.2	247.3	0.6697	feldspar (orthoclase)	14.89429
37.633	3.00123	59.1	576.2	0.7524	Calcite	18.64942
39.17	2.88784	8.5	82.6	0.5478	Dolomite	2.682234
40.154	2.81986	12	117.2	0.4455	halite	3.786683
41.385	2.73954	15.3	149.1	0.3944	-	
41.884	2.7083	48.9	196.9	0.3432	Pyrite	15.43074
42.779	2.65423	7.4	29.7	0.2994	-	
43.189	2.63021	5.7	23.2	0.2775	-	
44.127	2.57705	8	26.9	0.2556	-	
44.748	2.54307	5.7	19.3	0.393	-	
45.755	2.49003	36.6	273.2	0.5305	Aragonite	
47.209	2.41751	13.1	98	0.4483	Aragonite	
48.056	2.37738	42.1	182.3	0.3661	Aragonite	
48.849	2.34106	29.5	0	0	Aragonite	
Total		316.9				

Table S9-9X ray diffraction data of core 9 sample no.9




Fig.S12-9 X ray diffractogram of core 9 sample no.9

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
14.538	7.65074	67.4	147.2	0.2273	Gypsum	17.95418
29.383	3.81684	17.9	187.2	0.6231	Gypsum	
31.33	3.5851	5.9	73.8	0.5563	-	
33.023	3.40603	60.9	248.6	0.3064	Aragonite	16.2227
33.55	3.35403	27.8	113.3	0.4844	Quartz	7.405434
34.425	3.27127	33	134.7	0.5735	feldspar (orthoclase)	8.790623
37.261	3.03017	117.8	1096.6	0.6625	Gypsum	31.37986
39.062	2.89554	16.9	157.3	0.5131	Dolomite	4.501865
40.02	2.82892	19.9	111.1	0.3637	Halite	5.301012
41.249	2.74817	11.3	63	0.371	-	
41.919	2.70615	31.7	170.6	0.3782	Pyrite	8.444326
44.129	2.57694	8.5	69.9	0.5448	-	
45.773	2.48906	42.3	262.4	0.4956	Aragonite	
48.016	2.37922	34.1	107.6	0.2857	Aragonite	
48.773	2.3445	21.4	67.5	0.4283	Aragonite	
50.252	2.27981	26.7	200	0.571	Quartz	
52.233	2.19904	13	101	0.5454	feldspar (orthoclase)	
Total		375.4				

Table S9-10X ray diffraction data of core 9 sample no.10




Fig.S12-10 X ray diffractogram of core 9 sample no.10

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
29.133	3.84889	14	40.6	0.2119	-	
33.016	3.40673	72.6	233.8	0.3043	Aragonite	21.77564
33.469	3.36196	36.3	116.9	0.4946	Quartz	10.88782
34.137	3.29806	35.5	114.3	0.5897	feldspar (orthoclase)	10.64787
37.267	3.0297	126.7	1273.6	0.6849	Calcite	38.0024
40.112	2.8227	20.9	107.9	0.3807	halite	6.268746
41.86	2.70981	41.4	169.9	0.3235	Pyrite	12.41752
45.7	2.49285	43.3	227.1	0.4175	Aragonite	
47.212	2.41735	11.7	61.6	0.3753	Aragonite	
47.993	2.38028	28.5	113.4	0.3332	Aragonite	
48.739	2.34603	21	83.4	0.5752	Aragonite	
50.504	2.26917	19.5	236.5	0.8173	Quartz	
52.368	2.19379	14.8	98.6	0.5189	feldspar	
54.466	2.11539	20.6	137.5	0.6595	gypsum	
55.2	2.08942	22	238.9	0.8	-	
Total		333.4				

Table S9-11X ray diffraction data of core 9 sample no.11




Fig.S12-11 X ray diffractogram of core 9 sample no.11

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
11.078	10.02865	18.7	78	0.3655	Illite	2.265294
14.541	7.64914	73.8	212.9	0.2498	Gypsum	8.940036
17.397	6.40068	9.9	28.6	0.2512	-	
23.879	4.67924	8.8	25.4	0.2516	-	
24.974	4.47704	13.2	38	0.2519	-	
26.247	4.26347	90.1	260.5	0.2526	Gypsum	
29.173	3.84374	15.4	44.4	0.2537	Gypsum	
29.447	3.80877	15.4	44.4	0.2542	-	
30.404	3.69162	81.8	233.2	0.2547	-	
31.273	3.59148	14.3	40.7	0.2976	-	
32.003	3.5116	9.9	28.2	0.319	Aragonite	1.199273
33.567	3.35241	369.7	1580.1	0.3404	Quartz	44.78498
34.559	3.25895	51.4	219.5	0.3874	feldspar (orthoclase)	13.37371
35.198	3.2016	59	252.2	0.4109	feldspar (Albite)	
37.234	3.03226	91.3	558.3	0.4345	calcite	11.05996
39.046	2.89663	98.9	653.9	0.4639	dolomite	11.98062
40.036	2.82783	36.1	238.7	0.5578	halite	4.373107
42.615	2.66401	16.7	144.7	0.6517	Pyrite	2.023016
45.605	2.49776	18.6	161.4	0.496	Gypsum	
46.366	2.45895	24.8	115.7	0.3403	Aragonite	
50.172	2.28317	40.4	181.5	0.3299	Gypsum	
51.265	2.23771	13.2	59.2	0.3793	Gypsum	
54.028	2.13123	16	86.1	0.4288	Gypsum	
		825.5				

Table S10-1 X ray diffraction data of core 10 sample no.1




Fig.S13-1 X ray diffractogram of core 10 sample no.1

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
15.329	7.25803	16.3	192.2	0.9116	Gypsum	3.03538175
24.89	4.49186	17.9	210.1	0.6001	gypsum	
26.221	4.26753	40.8	120.8	0.2887	Gypsum	
29.017	3.86403	10.7	31.8	0.306	feldspar (orthoclase)	
30.42	3.68972	34.4	126.1	0.3232	-	
31.361	3.58162	13.4	49.2	0.2888	-	
33.624	3.34682	288.5	801.9	0.2544	Quartz	53.72439
34.737	3.24275	49.9	138.7	0.4544	feldspar (orthoclase)	9.292364991
35.3	3.19267	15.2	42.2	0.5545	feldspar (Albite)	
37.283	3.02838	61.5	511.1	0.6545	calcite	11.45251
39.056	2.89595	65.4	383.4	0.422	Dolomite	12.17877
40.176	2.81838	30.3	177.7	0.3728	halite	5.642458
42.333	2.68088	9.9	57.8	0.3482	Pyrite	1.843575
45.109	2.52376	21.6	73.8	0.3236	feldspar (orthoclase)	
50.312	2.27724	18.6	137.1	0.6012	Gypsum	
52.2	2.20035	12	85.1	0.4994	Gypsum	
54.056	2.13021	8.1	57.4	0.4692	-	
55.317	2.08536	12.1	72.9	0.4389	-	
Total		537				

Table S10-2 X ray diffraction data of core 10 sample no.2




Fig.S13-2 X ray diffractogram of core 10 sample no.2

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
29.478	3.80484	10.4	35	0.3333	-	
31.167	3.60341	7.1	35	0.3333	-	
33.092	3.39917	75.6	294.2	0.3123	Aragonite	24.14564
33.643	3.34503	28.1	109.2	0.394	Quartz	8.974768
34.323	3.2807	43.8	170.2	0.4757	feldspar (orthoclase)	8.156425
37.691	2.99679	105.9	822.3	0.6391	dolomite	19.72067
40.125	2.82181	18.3	57.6	0.3004	halite	3.407821
41.953	2.70406	41.4	204.3	0.3833	Pyrite	7.709497
43.417	2.61706	7.4	36.3	0.38	Gypsum	
44.352	2.56459	7.4	36.3	0.3783	Aragonite	
45.861	2.48455	41	168	0.3767	feldspar (orthoclase)	
46.307	2.46192	21.7	88.9	0.3676	Aragonite	
47.327	2.41181	14	57.5	0.3586	Aragonite	
48.113	2.37469	34.2	145.1	0.3405	Pyrite	
49.027	2.33309	28.7	121.8	0.5452	Aragonite	
50.8	2.2568	20	180.8	0.75	-	
Total		313.1				

Table S10-3 X ray diffraction data of core 10 sample no.3




Fig.S13-3 X ray diffractogram of core 10 sample no.3

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
15.458	7.19766	11.1	134.3	0.2954	Gypsum	1.973684211
26.146	4.27958	42.8	134.3	0.2954	Gypsum	
28.878	3.88215	11.1	34.9	0.2779	Gypsum	
30.274	3.70706	29.4	78.3	0.2605	-	
31.241	3.595	9.4	25.2	0.259	-	
31.917	3.52086	9.4	25.2	0.2583	-	
32.845	3.42396	37.5	100.1	0.2579	Aragonite	6.667852063
33.488	3.36003	274.2	768.1	0.2576	Quartz	48.75533428
34.533	3.26133	38.4	107.5	0.3209	feldspar (orthoclase)	6.827880512
37.127	3.04069	116.2	551.2	0.3842	calcite	20.66145092
39.007	2.89945	36.5	178.4	0.4073	Dolomite	6.490042674
39.935	2.83473	12.8	62.7	0.3423	halite	2.275960171
41.811	2.71282	26.3	90.9	0.2773	Pyrite	4.676386913
45.59	2.49855	21.3	73.9	0.2847	Quartz	
46.295	2.46254	81.4	271.3	0.2921	feldspar (orthoclase)	
47.109	2.42234	12	39.9	0.319	Aragonite	
47.953	2.38216	9.4	31.4	0.3324	Pyrite	
48.713	2.34723	11.1	37.1	0.3391	Gypsum	
50.067	2.28768	21.2	87.6	0.3458	Gypsum	
Total		562				

Table S10-4 X ray diffraction data of core 10 sample no.4




Fig.S13-4 X ray diffractogram of core 10 sample no.4

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
15.619	7.1242	10.9	54.8	0.4045	Gypsum	2.42924
26.275	4.25899	56.9	160.3	0.2474	Gypsum	
29.017	3.86397	14.9	42	0.2515	Gypsum	
30.379	3.6945	20.9	48.4	0.2556	dolomite	
31.301	3.58838	4.3	10	0.2575	-	
33.095	3.39885	37.8	87.6	0.2595	Aragonite	8.424337
33.624	3.34688	171.9	488.2	0.2633	Quartz	38.31068
37.241	3.03168	145.7	728.4	0.4444	calcite	32.47158
39.067	2.89514	50.4	307.8	0.439	dolomite	11.23245
40.108	2.82297	8.6	52.3	0.2873	halite	1.916648
41.902	2.7072	23.4	143.3	0.2114	Pyrite	5.215066
42.947	2.64438	32.8	29.2	0.1355	-	
44.023	2.58283	8.6	7.6	0.2922	-	
45.786	2.48843	30.2	162.7	0.4488	Gypsum	
46.469	2.4538	25.6	138	0.4427	Gypsum	
47.366	2.40993	12.3	66.2	0.4397	Aragonite	
48.252	2.36826	13.2	85.6	0.4366	Aragonite	
Total		448.7				

Table S10-5 X ray diffraction data of core 10 sample no.5




Fig.S13-5 X ray diffractogram of core 10 sample no.5

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
13.44	8.27245	92.6	1859.9	0.4128	Illite	9.780313
14.9	7.46573	332.9	1859.9	0.4128	Gypsum	35.16054
26.343	4.24818	61.3	370.2	0.4522	Gypsum	
26.888	4.16359	25.8	155.7	0.3556	Goethite	2.724968
29.721	3.77448	162.9	355	0.259	Gypsum	
33.276	3.38084	21.7	47.2	0.2603	Aragonite	2.291931
33.854	3.32476	137.1	389	0.2615	Quartz	14.48035
34.873	3.23051	21.7	61.5	0.2837	feldspar (orthoclase)	2.291930714
35.477	3.17725	75.8	232.8	0.3059	feldspar (Albite)	
36.89	3.05951	61.8	189.8	0.3559	-	
37.485	3.0127	86.2	407.6	0.406	calcite	9.104351
39.496	2.86495	60.8	287.2	0.3541	dolomite	6.421631
40.376	2.80501	64.2	241.1	0.3023	halite	6.780735
42.424	2.67539	28	184	0.5458	Pyrite	2.95733
45.127	2.52279	12.4	81.6	0.5046	-	
46	2.47746	19	116	0.4633	Gypsum	
46.556	2.44948	13.5	82.1	0.4539	Aragonite	
47.481	2.40446	7.3	44.5	0.4492	Aragonite	
48.826	2.34213	11.4	69.6	0.4468	Aragonite	
50.452	2.27132	21.2	115	0.4444	Pyrite	
Total		946.8				

Table S10-6 X ray diffraction data of core 10 sample no.6




Fig.S13-6 X ray diffractogram of core 10 sample no.6

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
13.245	8.39388	166.1	2297.5	0.4949	Illite	15.1981
14.576	7.63084	322.2	2297.5	0.4949	Gypsum	29.4812
26.12	4.28388	112.2	566.2	0.3752	Gypsum	
26.649	4.20024	45.8	231.3	0.3342	Gypsum	
29.367	3.81896	336.1	1162.3	0.2931	Aragonite	30.75304
33.54	3.355	22	167.7	0.6167	Quartz	2.012993
35.586	3.16786	6.5	49.3	0.4847	Feldspar (Albite)	0.594748
36.7	3.07482	107.4	455.2	0.3527	Calcite	9.827066
39.285	2.87974	59.4	217.6	0.3023	dolomite	5.435081
40.054	2.82666	25.6	93.8	0.3381	halite	2.342392
42.227	2.68735	47.6	211	0.374	Pyrite	4.355385
43.628	2.60502	11.8	52.2	0.3747	-	
44.817	2.53935	22	114	0.3754	-	
45.416	2.50762	15	77.5	0.35	-	
47.389	2.40883	18.8	78	0.3245	Feldspar (Albite)	
51.667	2.22147	19.9	119.6	0.4425	Gypsum	
55.233	2.08825	25.3	256	0.7151	calcite	
58.084	1.99407	25.9	142.6	0.4116	Feldspar (orthoclase)	
61.214	1.90126	61.7	379.2	0.4244	-	
65.95	1.77856	21.2	175.7	0.6341	-	
Total		1092.9				

Table S10-7 X ray diffraction data of core 10 sample no.7




Fig.S13-7 X ray diffractogram of core 10 sample no.7

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
13.133	8.46496	165	2297.5	0.4949	Illite	20.72604
14.576	7.63084	322.2	2297.5	0.4949	Gypsum	40.4723
23.558	4.74198	14.3	58.2	0.2891	-	
26.12	4.28388	112.2	566.2	0.3752	Gypsum	
26.649	4.20024	46.9	236.7	0.3342	Goethite	5.89122
29.367	3.81896	336.1	1162.3	0.2931	Gypsum	
33.54	3.355	22	167.7	0.6167	Quartz	2.763472
36.7	3.07482	107.4	455.2	0.3527	Calcite	13.49077
39.285	2.87974	59.4	217.6	0.3023	dolomite	7.461374
40.054	2.82666	25.6	93.8	0.3381	halite	3.215676
42.227	2.68735	47.6	211	0.374	Pyrite	5.979148
43.74	2.5987	16	71.1	0.3747	Gypsum	
44.817	2.53935	22	114	0.3754	-	
45.751	2.49023	18.2	94.1	0.35	Gypsum	
47.389	2.40883	18.8	78	0.3245	-	
51.667	2.22147	19.9	119.6	0.4425	Gypsum	
55.233	2.08825	25.3	256	0.7151	Gypsum	
58.084	1.99407	25.9	142.6	0.4116	-	
61.214	1.90126	61.7	379.2	0.4244	-	
65.95	1.77856	21.2	175.7	0.6341	-	
Total		796.1				

Table S10-8 X ray diffraction data of core 10 sample no.8




Fig.S13-8 X ray diffractogram of core 10 sample no.8

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
26.145	4.27986	17.5	42.6	0.2766	Goethite	4.995718
29.266	3.83178	16.2	107.1	0.5342	-	
32.967	3.41169	73.3	290.5	0.3406	Aragonite	20.92492
33.547	3.35431	51.7	204.8	0.5615	Quartz	0.147588
34.257	3.28678	49.4	195.6	0.672	feldspar (orthoclase)	14.1022
37.573	3.00589	92.1	1041.5	0.7824	calcite	26.29175
38.963	2.90255	19.8	223.7	0.5718	Dolomite	5.652298
40.207	2.81635	8.2	92.3	0.4664	halite	2.340851
41.272	2.74669	11.6	131.7	0.4138	-	
41.851	2.71036	38.3	170.1	0.3611	Pyrite	10.93349
45.747	2.49043	34.2	262.6	0.58	Quartz	
47.133	2.4212	12.8	98.3	0.4744	Aragonite	
48.033	2.37841	30.6	154.5	0.3688	Pyrite	
48.82	2.3424	23.5	118.8	0.6386	Gypsum	
50.152	2.28406	16.6	83.7	0.7734	Gypsum	
50.67	2.26222	19	234.4	0.9083	-	
52.65	2.18287	11.2	90.3	0.5666	calcite	
Total		350.3				

Table S10-9 X ray diffraction data of core 10 sample no.9




Fig.S13-9 X ray diffractogram of core 10 sample no.9

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
26.334	4.24966	14.8	55.2	0.3062	Goethite	4.766506
29.5	3.8021	14.4	82.4	0.4775	-	
30.065	3.73223	11.1	63.4	0.3829	-	
33.127	3.39568	79.8	246.6	0.2882	Aragonite	25.70048
34.413	3.27241	47.9	148	0.4741	Quartz	15.42673
37.767	2.99101	113.4	1019.1	0.6599	calcite	36.52174
40.236	2.81435	11.1	99.7	0.5267	dolomite	3.574879
42.016	2.70022	43.5	205.5	0.3934	Pyrite	14.00966
45.933	2.48086	40	281.3	0.5578	Quartz	
47.455	2.4057	17.9	125.7	0.5089	Aragonite	
48.233	2.36914	32.2	198.7	0.46	Gypsum	
48.931	2.33737	26.8	198.7	0.46	Aragonite	
Total		310.5				

Table S10-10 X ray diffraction data of core 10 sample no.10




Fig.S13-10 X ray diffractogram of core 10 sample no.10

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
13.085	8.49562	27.5	771.1	0.2181	Illite	4.838142
14.479	7.68149	311.2	771.1	0.2181	gypsum	54.75018
26.025	4.29921	37.7	199.4	0.3953	gypsum	
29.39	3.81604	72.3	157.3	0.2621	gypsum	
32.854	3.42306	25.5	55.6	0.2432	aragonite	
33.534	3.3556	116.9	227.8	0.2243	quartz	20.5665
34.331	3.27999	19.7	38.3	0.2924	feldspar (orthoclase)	3.465869
36.545	3.0874	38.3	74.6	0.3605	gypsum	
37.193	3.03546	39	239.7	0.4968	calcite	6.861365
39.088	2.89366	12.8	78.8	0.3953	dolomite	2.251935
40.017	2.82916	23.7	87.6	0.2938	halite	4.169599
42.168	2.69091	17.6	161.3	0.6133	pyrite	3.096411
43.682	2.602	6.9	63.7	0.59	feldspar (orthoclase)	
45.767	2.48941	14.1	111.3	0.5667	aragonite	
47.947	2.38244	12.8	101	0.4655	gypsum	
48.733	2.34629	25	120	0.3643	aragonite	
Total		568.4				

Table S11-1X ray diffraction data of core 11sample no.1




Fig.S14-1 X ray diffractogram of core 11 sample no.1

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
11.431	9.72024	33.2	496.1	0.9852	Illite	7.628676
13.025	8.53509	145	2166.7	0.7899	Illite	
14.567	7.63558	159.5	1492.7	0.5946	gypsum	36.64982
25.992	4.3045	46	174.4	0.3146	gypsum	
26.716	4.18996	26.8	101.5	0.3458	goethite	
29.367	3.81897	171.5	923.7	0.377	gypsum	
33.525	3.35643	59.6	173.8	0.2681	quartz	13.69485
34.433	3.27055	8.1	23.5	0.2858	feldspar (orthoclase)	1.861213
36.686	3.07595	66.6	206.4	0.3036	calcite	15.30331
39.259	2.88158	25.9	105.7	0.3451	dolomite	5.951287
42.149	2.69208	37.4	141.3	0.3329	pyrite	8.59375
44.808	2.53982	18.1	50.7	0.2667	Quartz	4.159007
Total		435.2				

Table S11-2X ray diffraction data of core 11sample no.2




Fig.S14-2 X ray diffractogram of core 11 sample no.2

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
13.078	8.50026	258.4	2934.4	0.5637	Illite	33.25611
14.634	7.60093	322.3	2934.4	0.5637	gypsum	41.48005
15.765	7.05871	15.5	140.9	0.5067	gypsum	0
23.6	4.73375	13.5	74.6	0.4497	gypsum	
26.093	4.28811	117.9	599.8	0.3863	gypsum	
26.683	4.19496	49.6	252.1	0.3521	geothite	
29.5	3.80206	357.3	1249.3	0.3179	gypsum	
30.41	3.69092	30.9	107.9	0.2749	gypsum	
31.19	3.60084	26.5	92.5	0.2534	-	
33.553	3.35371	53	137.3	0.2319	quartz	6.821107
36.733	3.07214	77.7	241.6	0.2968	calcite	10
39.301	2.87863	25.7	147.7	0.456	dolomite	3.307593
40.115	2.82225	7.8	44.7	0.3746	halite	1.003861
42.189	2.68964	32.1	97.3	0.2933	pyrite	4.131274
43.668	2.60276	5.6	16.9	0.1467	gypsum	
44.708	2.54522	8.9	0	0	calcite	
50.081	2.28707	6.7	0	0	gypsum	
51.641	2.22252	10	0	0	-	
Total		777				

Table S11-3X ray diffraction data of core 11sample no.3




Fig.S14-3 X ray diffractogram of core 11 sample no.3

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
13.15	8.45396	160.8	85.2	0.3255	Illite	17.24212
14.521	7.65931	316.2	85.2	0.3255	gypsum	33.90521
15.978	6.96482	16.1	4.3	0.3255	-	
23.699	4.71427	17.1	85.2	0.3255	-	
26.135	4.28143	143.9	458.1	0.3115	Gypsum	
26.692	4.19364	43.7	139.3	0.2908	Goethite	0
29.515	3.80019	337.2	1044.5	0.2702	gypsum	
33.677	3.34179	115.6	334.5	0.242	Quartz	12.39545
35.434	3.18097	29.9	86.5	0.2725	feldspar (Albite)	3.20609
36.838	3.0637	184.6	724.3	0.303	calcite	19.79412395
39.398	2.87178	54.8	439.1	0.5693	dolomite	5.876045
40.234	2.81454	20.3	162.8	0.4656	halite	2.17671
42.31	2.68233	50.4	241.7	0.3619	pyrite	5.404246
43.833	2.59343	8.6	41.2	0.3344	Gypsum	
44.948	2.53235	21.2	91.6	0.3069	gypsum	
50.264	2.27929	22	80.2	0.2841	gypsum	
51.8	2.21615	24	84.9	0.3139	gypsum	
Total		932.6				

Table S11-4 X ray diffraction data of core 11 sample no.4




Fig.S14-4 X ray diffractogram of core 11 sample no.4

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
13.046	8.5212	230.9	2673.3	0.5535	Illite	27.12004
14.516	7.66217	317.4	3675.5	0.3844	Gypsum	37.27977
15.741	7.06918	17.2	199	0.2998	-	
23.594	4.73486	20.3	38	0.2152	-	
26.043	4.29618	200.3	581.8	0.2689	gypsum	
26.603	4.20735	63.1	183.3	0.2939	Goethite	
29.434	3.81042	347.1	1220.3	0.319	gypsum	0
33.149	3.39345	17.4	39.1	0.2182	Quartz	2.043693
36.692	3.0755	159.7	633.1	0.3195	calcite	18.75734085
39.223	2.88408	53.2	230.7	0.3593	Dolomite	6.248532
40.569	2.79223	11.8	51.3	0.3515	gypsum	
42.126	2.69348	72.8	320.4	0.3437	Pyrite	8.550623
43.591	2.60714	7.6	33.3	0.3206	gypsum	
44.75	2.54296	27.4	95.5	0.2975	gypsum	
45.388	2.50907	12.9	45.1	0.1488	-	
46.368	2.45887	11.8	0	0	gypsum	
Total		851.4				

Table S11-X ray diffraction data of core 11sample no.5




Fig.S14-5 X ray diffractogram of core 11 sample no.5

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
14.568	7.63516	21.9	69.2	0.2894	gypsum	5.968929
26.273	4.25925	14	96	0.5222	gypsum	0
29.873	3.75563	13.9	48.4	0.2814	gypsum	
33.018	3.40653	102.9	399.2	0.3424	aragonite	28.04579
33.566	3.35251	66.6	258.6	0.5313	quartz	18.15209
34.272	3.2854	59.2	229.8	0.6258	orthoclase (feldspar)	16.13519
37.54	3.00842	38.8	150.7	0.4192	calcite	10.57509
39.218	2.88444	8.4	32.7	0.3159	dolomite	2.289452
40.056	2.82654	17.1	39.1	0.2126	halite	0.770384
41.338	2.74252	15.2	34.8	0.2843	-	
41.888	2.70807	52	216.7	0.356	pyrite	14.172799
43.192	2.63004	6.5	27	0.5535	-	
43.94	2.58744	6.5	55.9	0.7509	-	
45.752	2.49017	36.8	212	0.434	gypsum	
47.079	2.42382	18.5	106.2	0.4225	pyrite	
48.052	2.37753	39.6	206.7	0.411	pyrite	
48.757	2.34524	36.2	189	0.5132	gypsum	
50.7	2.26095	6.8	57.9	0.6153	-	
52.433	2.19125	12.6	112.6	0.568	gypsum	
Total		366.9				

Table S11-6X ray diffraction data of core 11sample no.6




Fig.S14-6 X ray diffractogram of core 11 sample no.6

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
11.154	9.96052	13.3	34.8	0.281	Illite	3.066635923
13.156	8.44991	163.1	428.7	0.3976	Illite	
14.64	7.59788	322.1	2402.1	0.5142	gypsum	74.26792714
23.684	4.71709	9.7	72.2	0.4608	-	
26.081	4.29008	103.9	535.1	0.4074	gypsum	
26.654	4.19956	35.3	181.6	0.3319	Goethite	0
29.479	3.8047	337.3	966.5	0.2563	gypsum	
33.595	3.34968	83.5	314.1	0.2918	quartz	19.25293982
35.472	3.1777	11.8	44.4	0.298	feldspar (Albite)	2.720774729
36.786	3.06789	119.3	454.8	0.3041	-	
38.081	2.96722	7.5	28.8	0.4539	calcite	1.729305972
39.318	2.87737	48.7	376.4	0.6036	dolomite	11.22896011
40.061	2.82618	25.7	198.3	0.4921	halite	5.92575513
42.256	2.68556	44.8	226.1	0.3806	pyrite	10.32972101
43.66	2.60322	11.8	59.5	0.3713	-	
44.83	2.53867	19.3	97.2	0.3621	-	
45.675	2.49415	24.1	101.4	0.3436	gypsum	
50.154	2.28397	18.4	68.3	0.3392	feldspar (Albite)	
51.768	2.21742	22.7	120.6	0.4082	-	
54.089	2.12901	16.2	94.8	0.5283	-	
Total		433.7				

Table S11-7X ray diffraction data of core 11sample no.7




Fig.S14-7 X ray diffractogram of core 11 sample no.7

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
13.194	8.42603	75.4	1795.1	0.3764	Illite	8.070213
14.51	7.66524	323.2	7690.2	0.38	gypsum	34.59274
23.724	4.70933	8.3	198.5	0.3818	-	
26.242	4.26418	71.4	338.3	0.3836	gypsum	0
27.673	4.04778	5.2	24.8	0.3181	-	
29.478	3.80485	136.8	396.4	0.2526	gypsum	
30.387	3.69357	24.9	72	0.2516	-	
33.102	3.39812	33.1	95.9	0.2511	aragonite	3.542759
33.619	3.34734	327.7	925.7	0.2506	quartz	35.07439
35.329	3.19008	35.6	200.3	0.3887	feldspar (Albite)	
36.804	3.06644	39.3	221.4	0.4389	feldspar (Albite)	4.206358
37.246	3.03128	57.9	350.9	0.489	calcite	6.197153
39.151	2.88919	29.1	296.5	0.6689	dolomite	3.114631
40.095	2.8239	25.9	264.2	0.6163	halite	2.772129
41.967	2.70324	22.7	202.1	0.5636	pyrite	2.429626
45.767	2.48941	19.4	145.8	0.53	feldspar (Albite)	
48.1	2.37531	14.5	54.8	0.2686	feldspar (Albite)	
Total		934.3				

Table S11-8X ray diffraction data of core 11sample no.8




Fig.S14-8 X ray diffractogram of core 11 sample no.8

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
26.162	4.27704	57.1	155.2	0.2525	-	0
29	3.8662	17	52	0.2888	-	
30.362	3.69663	27.2	96	0.2949	feldspar	
32.87	3.42147	45.4	160.6	0.2799	aragonite	7.706671
33.567	3.35241	264.5	753.7	0.265	quartz	44.899
34.575	3.25751	65.3	186.2	0.415	feldspar (orthoclase)	11.08471
35.238	3.1981	35.9	102.2	0.49	feldspar (albite)	6.094042
37.21	3.03418	88.1	658.1	0.5651	calcite	14.95502
39.043	2.89686	39.8	206.7	0.4117	dolomite	6.756069
40.069	2.82562	14.4	74.8	0.3346	halite	2.444407
41.872	2.70909	35.7	101.7	0.2575	pyrite	6.060092
45.748	2.49039	27	132	0.4045	aragonite	
47.269	2.41463	10.4	51	0.379	aragonite	
47.932	2.38316	12.8	62.7	0.3534	feldspar (Albite)	
48.879	2.33973	13.6	66.6	0.3279	feldspar (Albite)	
50.11	2.28585	37.4	120	0.3023	feldspar (Albite)	
52.333	2.19514	12	48	0.3222	feldspar (Albite)	
54.067	2.12982	12	38.7	0.3	aragonite	
Total		589.1				

Table S11-9X ray diffraction data of core 11sample no.9




Fig.S14-9 X ray diffractogram of core 11 sample no.9

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
14.569	7.63443	15.3	40.3	0.2568	gypsum	2.32311
15.407	7.22146	11.7	30.8	0.2559	-	
17.058	6.52712	25.3	66.2	0.2549	-	0
22.473	4.96771	8	53.1	0.4604	-	
26.16	4.27743	84.7	249.3	0.2594	gypsum	
29.085	3.85519	13.1	38.5	0.2549	-	
30.32	3.7016	23.8	49.9	0.2505	-	
31.429	3.57404	9.7	20.3	0.2517	-	
32.895	3.41893	35.1	73.5	0.2522	Aragonite	5.329487
33.549	3.35414	218.4	605	0.2528	quartz	33.16125
34.653	3.25035	72.8	201.6	0.3132	feldspar (orthoclase)	11.05375038
35.24	3.19796	37.1	102.8	0.3434	feldspar , Albite	5.633161
37.177	3.03676	103.7	497.7	0.3736	calcite	15.74552
38.953	2.90333	79.2	396.6	0.3926	feldspar (orthoclase)	
40.027	2.82849	62.5	312.9	0.3362	halite	9.489827
41.862	2.7097	29	109.6	0.2797	pyrite	4.40328
45.693	2.49319	23.4	88.3	0.2806	gypsum	
46.308	2.46186	41.9	134.2	0.2814	feldspar (orthoclase)	
48.084	2.37607	13.9	59.6	0.3432	pyrite	
48.624	2.35124	12.4	53.3	0.3252	gypsum	
50.167	2.2834	38.1	147.5	0.3071	calcite	
52.271	2.19758	20.2	85.8	0.4221	gypsum	
55.1	2.09292	13.4	120	0.6429	calcite	
57.905	1.99968	19.3	173.2	0.5592	feldspar (orthoclase)	
58.467	1.98216	23.9	145.2	0.4755	feldspar (orthoclase)	
Total		658.6				

Table S11-10X ray diffraction data of core 11sample no.10




Fig.S14-10 X ray diffractogram of core 11 sample no.10

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
6.57	16.89327	17.1	96	0.4417	Montmorillonite	3.085528
15.768	7.05719	10.3	57.5	0.5417	gypsum	1.8585348
23.664	4.72114	14	22.6	0.1632	-	
25.122	4.45102	11.9	19.2	0.205	-	0
26.161	4.277723	85.9	172.9	0.2467	gypsum	
29.054	3.85916	14.4	28.9	0.2544	calcite	
30.316	3.70204	23.5	68.1	0.2621	-	
32.986	3.40978	22	63.8	0.2519	Aragonite	3.9696860
33.542	3.35481	265.6	727.6	0.2417	quartz	47.924936
35.17	3.2041	24.5	67.1	0.3417	feldspar (Albite)	4.4207867
37.167	3.03756	98.2	482.6	0.4418	calcite	17.719234
39.01	2.89921	62.6	248.4	0.3787	dolomite	11.295561
39.975	2.83198	28.7	114	0.4163	halite	5.1786358
41.835	2.71137	25.2	135.5	0.4538	pyrite	4.5470949
45.71	2.49235	28.4	146.6	0.416	gypsum	
48.101	2.37529	16.1	83	0.4093	pyrite	
48.887	2.33937	16.1	83	0.4026	gypsum	
50.11	2.28585	31.2	149.1	0.3892	calcite	
52.25	2.19839	16.8	69.8	0.3453	gypsum	
Total		554.2				

Table S11-11X ray diffraction data of core 11sample no.11




Fig.S14-11 X ray diffractogram of core 11 sample no.11

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
26.225	4.26691	74.8	157.4	0.259	-	
29.169	3.84427	9.1	19.2	0.2647	calcite	0
30.4	3.69211	29.2	84.8	0.2704	-	
31.241	3.5951	9.1	26.5	0.2668	-	
32.981	3.41029	23.2	67.4	0.2633	Aragonite	3.754653
33.611	3.34812	318.1	906.5	0.2561	Quartz	51.48082
34.638	3.25178	42.4	120.7	0.3253	feldspar (orthoclase)	6.861952
35.301	3.19261	11.2	31.8	0.36	feldspar (Albite)	1.812591
37.233	3.03231	109.1	544.6	0.3946	calcite	17.65658
39.101	2.89275	66.8	450	0.4976	Dolomite	10.81081
40.106	2.8231	23.2	156.5	0.4179	halite	3.754653
41.9	2.70737	23.9	99.4	0.3382	pyrite	3.86794
44.166	2.57484	6.1	25.5	0.3266	-	
45.741	2.49074	19.2	79.9	0.315	calcite	
46.35	2.45977	28.8	101	0.2918	-	
47.398	2.40842	8.1	28.5	0.3062	-	
48.061	2.37713	7.1	25	0.3134	pyrite	
48.889	2.33926	5.1	17.9	0.317	gypsum	
50.248	2.27995	30.9	137.8	0.3206	gypsum	
Total		617.9				

Table S11-12X ray diffraction data of core 11sample no.12




Fig.S14-12 X ray diffractogram of core 11 sample no.12

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
12.975	8.50772	40.1	1397	0.3309	Illite	6.78625825
14.434	7.67568	326.8	1397	0.3309	Gypsum	55.30546624
25.953	4.31094	63.8	328.6	0.412	Gypsum	
29.344	3.82189	80.3	242.9	0.2732	gypsum	
32.85	3.42345	34.9	105.7	0.2686	-	
33.472	3.33165	71.8	207.9	0.264	Quartz	12.15095617
34.307	3.28221	17.5	50.7	0.5412	feldspar	2.961584024
35.42	3.18217	9.3	26.9	0.6799	feldspar(Albite)	1.573870367
36.678	3.07663	66	727.3	0.8185	Gypsum	
37.134	3.03016	62.6	689.7	0.6471	Calcite	10.59400914
39.221	2.88423	27	159.7	0.4758	dolomite	4.569301066
39.789	2.84467	18.5	109.5	0.5747	dolomite	
42.085	2.69597	35.8	339.1	0.6736	pyrite	6.058554747
Total		590.9				

Table S12-1 X ray diffraction data of core 12 sample no.1




Fig.S15-1 X ray diffractogram of core 12 sample no.1

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
13.249	8.39123	41.4	1689.8	0.3565	Illite	6.461682535
14.633	7.601	331.7	1689.8	0.3565	Gypsum	51.77149992
26.156	4.278	75.1	304	0.3578	Gypsum	
29.53	3.79827	91.1	270.9	0.2799	Gypsum	
33.104	3.39795	75	359.2	0.3984	Aragonite	11.70594662
33.645	3.3448	50.7	242.9	0.3812	Quartz	7.913219916
34.48	3.26622	41.4	198.4	0.3726	feldspar	6.461682535
36.826	3.06465	66	264.3	0.364	Gypsum	
37.354	3.02288	35.2	140.9	0.3218	Calcite	5.493990947
39.414	2.87071	26.9	79.3	0.2796	dolomite	4.198532855
41.993	2.70163	38.4	294.6	0.6176	Pyrite	2.107070392
43.751	2.59808	13.5	103.6	0.5926	Quartz	
45.866	2.48429	33.3	262.5	0.5675	Aragonite	
48.108	2.37493	20.7	163.6	0.5059	Aragonite	
48.862	2.3405	26.4	140.4	0.4444	Aragonite	
51.724	2.21918	11.4	60.8	0.4041	Gypsum	
52.451	2.19058	13.5	75.2	0.3638	Gypsum	
54.733	2.10584	19.9	113.8	0.4712	Aragonite	
Total		640.7				

Table S12-2 X ray diffraction data of core 12 sample no.2




Fig.S15-2 X ray diffractogram of core 12 sample no.2

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
13.22	8.40944	32.3	1019.3	0.28	Illite	4.594594595
14.598	7.61946	326.4	1019.3	0.28	Gypsum	46.42958748
23.634	4.72692	13.1	53.5	0.3608	-	
26.146	4.27965	62.6	248.4	0.3395	Gypsum	
29.513	3.8004	55	205.6	0.2971	Gypsum	
33.045	3.40387	78	291.8	0.2839	Aragonite	11.09530583
33.699	3.33965	117.7	336.1	0.2707	Quartz	16.74253201
34.389	3.27462	44.8	127.8	0.2983	feldspar (orthoclase)	6.372688478
36.829	3.06445	58	234	0.3259	Gypsum	
37.329	3.02484	27.1	109.3	0.3217	Calcite	3.854907539
39.394	2.8721	29.8	92.1	0.3175	dolomite	4.238975818
41.958	2.70379	46.9	311.4	0.5299	pyrite	6.67140825
42.369	2.67874	33.3	221.4	0.5348	Gypsum	
45.767	2.48941	30	194	0.5397	Quartz ,Aragonite	
48.142	2.37338	29.8	167.6	0.4552	Aragonite	
48.837	2.34162	26.1	0	0	anhydrite	
Total		703				

Table S12-3 X ray diffraction data of core 12 sample no.3




Fig.S15-3 X ray diffractogram of core 12 sample no.3

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
12.973	8.56908	16.3	37.6	0.273	Illite	2.788708298
15.662	7.14458	10.9	37.6	0.273	Gypsum	1.864841745
26.213	4.26888	68.2	182	0.2559	Gypsum	
27.72	4.04102	39	76.1	0.2294	-	
30.387	3.69362	36.7	113.5	0.2593	dolomite	
31.379	3.57967	12	37.1	0.2708	feldspar	
32.976	3.41079	26	80.5	0.2765	Aragonite	
33.603	3.34886	339.4	1126.7	0.2823	Quartz	58.0667237
34.572	3.25774	34.7	115	0.2814	feldspar (orthoclase)	5.936698033
35.329	3.19014	12	39.7	0.281	feldspar (Albite)	
37.212	3.03397	83.9	244.8	0.2806	calcite	14.35414885
39.086	2.89381	59.8	297.9	0.3958	dolomite	10.23096664
40.119	2.82222	17.4	86.5	0.3375	halite	2.976903336
41.88	2.70858	22.1	71.7	0.2791	pyrite	3.78100941
43.986	2.58491	9.8	31.8	0.344	feldspar (orthoclase)	
45.7	2.49284	20	104	0.4088	Quartz	
47.179	2.41894	9.8	51	0.296	Aragonite	
48.026	2.37876	12.7	20	0.1832	pyrite	
50.157	2.28382	31.4	98.6	0.2687	Quartz	
Total		584.5				

Table S12-4 X ray diffraction data of core 12 sample no.4




Fig.S15-4 X ray diffractogram of core 12 sample no.4

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
13.223	8.40755	77.2	1993	0.4373	Illite	10.49055578
14.7	7.56674	348.8	1993	0.4373	gypsum	47.39774426
23.675	4.71894	11.9	30	0.291	-	
26.158	4.27775	87.4	358.4	0.3694	gypsum	
26.746	4.18531	19.4	79.4	0.3169	Geothite	2.636227748
29.534	3.79782	163.3	473.3	0.2645	gypsum	
33.08	3.40036	51.5	149.2	0.2733	anhydrite	
33.681	3.34138	56.7	160.1	0.2821	Quartz	7.704851203
34.363	3.27694	25.8	72.8	0.3164	feldspar (orthoclase)	3.505911129
35.476	3.17732	8.7	24.4	0.3336	feldspar (Albite)	
36.869	3.06122	102.4	401.8	0.3507	calcite	13.91493409
37.445	3.01581	47.2	185.3	0.3975	Calcite	
39.4	2.87163	36.6	212.7	0.4442	feldspar (orthoclase)	4.973501834
40.269	2.81216	15.1	87.7	0.5333	halite	2.051909227
42.262	2.68521	39	306.7	0.6223	pyrite	5.299633102
43.778	2.59654	5.4	42.8	0.5143	gypsum	
45.867	2.48427	27	140	0.4063	anhydrite	
47.373	2.40962	6.5	33.8	0.3732	Gypsum	
48.138	2.37354	20	84	0.34	pyrite	
48.914	2.33817	10.8	45.3	0.3467	gypsum	
51.8	2.21615	14	60	0.3533	gypsum	
Total		735.9				

Table S12-5 X ray diffraction data of core 12 sample no.5




Fig.S15-5 X ray diffractogram of core 12 sample no.5

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
14.572	7.63263	49.6	96.1	0.2098	Gypsum	9.53479431
26.211	4.26917	40.2	113.7	0.257	gypsum	0
28.471	3.9365	5.3	15.1	0.3687	-	
29.216	3.83826	11.2	31.7	0.4245	gypsum	
29.766	3.76882	20	127.1	0.4804	Gypsum	
30.374	3.69514	16	101.3	0.3646	dolomite	
33.022	3.40615	89.2	566.3	0.3068	Aragonite	17.14725106
33.582	3.35088	168.8	361.8	0.2489	Quartz	32.44905805
34.263	3.28627	46.2	99	0.4042	feldspar (orthoclase)	8.881199539
35.173	3.20382	4.8	10.3	0.4819	feldspar (Albite)	
37.151	3.03878	34.8	243.1	0.5596	calcite	6.689734717
39.062	2.89553	37.7	263.6	0.4389	dolomite	7.247212611
40.086	2.82448	40	157.2	0.3181	halite	7.247212611
41.9	2.70735	53.9	177.3	0.3157	pyrite	10.36139946
43.613	2.60592	5.9	19.4	0.3504	-	
45.796	2.48788	37	160	0.3852	gypsum	
46.26	2.46428	16.5	71.3	0.3651	Aragonite	
47.336	2.41114	18.6	80.5	0.3451	Aragonite	
48.033	2.37841	37	145.3	0.3049	pyrite	
48.825	2.34215	25	0	0	gypsum	
Total		520.2				

Table S12-6 X ray diffraction data of core 12 sample no.6




Fig.S15-6 X ray diffractogram of core 12 sample no.6

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
26.233	4.26562	36.5	108	0.2689	-	0
30.393	3.69288	37	104.8	0.2492	dolomite	
33.014	3.40694	57.4	162.8	0.2472	Aragonite	
33.6	3.34922	346.3	1019.9	0.2453	Quartz	62.75824574
34.364	3.27686	27.7	81.4	0.5125	feldspar (orthoclase)	5.019934759
35.293	3.19329	11.1	32.7	0.6462	feldspar (Albite)	2.011598405
37.269	3.02949	68.5	759.2	0.7798	calcite	12.41391809
39.006	2.89948	27.7	306.7	0.5521	dolomite	5.019934759
40.188	2.8176	15.5	172.2	0.4382	halite	2.808988764
41.93	2.70551	55	207.8	0.3243	pyrite	9.967379485
45.793	2.48803	34.7	257.6	0.5446	-	
47.278	2.41419	15.5	115.2	0.4879	Aragonite	
48.05	2.37764	24.7	136.1	0.4313	pyrite	
48.797	2.34341	21	115.8	0.2156	Aragonite	
50.316	2.27706	15.5	0	0	-	
Total		551.8				

Table S12-7 X ray diffraction data of core 12 sample no.7




Fig.S15-7 X ray diffractogram of core 12 sample no.7

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
23.767	4.70096	15.4	30.7	0.189	-	
26.236	4.26528	95.3	205.3	0.2405	-	
29.135	3.84865	10.5	22.6	0.2464	-	
30.4	3.69209	78.9	219.2	0.2523	dolomite	
32.892	3.41921	36.5	101.4	0.2985	Aragonite	5.916680175
33.567	3.35241	347	1471.6	0.3447	Quartz	56.24898687
34.689	3.24714	38.5	163.5	0.3662	feldspar(orthoclase)	6.240881828
35.261	3.19612	31.3	132.6	0.377	feldspar (Albite)	5.073755876
37.242	3.0316	94.5	424.6	0.3878	calcite	15.31852812
39.11	2.89208	21.7	128.1	0.4701	dolomite	3.51758794
40.079	2.82494	17.8	104.7	0.3671	halite	2.885394716
41.913	2.70657	29.6	89.4	0.2641	pyrite	4.798184471
45.633	2.49631	24	72.5	0.3654	Aragonite	
46.333	2.46061	28	142.3	0.4667	Aragonite	
48.852	2.34092	16.2	126.7	0.5917	gypsum	
Total		616.9				

Table S12-8 X ray diffraction data of core 12 sample no.8




Fig.S15-8 X ray diffractogram of core 12 sample no.8

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
26.273	4.25936	124.3	335.1	0.2414	-	
29.103	3.85288	9	24.2	0.2596	-	
30.433	3.68813	32.2	103.4	0.2778	dolomite	
31.328	3.58537	7	22.5	0.2766	-	
33.089	3.39942	33.7	108.2	0.2753	Aragonite	
33.64	3.34533	318.5	947	0.2728	Quartz	39.01273885
34.758	3.24088	119.9	356.4	0.3201	feldspar(orthoclase)	14.68642822
35.314	3.19142	24.8	73.8	0.3438	feldspar	3.037726605
37.271	3.02933	122.4	615.8	0.3674	calcite	14.99265066
39.034	2.89748	28.3	196.2	0.4591	dolomite	3.466438021
40.228	2.81493	13	89.6	0.4009	halite	1.592356688
41.954	2.70403	29.5	130.4	0.3427	pyrite	3.613424792
45.698	2.49295	23.8	105.5	0.3124	Aragonite	
46.399	2.45731	26.4	105.7	0.2821	dolomite	
47.367	2.40992	10	40	0.3052	-	
48.108	2.37493	11	43.9	0.3167	pyrite	
48.85	2.34103	12	47.9	0.3224	gypsum	
50.267	2.27914	34.9	157.9	0.3282	pyrite	
51.261	2.23788	11	49.6	0.3824	pyrite	
52.373	2.19359	10	45.2	0.4094	gypsum	
54.166	2.1262	27.2	181.4	0.4365	Aragonite	
Total		816.4				

Table S12-9 X ray diffraction data of core 12 sample no.9




Fig.S15-9 X ray diffractogram of core 12 sample no.9

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
23.8	4.69453	13.1	21.7	0.2221	-	
26.252	4.26269	111.7	252.5	0.2582	gypsum	0
30.426	3.689	45.3	137.8	0.2576	dolomite	
33.029	3.40546	30.9	94	0.2794	Aragonite	4.556850022
33.633	3.34596	359.2	1390.3	0.3011	Quartz	52.97153812
34.743	3.24225	37.5	145	0.3237	feldspar (orthoclase)	5.530157794
35.333	3.18975	91	369.5	0.3464	feldspar (Albite)	13.41984958
37.259	3.03033	68.5	360.7	0.3821	calcite	10.1017549
39.034	2.89751	37.2	238.1	0.471	dolomite	5.485916531
40.066	2.82585	14.4	92	0.4066	halite	2.123580593
41.951	2.70423	22.8	104.2	0.3422	pyrite	3.362335939
45.749	2.49029	16.6	75.9	0.308	Aragonite	3.362335939
46.381	2.45822	48.3	151.6	0.2738	Aragonite	
47.193	2.41828	8.9	27.9	0.2837	gypsum	
48.005	2.37974	10	31.3	0.2887	gypsum	
50.176	2.283	34.8	134.2	0.2937	Aragonite	
51.253	2.23819	6.7	25.8	0.2965	pyrite	
54.109	2.12826	28.4	94.5	0.2993	Aragonite	
Total		678.1				

Table S12-10 X ray diffraction data of core 12 sample no.10




Fig.S15-10 X ray diffractogram of core 12 sample no.10

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
13.099	8.48713	92.9	1562.9	0.3663	Illite	13.18852924
14.504	7.66869	324.1	1562.9	0.3663	Gypsum	46.01078932
25.992	4.26456	39.4	147.3	0.3496	gypsum	
29.378	3.81753	78.9	170.4	0.2584	gypsum	
32.814	3.42716	47.5	102.6	0.2562	aragonite	11.20102215
33.548	3.34424	89.7	258	0.2539	Quartz	12.73424191
34.21	3.29119	24.8	71.4	0.3554	feldspar (orthoclase)	3.52072686
36.592	3.08356	34.1	98.1	0.4061	gypsum	
37.198	3.03507	62.3	307.4	0.4569	calcite	4.840999432
39.25	2.88219	20.7	224.3	0.78	dolomite	2.93867121
39.878	2.83859	12.5	135.1	0.7039	Halite	1.774559909
41.875	2.70886	29.9	251.9	0.6278	pyrite	4.244747303
45.687	2.49353	28.5	121.3	0.3778	gypsum	
47.107	2.42244	14.5	61.9	0.3944	Aragonite	
48.075	2.37647	20.1	94	0.4111	Aragonite	
48.75	2.34554	15.5	0	0	Aragonite	
Total		704.5				

Table S12-11 X ray diffraction data of core 12 sample no.11




Fig.S15-11 X ray diffractogram of core 12 sample no.11

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
13.115	8.47674	56.2	1615	0.376	Illite	8.27565896
14.567	7.63559	347.8	1615	0.376	gypsum	51.21484317
24.922	4.48631	7.6	35.5	0.3659	-	
26.025	4.29922	68.6	280.9	0.3558	gypsum	
29.42	3.8122	120.6	337.9	0.2577	gypsum	
32.937	3.41472	58.4	163.6	0.2587	aragonite	8.59961714
33.587	3.35048	71.4	200.9	0.2597	Quartz	10.51391548
34.229	3.2894	32.5	91.5	0.2879	feldspar (orthoclase)	4.78574584
36.752	3.07062	82.9	254.8	0.3161	gypsum	
37.16	3.03812	45.4	139.7	0.3377	calcite	6.685318804
39.291	2.87933	33.5	142.1	0.3592	dolomite	4.932999558
41.913	2.70654	33.9	332.4	0.6817	pyrite	4.991901046
45.767	2.48941	30.4	177.6	0.4676	gypsum	
47.243	2.41587	8.7	51	0.4096	aragonite	
48.024	2.37886	22.9	100.9	0.3517	aragonite	
48.794	2.34355	19.5	0	0	Aragonite	
51.724	2.21917	8.7	0	0	pyrite	
Total		679.1				

Table S12-12 X ray diffraction data of core 12 sample no.12




Fig.S15-12 X ray diffractogram of core 12 sample no.12

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
13.078	8.50054	7.4	167	0.2466	Illite	0.980781975
14.516	7.66224	78.7	167	0.2466	gypsum	10.43074884
15.352	7.24701	10.8	22.9	0.2456	-	
24.976	4.47667	9.4	20.1	0.2451	-	
26.196	4.27166	48.8	99.4	0.2446	gypsum	
29.088	3.85475	14.1	28.8	0.2321	-	
29.438	3.80992	14.1	28.8	0.2258	-	
30.316	3.70203	17.8	36	0.2195	-	
32.15	3.49596	14.8	30	0.2366	anhydrite	1.96156395
32.938	3.41462	28.2	57.2	0.2452	Aragonite	3.737574553
33.543	3.35475	211.7	597.2	0.2537	quartz	28.05831677
34.25	3.28748	20.2	56.9	0.239	feldspar (orthoclase)	2.677269715
35.268	3.19543	168.1	341.5	0.2244	feldspar (Albite)	22.2796554
37.197	3.03514	124	577.2	0.344	calcite	16.43472498
38.99	2.90066	53.6	382.3	0.5219	dolomite	7.104042412
39.937	2.83461	20.2	144.1	0.4376	halite	2.677269715
41.249	2.74817	7.4	53.1	0.3954		
41.846	2.71067	27.6	111.9	0.3533	pyrite	3.65805169
45.767	2.48941	26.5	139.6	0.4239	Aragonite	
46.411	2.45673	16.2	85	0.3322		
47.286	2.41381	7.4	39.1	0.2864	Aragonite	
47.995	2.38019	15.9	34.1	0.2406	Aragonite	
48.773	2.3445	8.8	18.8	0.2913	Aragonite	
Total		754.3				

Table S12-13 X ray diffraction data of core 12 sample no.13




Fig.S15-13 X ray diffractogram of core 12 sample no.13

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
15.202	7.31808	10.6	126.1	0.9042	gypsum	2.703391992
17.34	6.42162	8.1	24.9	0.2794	-	
19.545	5.70319	6.7	22.4	0.3362	-	
22.4	4.9837	6.4	21.8	0.2377	-	
25.083	4.45783	5	17	0.2315	-	
26.261	4.26125	35	70.6	0.2254	gypsum	8.926294313
29.193	3.84117	21.9	111.1	0.4063	-	
33.064	3.4019	49.7	252	0.3292	Aragonite	
33.67	3.34243	120.6	339.5	0.2521	quartz	30.75745983
34.394	3.27409	32.8	92.2	0.3939	feldspar (orthoclase)	8.365212956
37.304	3.02679	174.6	1102	0.5358	calcite	44.52945677
39.271	2.88068	14.2	89.8	0.4252	dolomite	3.621525121
40.158	2.81961	10.9	69.1	0.3698	Halite	2.779903086
41.968	2.70318	28.4	91.2	0.3145	pyrite	7.243050242
45.81	2.48719	44.6	214	0.4	anhydrite ,gypsum	
48.1	2.37532	19.7	91.1	0.3626	pyrite	
48.848	2.3411	15.9	73.4	0.4224	feldspar	
50.233	2.28058	34.9	191.9	0.4822	-	
52.5	2.18866	9.5	85.6	0.6277	gypsum	
Total		392.1				

Table S12-14 X ray diffraction data of core 12 sample no.14




Fig.S15-14 X ray diffractogram of core 12 sample no.14

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
29.25	3.83387	12.1	58.5	0.4441	-	
32.967	3.41169	68.3	261.1	0.3236	Aragonite	13.36333399
33.533	3.35572	19.3	73.6	0.3487	Quartz	3.776169047
34.259	3.28661	40.8	184.3	0.3738	feldspar (orthoclase)	56.56427314
37.557	3.0371	289.1	897.2	0.7315	calcite	56.56427314
39.934	2.83477	9	37.5	0.334	dolomite	1.760907846
41.844	2.71082	39.9	160.2	0.3362	pyrite	7.80669145
45.7	2.49285	34.4	185.4	0.464	dolomite	6.7305811
47.203	2.41778	10.3	55.6	0.4143	anhydrite, gypsum	2.015261201
47.953	2.38214	23.8	107.5	0.3647	anhydrite	
48.85	2.34101	24	215.3	0.5968	pyrite	
50.734	2.25954	15.7	117.5	0.5868	Quartz	
52.533	2.18736	10.3	90.5	0.6469	Aragonite	
54.578	2.11138	19.8	97.1	0.3789	Aragonite	
55.644	2.07405	19.8	96.5	0.4105	gypsum	
56.638	2.0406	7.5	96.5	0.4105	dolomite	
Total		511.1				

Table S12-15 X ray diffraction data of core 12 sample no.15




Fig.S15-15 X ray diffractogram of core 12 sample no.15

2Theta	d (A)	Height	Area	FWHM	Identified mineral	WT%
29.46	3.8072	12.1	165.4	0.9856	-	
33.038	3.40448	79.2	321.7	0.334	anhydrite	13.67454068
33.609	3.34832	52.1	211.7	0.4703	Quartz	13.67454068
34.332	3.27989	48.8	198	0.5384	feldspar (orthoclase)	12.80839895
37.652	3.01981	106.8	815.4	0.6066	calcite	28.03149606
39.21	2.88503	6.8	51.9	0.4611	dolomite	1.784776903
40.113	2.82264	11.9	90.7	0.3883	halite	3.12335958
41.916	2.70639	44.9	171.6	0.3155	magnesite, pyrite	11.7847769
45.785	2.48844	39.1	216.8	0.4512	Gypsum ,anhydrite	
47.34	2.41119	14.2	78.9	0.2768	gypsum	
48.063	2.37704	30.5	168.8	0.1896	pyrite	8.005249344
48.966	2.33582	25.1	138.9	0.146	anhydrite	
50.773	2.25792	16.9	93.9	0.1242	-	
52.309	2.1961	11.9	65.8	0.1133	calcite	
Total		381				

Table S12-16X ray diffraction data of core 12 sample no.16




Fig.S15-16 X ray diffractogram of core 12 sample no.16

Grain size cores analysis

Size	WT%	cumulative WT%
0	1.516	1.516
0.321928	3.475	4.991
0.736965	4.14	9.131
1.736966	7.775	16.906
2.736966	7.971	24.877
3.736966	38.403	63.28
5.64385619	36.72	100
Mean size	sorting	
6.33377	8.839632	

Table S13-1 Grain size analysis of core 1 sample 1




Fig.S16-1 cumulative weight with grain size in Phi unit of core 1 sample no. 1

size	WT %	Cumulative WT %
0	1.117	1.117
0.321928	3.238	4.355
0.736965	5.785	10.14
1.736966	18.671	28.811
2.736966	24.524	53.335
3.736966	22.838	76.173
5.64385619	23.827	100
Mean size	sorting	
5.09153	8.493642	

Table S13-2 Grain size analysis of core 1 sample 2



Fig.S16-2 cumulative weight with grain size in Phi unit of core 1 sample no. 2

size	WT %	cumulative WT %
0	1.651	1.651
0.321928	2.915	4.566
0.736965	3.799	8.365
1.736966	14.429	22.794
2.736966	22.992	45.786
3.736966	27.14	72.926
5.64385619	27.074	100
Mean size	sorting	
6.580573	9.066486	

Table S13-3 Grain size analysis of core 1 sample 3




Fig.S16-3 cumulative weight with grain size in Phi unit of core 1 sample no. 3

size	WT %	cumulative WT %
0	6.945	6.945
0.321928	2.65	9.595
0.736965	3.057	12.652
1.736966	11.249	23.901
2.736966	19.759	43.66
3.736966	29.754	73.414
5.64385619	26.586	100
Mean size	sorting	
5.4685	8.619654	

Table S13-4 Grain size analysis of core 1 sample 4




Fig.S16-4 cumulative weight with grain size in Phi unit of core 1 sample no. 4

size	WT %	cumulativeWT %
0	2.98	2.98
0.321928	2.787	5.767
0.736965	3.64	9.407
1.736966	12.878	22.285
2.736966	22.384	44.669
3.736966	34.527	79.196
5.64385619	20.804	100
Mean size	sorting	
5.506978	7.819768	




Table S13-5 Grain size analysis of core 1 sample 5

Fig.S16-5 cumulative weight with grain size in Phi unit of core 1 sample no. 5

size	WT%	Cumulative WT%
0	10.958	10.958
0.321928	4.267	15.225
0.736965	5.723	20.948
1.736966	15.118	36.066
2.736966	20.065	56.131
3.736966	25.736	81.867
5.64385619	18.133	100
Mean size	sorting	
4.13475	8.08206	
Mean size	sorting	
4.13475	8.08206	




Table S13-6 Grain size analysis of core 1 sample 6

Fig.S16-6 cumulative weight with grain size in Phi unit of core 1 sample no. 6

size	WT %	cumulative WT %
0	20.949	20.949
0.321928	5.501	26.45
0.736965	6.341	32.791
1.736966	14.324	47.115
2.736966	21.165	68.28
3.736966	19.862	88.142
5.64385619	11.858	100
Mean size	sorting	
2.881786	7.495146	

Table S13-7 Grain size analysis of core 1 sample 7




Fig.S16-7 cumulative weight with grain size in Phi unit of core 1 sample no. 7

size	WT %	cumulative WT%
0	20.349	20.349
0.321928	4.215	24.564
0.736965	5.857	30.421
1.736966	15.859	46.28
2.736966	24.085	70.365
3.736966	17.573	87.938
5.64385619	12.062	100
Mean size	sorting	
2.818043	7.57713	

Table S13-8 Grain size analysis of core 1 sample 8




Fig.S16-8 cumulative weight with grain size in Phi unit of core 1 sample no. 8

size	WT %	cumulative WT %
0	13.83	13.83
0.321928	5.279	19.109
0.736965	6.085	25.194
1.736966	15.091	40.285
2.736966	22.453	62.738
3.736966	20.412	83.15
5.64385619	16.85	100
Mean size	sorting	
3.5758	8.098216	




Table S13-9 Grain size analysis of core 1 sample 9

Fig.S16-9 cumulative weight with grain size in Phi unit of core 1 sample no. 9

size	WT %	cumulative WT %
0	10.231	10.231
0.321928	5.149	15.38
0.736965	6.662	22.042
1.736966	20.046	42.088
2.736966	28.617	70.705
3.736966	19.805	90.51
5.64385619	9.49	100
Mean size	sorting	
3.482771	7.050196	




Table S13-10 Grain size analysis of core 1 sample 10

Fig.S16-10 cumulative weight with grain size in Phi unit of core 1 sample no. 10

size	WT%	cumulative WT%
0	4.981	4.981
0.321928	4.598	9.579
0.736965	5.122	14.701
1.736966	11.992	26.693
2.736966	15.448	42.141
3.736966	25.44	67.581
5.64385619	32.419	100
Mean size	sorting	
5.255839	9.14149	




Table S14-1 Grain size analysis of core2 sample 1

Fig.S17-1 cumulative weight with grain size in Phi unit of core 2 sample no. 1

size	WT %	cumulative WT %
0	17.241	17.241
0.321928	9.81	27.051
0.736965	9.511	36.562
1.736966	16.492	53.054
2.736966	21.986	75.04
3.736966	14.879	89.919
5.64385619	10.081	100
Mean size	sorting	
2.610193	7.160603	



Table S14-2 Grain size analysis of core2 sample 2

Fig.S17-2 cumulative weight with grain size in Phi unit of core 2 sample no. 2

size	WT %	cumulative WT %
0	7.754	7.754
0.321928	5.239	12.993
0.736965	7.807	20.8
1.736966	17.744	38.544
2.736966	31.624	70.168
3.736966	20.145	90.313
5.64385619	9.687	100
Mean size	sorting	
3.714673	7.026248	

Table S14-3 Grain size analysis of core2 sample 3




Fig.S17-3 cumulative weight with grain size in Phi unit of core 2 sample no. 3

size	WT %	cumulative WT %
0	9.07	9.07
0.321928	4.529	13.599
0.736965	5.905	19.504
1.736966	12.857	32.361
2.736966	33.027	65.388
3.736966	27.835	93.223
5.64385619	6.777	100
Mean size	sorting	
3.919714	6.748145	

Table S14-4 Grain size analysis of core2 sample 4




Fig.S17-4 cumulative weight with grain size in Phi unit of core 2 sample no. 4

size	WT%	cumulative WT %
0	16.614	16.614
0.321928	5.16	21.774
0.736965	4.92	26.694
1.736966	11.802	38.496
2.736966	29.354	67.85
3.736966	30.29	98.14
5.64385619	1.86	100
Mean size	sorting	
3.23065	6.599271	




Table S14-5Grain size analysis of core2 sample 5

Fig.S17-5 cumulative weight with grain size in Phi unit of core 2 sample no. 5

size	WT %	cumulative WT %
0	11.766	11.766
0.321928	3.518	15.284
0.736965	4.545	19.829
1.736966	10.982	30.811
2.736966	29.922	60.733
3.736966	37.695	98.428
5.64385619	1.572	100
Mean size	sorting	
3.973583	6.66662	




Table S14-6Grain size analysis of core2 sample 6

Fig.S17-6 cumulative weight with grain size in Phi unit of core 2 sample no. 6

size	WT%	cumulative WT%
0	12.636	12.636
0.321928	3.975	16.611
0.736965	4.307	20.918
1.736966	7.429	28.347
2.736966	6.665	35.012
3.736966	34.028	69.04
5.64385619	30.96	100
Mean size	sorting	
3.0551	7.308591	

Table S15-1 Grain size analysis of core3 sample 1




Fig.S18-1 cumulative weight with grain size in Phi unit of core 3 sample no. 1

size	WT %	Cumulative WT %
0	14.221	14.221
0.321928	5.407	19.628
0.736965	7.675	27.303
1.736966	18.575	45.878
2.736966	19.461	65.339
3.736966	18.054	83.393
5.64385619	16.607	100
Mean size	sorting	
2.603333	6.83197	

Table S15-2 Grain size analysis of core3 sample 2




Fig.S18-2 cumulative weight with grain size in Phi unit of core 3 sample no. 2

size	WT%	cumulative WT %
0	9.713	9.713
0.321928	3.923	13.636
0.736965	5.654	19.29
1.736966	16.091	35.381
2.736966	19.215	54.596
3.736966	26.055	80.651
5.64385619	19.349	100
Mean size	sorting	
2.411333	6.962644	



Table S15-3 Grain size analysis of core3 sample 3

Fig.S18-3 cumulative weight with grain size in Phi unit of core 3 sample no. 3

size	WT%	cumulative WT %
0	10.846	10.846
0.321928	3.598	14.444
0.736965	4.656	19.1
1.736966	12.749	31.849
2.736966	19.323	51.172
3.736966	30.2	81.372
5.64385619	18.628	100
Mean size	sorting	
2.26	8.868258	




Table S15-4 Grain size analysis of core3 sample 4

Fig.S18-4 cumulative weight with grain size in Phi unit of core 3 sample no. 4

size	WT%	cumulative WT %
0	12.297	12.297
0.321928	3.562	15.859
0.736965	5.31	21.169
1.736966	14.819	35.988
2.736966	41.575	77.563
3.736966	20.632	98.195
5.64385619	1.805	100
Mean size	sorting	
1.133333	5.394	




Table S15-5 Grain size analysis of core3 sample 5

Fig.S18-5 cumulative weight with grain size in Phi unit of core 3 sample no. 5

size	WT%	Cumulative WT %
0	7.58	7.58
0.321928	3.659	11.239
0.736965	5.588	16.827
1.736966	14.779	31.606
2.736966	26.043	57.649
3.736966	24.062	81.711
5.64385619	18.289	100
Mean size	sorting	
3.826667	4.614773	




Table S15-6 Grain size analysis of core3 sample 6

Fig.S18-6 cumulative weight with grain size in Phi unit of core 3 sample no. 6

size	WT %	cumulative WT %
0	13.825	13.825
0.321928	5.019	18.844
0.736965	6.616	25.46
1.736966	15.425	40.885
2.736966	26.575	67.46
3.736966	20.563	88.023
5.64385619	11.977	100
Mean size	sorting	
2.168	6.854667	

Table S15-7Grain size analysis of core3 sample 7




Fig.S18-7 cumulative weight with grain size in Phi unit of core 3 sample no. 7

size	WT %	cumulative WT%
0	10.434	10.434
0.321928	3.548	13.982
0.736965	4.49	18.472
1.736966	10.457	28.929
2.736966	31.902	60.831
3.736966	34.684	95.515
5.64385619	4.485	100
Mean size	sorting	
4.503333	8.117197	

Table S15-8Grain size analysis of core3 sample 8




Fig.S18-8 cumulative weight with grain size in Phi unit of core 3 sample no. 8

size	WT%	cumulative WT %
0	17.504	17.504
0.321928	5.288	22.792
0.736965	5.944	28.736
1.736966	12.566	41.302
2.736966	28.547	69.849
3.736966	26.365	96.214
5.64385619	3.7866	100.00006
Mean size	sorting	
5.521667	8.403295	




Table S15-9 Grain size analysis of core3 sample 9

Fig.S18-9 cumulative weight with grain size in Phi unit of core 3 sample no. 9

size	WT%	cumulative WT%
0	20.868	20.868
0.321928	5.971	26.839
0.736965	7.033	33.872
1.736966	14.446	48.318
2.736966	19.609	67.927
3.736966	15.972	83.899
5.64385619	16.101	100
Mean size	sorting	
2.61	8.152424	




Table S16-1 Grain size analysis of core4sample 1

Fig.S19-1 cumulative weight with grain size in Phi unit of core 4 sample no. 1

size	WT %	cumulative WT %
0	10.467	10.467
0.321928	4.664	15.131
0.736965	7.441	22.572
1.736966	18.776	41.348
2.736966	27.045	68.393
3.736966	19.205	87.598
5.64385619	12.402	100
Mean size	sorting	
3.612333	7.475674	




Table S16-2 Grain size analysis of core4sample 2

Fig.S19-2 cumulative weight with grain size in Phi unit of core 4 sample no. 2

size	WT %	cumulative WT %
0	4.267	4.267
0.321928	2.509	6.776
0.736965	4.977	11.753
1.736966	17.793	29.546
2.736966	41.518	71.064
3.736966	22.173	93.237
5.64385619	6.763	100
Mean size	sorting	
4.417333	6.411205	




Table S16-3 Grain size analysis of core4sample 3

Fig.S19-3 cumulative weight with grain size in Phi unit of core 4 sample no. 3

size	WT%	cumulative WT %
0	1.974	1.974
0.321928	1.521	3.495
0.736965	2.94	6.435
1.736966	13.239	19.674
2.736966	44.122	63.796
3.736966	29.995	93.791
5.64385619	6.209	100
Mean size	sorting	
5.139333	6.347348	




Table S16-4 Grain size analysis of core4sample 4

Fig.S19-4 cumulative weight with grain size in Phi unit of core 4 sample no. 4

size	WT %	cumulative WT %
0	1.492	1.492
0.321928	0.996	2.488
0.736965	2.348	4.836
1.736966	19.587	24.423
2.736966	54.548	78.971
3.736966	18.903	97.874
5.64385619	2.126	100
Mean size	sorting	
4.651133	5.529535	




Table S16-5 Grain size analysis of core4sample 5

Fig.S19-5 cumulative weight with grain size in Phi unit of core 4 sample no. 5

size	WT %	cumulative WT %
0	1.98	1.98
0.321928	1.176	3.156
0.736965	2.204	5.36
1.736966	14.286	19.646
2.736966	49.199	68.845
3.736966	29.081	97.926
5.64385619	2.074	100
Mean size	sorting	
5.05732	5.918961	

Table S16-6 Grain size analysis of core 4 sample 6




Fig.S19-6 cumulative weight with grain size in Phi unit of core 4 sample no. 6

size	WT %	cumulative WT %
0	5.032	5.032
0.321928	2.25	7.282
0.736965	4.296	11.578
1.736966	17.577	29.155
2.736966	43.282	72.437
3.736966	22.791	95.228
5.64385619	4.772	100
Mean size	sorting	
4.3663	6.256008	

Table S16-7 Grain size analysis of core 4 sample 7




Fig.S19-7 cumulative weight with grain size in Phi unit of core 4 sample no. 7

size	WT %	cumulative WT %
0	3.749	3.749
0.321928	1.338	5.087
0.736965	2.404	7.491
1.736966	12.335	19.826
2.736966	43.912	63.738
3.736966	34.301	98.039
5.64385619	1.961	100
Mean size	sorting	
5.112867	6.173006	




Table S16-8Grain size analysis of core4sample 8

Fig.S19-8 cumulative weight with grain size in Phi unit of core 4 sample no. 8

size	WT%	cumulative WT %
0	28.101	28.101
0.321928	5.886	33.987
0.736965	7.673	41.66
1.736966	17.664	59.324
2.736966	18.281	77.605
3.736966	15.24	92.845
5.64385619	7.155	100
Mean size	sorting	
1.95299	6.695535	




Table S16-9Grain size analysis of core4sample 9

Fig.S19-9 cumulative weight with grain size in Phi unit of core 4 sample no. 9

size	WT%	cumulative WT%
0	17.86	17.86
0.321928	5.667	23.527
0.736965	7.56	31.087
1.736966	17.098	48.185
2.736966	21.178	69.363
3.736966	20.526	89.889
5.64385619	10.111	100
Mean size	sorting	
2.74735	7.207403	




Table S17-1 Grain size analysis of core5sample1

Fig.S20-1 cumulative weight with grain size in Phi unit of core 5sample no. 1

size	WT %	cumulative WT %
0	14.668	14.668
0.321928	6.026	20.694
0.736965	8.783	29.477
1.736966	18.397	47.874
2.736966	19.26	67.134
3.736966	14.08	81.214
5.64385619	18.786	100
Mean size	sorting	
3.194333	8.320795	



Table S17-2 Grain size analysis of core5 sample 2

Fig.S20-2 cumulative weight with grain size in Phi unit of core 5sample no.2

size	WT %	cumulative WT %
0	9.063	9.063
0.321928	5.166	14.229
0.736965	7.214	21.443
1.736966	16.778	38.221
2.736966	39.002	77.223
3.736966	19.362	96.585
5.64385619	3.415	100
Mean size	sorting	
3.444333	6.181198	

Table S17-3 Grain size analysis of core 5 sample 3




Fig.S20-3 cumulative weight with grain size in Phi unit of core 5sample no.3

size	WT %	cumulative WT %
0	8.832	8.832
0.321928	5.005	13.837
0.736965	8.729	22.566
1.736966	23.847	46.413
2.736966	39.947	86.36
3.736966	11.968	98.328
5.64385619	1.672	100
Mean size	sorting	
3.143667	5.499894	

Table S17-4Grain size analysis of core5 sample 4




Fig.S20-4 cumulative weight with grain size in Phi unit of core 5sample no.4

size	WT%	cumulative WT%
0	12.08	12.08
0.321928	5.501	17.581
0.736965	7.653	25.234
1.736966	20.936	46.17
2.736966	33.546	79.716
3.736966	15.336	95.052
5.64385619	4.948	100
Mean size	sorting	
2.9542	6.301268	




Table Si8-1 Grain size analysis of core6 sample 1

Fig.S21-1 cumulative weight with grain size in Phi unit of core 6sample no.1

size	WT %	cumulative WT %
0	6.629	6.629
0.321928	5.523	12.152
0.736965	10.884	23.036
1.736966	30.902	53.938
2.736966	30.55	84.488
3.736966	11.7	96.188
5.64385619	3.812	100
Mean size	sorting	
3.016567	5.800123	




Table Si8-2 Grain size analysis of core6 sample 2

Fig.S21-2 cumulative weight with grain size in Phi unit of core 6sample no.2

size	WT %	cumulative WT %
0	5.373	5.373
0.321928	2.471	7.844
0.736965	4.715	12.559
1.736966	18.741	31.3
2.736966	42.834	74.134
3.736966	23.531	97.665
5.64385619	2.335	100
Mean size	sorting	
4.230667	6.066864	




Table Si8-3 Grain size analysis of core6 sample 3

Fig.S21-3 cumulative weight with grain size in Phi unit of core 6sample no.3

size	WT %	cumulative WT %
0	7.461	7.461
0.321928	4.024	11.485
0.736965	5.243	16.728
1.736966	12.751	29.479
2.736966	34.17	63.649
3.736966	33.099	96.748
5.64385619	3.252	100
Mean size	sorting	
4.14435	6.565728	




Table Si8-4 Grain size analysis of core6 sample 4

Fig.S21-4 cumulative weight with grain size in Phi unit of core 6sample no.4

size	WT %	Cumulative WT %
0	21.232	21.232
0.321928	3.486	24.718
0.736965	4.22	28.938
1.736966	13.023	41.961
2.736966	39.06	81.021
3.736966	16.889	97.91
5.64385619	2.09	100
Mean size	sorting	
2.792303	6.09195	

Table S18-5 Grain size analysis of core6 sample 5




Fig.S21-5 cumulative weight with grain size in Phi unit of core 6sample no.5

size	WT %	cumulative WT %
0	5.714	5.714
0.321928	1.877	7.591
0.736965	3.492	11.083
1.736966	8.056	19.139
2.736966	7.149	26.288
3.736966	50.041	76.329
5.64385619	23.571	99.9
Mean size	sorting	
5.77684	7.746483	

Table S18-6 Grain size analysis of core6 sample 6




Fig.S21-6 cumulative weight with grain size in Phi unit of core 6sample no.6

size	WT %	cumulative WT %
0	6.71	6.71
0.321928	4.838	11.548
0.736965	7.451	18.999
1.736966	18.138	37.137
2.736966	19.345	56.482
3.736966	20.685	77.167
5.64385619	22.833	100
Mean size	sorting	
4.407733	8.591306	

Table S18-7 Grain size analysis of core6 sample 7




Fig.S21-7 cumulative weight with grain size in Phi unit of core 6sample no.7

size	WT %	cumulative WT %
0	12.974	12.974
0.321928	3.688	16.662
0.736965	5.139	21.801
1.736966	13.819	35.62
2.736966	19.25	54.87
3.736966	23.246	78.116
5.64385619	21.884	100
Mean size	sorting	
4.124667	8.556376	

Table S18-8 Grain size analysis of core6 sample 8




Fig.S21-8 cumulative weight with grain size in Phi unit of core 6sample no.8

size	WT %	cumulative WT %
0	20.926	20.926
0.321928	5.227	26.153
0.736965	9.033	35.186
1.736966	23.875	59.061
2.736966	25.999	85.06
3.736966	10.568	95.628
5.64385619	4.372	100
Mean size	sorting	
2.126867	6.011352	

Table S18-9 Grain size analysis of core6 sample 9




Fig.S21-8 cumulative weight with grain size in Phi unit of core 6sample no.8

size	WT %	cumulative WT %
0	8.888	8.888
0.321928	5.284	14.172
0.736965	7.095	21.267
1.736966	18.871	40.138
2.736966	34.261	74.399
3.736966	22.765	97.164
5.64385619	2.836	100
Mean size	sorting	
2.158133	5.641148	

Table S18-10 Grain size analysis of core6 sample 10




Fig.S21-10cumulative weight with grain size in Phi unit of core 6sample no.10

size	WT%	cumulative WT%
0	19.705	19.705
0.321928	4.66	24.365
0.736965	5.441	29.806
1.736966	12.106	41.912
2.736966	12.109	54.021
3.736966	22.004	76.025
5.64385619	23.975	100
Mean size	sorting	
3.559667	8.908765	




Table S19-1 Grain size analysis of core7 sample 1

Fig.S22-1cumulative weight with grain size in Phi unit of core 7 sample no.1

size	WT %	cumulative WT %
0	1.479	1.479
0.321928	1.991	3.47
0.736965	3.739	7.209
1.736966	18.045	25.254
2.736966	24.221	49.475
3.736966	26.999	76.474
5.64385619	23.526	100
Mean size	sorting	
5.427333	8.258818	




Table S19-2 Grain size analysis of core7 sample 2

Fig.S22-2cumulative weight with grain size in Phi unit of core 7 sample no.2

size	WT %	cumulative WT %
0	7.745	7.745
0.321928	4.267	12.012
0.736965	6.528	18.54
1.736966	14.631	33.171
2.736966	16.548	49.719
3.736966	31.631	81.35
5.64385619	18.65	100
Mean size	sorting	
4.609333	7.874689	



Table S19-3 Grain size analysis of core 7 sample 3

Fig.S22-3cumulative weight with grain size in Phi unit of core 7 sample no.3

size	WT %	cumulative WT %
0	5.017	5.017
0.321928	5.279	10.296
0.736965	9.404	19.7
1.736966	20.586	40.286
2.736966	22.231	62.517
3.736966	21.633	84.15
5.64385619	15.85	100
Mean size	sorting	
4.035333	7.772455	




Table S19-4 Grain size analysis of core7 sample 4

Fig.S22-4cumulative weight with grain size in Phi unit of core 7 sample no.4

size	WT %	cumulative WT %
0	16.421	16.421
0.321928	6.253	22.674
0.736965	6.933	29.607
1.736966	14.186	43.793
2.736966	25.079	68.872
3.736966	20.125	88.997
5.64385619	11.003	100
Mean size	sorting	
3.146333	7.327932	




Table S19-5 Grain size analysis of core7 sample 5

Fig.S22-5cumulative weight with grain size in Phi unit of core 7 sample no.5

size	WT %	cumulative WT %
0	17.089	17.089
0.321928	4.37	21.459
0.736965	5.675	27.134
1.736966	14.06	41.194
2.736966	19.277	60.471
3.736966	21.661	82.132
5.64385619	17.868	100
Mean size	sorting	
3.145	7.283932	




Table S19-6 Grain size analysis of core7 sample 6

Fig.S22-6cumulative weight with grain size in Phi unit of core 7 sample no.6

size	WT %	cumulative WT %
0	2.677	2.677
0.321928	2.189	4.866
0.736965	4.133	8.999
1.736966	12.959	21.958
2.736966	35.526	57.484
3.736966	38.678	96.162
5.64385619	3.838	100
Mean size	sorting	
5.089	6.445371	




Table S19-7 Grain size analysis of core7 sample 7

Fig.S22-7cumulative weight with grain size in Phi unit of core 7 sample no.7

size	WT %	Cumulative WT %
0	3.342	3.342
0.321928	2.276	5.618
0.736965	4.229	9.847
1.736966	16.873	26.72
2.736966	45.967	72.687
3.736966	25.797	98.484
5.64385619	1.516	100
Mean size	sorting	
4.566333	5.950106	




Table S19-8 Grain size analysis of core7 sample 8

Fig.S22-8cumulative weight with grain size in Phi unit of core 7 sample no.8

size	WT %	Cumulative WT %
0	20.675	20.675
0.321928	5.094	25.769
0.736965	5.709	31.478
1.736966	13.476	44.954
2.736966	17.944	62.898
3.736966	20.785	83.683
5.64385619	16.317	100
Mean size	sorting	
2.936667	8.100682	

Table S2o-1 Grain size analysis of core8 sample 1




Fig.S23-1 cumulative weight with grain size in Phi unit of core 8 sample no.1

size	WT %	cumulative WT %
0	11.854	11.854
0.321928	5.719	17.573
0.736965	7.968	25.541
1.736966	17.606	43.147
2.736966	19.204	62.351
3.736966	25.493	87.844
5.64385619	12.156	100
Mean size	sorting	
3.563333	7.391894	

Table S2o-2 Grain size analysis of core8 sample 2




Fig.S23-2 cumulative weight with grain size in Phi unit of core 8 sample no.2

size	WT %	cumulative WT %
0	12.99	12.99
0.321928	5.506	18.496
0.736965	7.494	25.99
1.736966	16.485	42.475
2.736966	20.307	62.782
3.736966	23.481	86.263
5.64385619	13.737	100
Mean size	sorting	
3.54	7.601212	

Table S2o-3 Grain size analysis of core8 sample 3




Fig.S23-3 cumulative weight with grain size in Phi unit of core 8 sample no.3

size	WT %	cumulative WT %
0	5.575	5.575
0.321928	5.022	10.597
0.736965	10.469	21.066
1.736966	28.401	49.467
2.736966	20.078	69.545
3.736966	15.339	84.884
5.64385619	15.116	100
Mean size	sorting	
3.53	7.738227	

Table S2o-4 Grain size analysis of core8 sample 4




Fig.S23-4 cumulative weight with grain size in Phi unit of core 8 sample no.4

size	WT %	cumulative WT %
0	7.791	7.791
0.321928	2.314	10.105
0.736965	3.58	13.685
1.736966	13.61	27.295
2.736966	40.906	68.201
3.736966	22.597	90.798
5.64385619	9.202	100
Mean size	sorting	
4.473	6.872477	




Table S2o-5 Grain size analysis of core8 sample 5

Fig.S23-5 cumulative weight with grain size in Phi unit of core 8 sample no.5

size	WT %	cumulative WT %
0	2.102	2.102
0.321928	1.637	3.739
0.736965	3.341	7.08
1.736966	14.67	21.75
2.736966	41.881	63.631
3.736966	27.373	91.004
5.64385619	8.996	100
Mean size	sorting	
5.066	6.644068	




Table S2o-6 Grain size analysis of core8 sample 6

Fig.S23-6 cumulative weight with grain size in Phi unit of core 8 sample no.6

size	WT %	cumulative WT %
0	2.811	2.811
0.321928	2.381	5.192
0.736965	4.761	9.953
1.736966	18.791	28.744
2.736966	36.495	65.239
3.736966	24.988	90.227
5.64385619	9.773	100
Mean size	sorting	
4.643333	6.827212	

Table S2o-7 Grain size analysis of core8 sample 7




Fig.S23-7 cumulative weight with grain size in Phi unit of core 8 sample no.7

size	WT %	cumulative WT %
0	4.576	4.576
0.321928	4.191	8.767
0.736965	7.763	16.53
1.736966	24.216	40.746
2.736966	30.117	70.863
3.736966	19.961	90.824
5.64385619	9.176	100
Mean size	sorting	
3.853667	6.859189	

Table S2o-8 Grain size analysis of core8 sample 8




Fig.S23-8 cumulative weight with grain size in Phi unit of core 8 sample no.8

size	WT %	cumulative WT %
0	5.259	5.259
0.321928	4.712	9.971
0.736965	8.533	18.504
1.736966	23.677	42.181
2.736966	31.706	73.887
3.736966	18.695	92.582
5.64385619	7.418	100
Mean size	sorting	
3.786667	6.868432	




Table S2o-9 Grain size analysis of core8 sample 9

Fig.S23-9 cumulative weight with grain size in Phi unit of core 8 sample no.9

size	WT %	cumulative WT %
0	47.888	47.888
0.321928	15.571	63.459
0.736965	10.567	74.026
1.736966	12.851	86.877
2.736966	8.662	95.539
3.736966	4.116	99.655
5.64385619	0.615	100.27
Mean size	sorting	
0.343667	3.553182	




Table S2o-10 Grain size analysis of core8 sample 10

Fig.S23-10 cumulative weight with grain size in Phi unit of core 8 sample no.10

size	WT %	cumulative WT %
0	30	30
0.321928	3.948	33.948
0.736965	6	39.948
1.736966	1.616	41.564
2.736966	17.006	58.57
3.736966	17.14	75.71
5.64385619	24.29	100
Mean size	sorting	
3.281333	9.046121	

Table S21-1 Grain size analysis of core 9 sample 1




Fig.S24-1 cumulative weight with grain size in Phi unit of core 9 sample no.1

size	WT %	cumulative WT %
0	2.866	2.866
0.321928	1.744	4.61
0.736965	2.286	6.896
1.736966	7.879	14.775
2.736966	8.924	23.699
3.736966	36.107	59.806
5.64385619	40.194	100
Mean size	sorting	
7.052333	8.930379	

Table S21-2 Grain size analysis of core 9 sample 2



Fig.S24-2 cumulative weight with grain size in Phi unit of core 9 sample no.2

size	WT %	Cumulative WT %
0	1.922	1.922
0.321928	0.988	2.91
0.736965	2.487	5.397
1.736966	22.663	28.06
2.736966	62.407	90.467
3.736966	7.156	97.623
5.64385619	2.377	100
Mean size	sorting	
4.39	4.889439	

Table S21-3 Grain size analysis of core 9 sample 3




Fig.S24-3 cumulative weight with grain size in Phi unit of core 9 sample no.3

size	WT %	cumulative WT %
0	13.306	13.306
0.321928	7.608	20.914
0.736965	9.232	30.146
1.736966	17.168	47.314
2.736966	13.067	60.381
3.736966	25.112	85.493
5.64385619	14.507	100
Mean size	sorting	
3.279	7.672144	

Table S21-4 Grain size analysis of core 9 sample 4



Fig.S24-4 cumulative weight with grain size in Phi unit of core 9 sample no.4

size	WT %	cumulative WT %
0	5.608	5.608
0.321928	3.922	9.53
0.736965	5.718	15.248
1.736966	18.1	33.348
2.736966	28.262	61.61
3.736966	21.006	82.616
5.64385619	17.384	100
Mean size	sorting	
4.378333	8.00303	

Table S21-5 Grain size analysis of core 9 sample 5




Fig.S24-5 cumulative weight with grain size in Phi unit of core 9 sample no.5

size	WT %	cumulative WT %
0	3.909	3.909
0.321928	2.029	5.938
0.736965	3.91	9.848
1.736966	17.192	27.04
2.736966	46.686	73.726
3.736966	24.519	98.245
5.64385619	1.755	100
Mean size	sorting	
4.378333	7.94303	

Table S21-6 Grain size analysis of core 9 sample 6




Fig.S24-6 cumulative weight with grain size in Phi unit of core 9 sample no.6

size	WT %	cumulative WT %
0	1.839	1.839
0.321928	1.448	3.287
0.736965	2.941	6.228
1.736966	18.49	24.718
2.736966	52.466	77.184
3.736966	13.853	91.037
5.64385619	8.963	100
Mean size	sorting	
4.645667	5.921045	

Table S21-7 Grain size analysis of core 9 sample 7




Fig.S24-7 cumulative weight with grain size in Phi unit of core 9 sample no.7

size	WT %	cumulative WT %
0	0.434	0.434
0.321928	0.639	1.073
0.736965	2.108	3.181
1.736966	22.012	25.193
2.736966	67.129	92.322
3.736966	4.206	96.528
5.64385619	3.472	100
Mean size	sorting	
4.746667	6.8925	

Table S21-8 Grain size analysis of core 9 sample 8




Fig.S24-8 cumulative weight with grain size in Phi unit of core 9 sample no.8

size	WT %	cumulative WT %
0	1.408	1.408
0.321928	1.524	2.932
0.736965	3.903	6.835
1.736966	30.593	37.428
2.736966	56.744	94.172
3.736966	3.622	97.794
5.64385619	2.206	100
Mean size	sorting	
3.97	4.647561	




Table S21-9 Grain size analysis of core 9 sample 9

Fig.S24-9 cumulative weight with grain size in Phi unit of core 9 sample no.9

size	WT %	cumulative WT %
0	3.509	3.509
0.321928	1.295	4.804
0.736965	2.69	7.494
1.736966	17.405	24.899
2.736966	47.067	71.966
3.736966	22.487	94.453
5.64385619	5.547	100
Mean size	sorting	
4.756	6.198659	




Table S21-10 Grain size analysis of core 9 sample 10

Fig.S24-10 cumulative weight with grain size in Phi unit of core 9 sample no.10

size	WT %	cumulative WT %
0	3.315	3.315
0.321928	2.344	5.659
0.736965	4.935	10.594
1.736966	16.751	27.345
2.736966	44.147	71.492
3.736966	24.123	95.615
5.64385619	4.385	100
Mean size	sorting	
4.538533	6.145212	

Table S21-11 Grain size analysis of core 9 sample 11




Fig.S24-11 cumulative weight with grain size in Phi unit of core 9 sample no.11

size	WT %	cumulative WT %
0	6.218	6.218
0.321928	4.247	10.465
0.736965	5.447	15.912
1.736966	10.081	25.993
2.736966	6.807	32.8
3.736966	31.491	64.291
5.64385619	35.709	100
Mean size	sorting	
5.437333	9.155152	

Table S22-1 Grain size analysis of core 10 sample 1




Fig.S25-1 cumulative weight with grain size in Phi unit of core 10 sample no.1

size	WT %	cumulative WT %
0	11.452	11.452
0.321928	5.568	17.02
0.736965	7.146	24.166
1.736966	15.77	39.936
2.736966	15.462	55.398
3.736966	26.091	81.489
5.64385619	18.511	100
Mean size	sorting	
1290.38	8.093182	

Table S22-2 Grain size analysis of core 10 sample 2




Fig.S25-2 cumulative weight with grain size in Phi unit of core 10 sample no.2

size	WT %	cumulative WT %
0	10.549	10.549
0.321928	4.603	15.152
0.736965	6.955	22.107
1.736966	14.546	36.653
2.736966	17.9	54.553
3.736966	23.196	77.749
5.64385619	22.251	100
Mean size	sorting	
4.99	7.655432	

Table S22-3 Grain size analysis of core 10 sample 3




Fig.S25-3 cumulative weight with grain size in Phi unit of core 10 sample no.3

size	WT %	cumulative WT %
0	13.758	13.758
0.321928	4.032	17.79
0.736965	5.453	23.243
1.736966	14.843	38.086
2.736966	19.629	57.715
3.736966	21.844	79.559
5.64385619	20.441	100
Mean size	sorting	
3.501667	7.650432	

Table S22-4 Grain size analysis of core 10 sample 4



Fig.S25-4 cumulative weight with grain size in Phi unit of core 10 sample no.4

size	WT %	cumulative WT %
0	10.065	10.065
0.321928	5.696	15.761
0.736965	9.239	25
1.736966	19.811	44.811
2.736966	20.169	64.98
3.736966	20.92	85.9
5.64385619	14.1	100
Mean size	sorting	
3.571333	7.642705	

Table S22-5 Grain size analysis of core 10 sample 5




Fig.S25-5 cumulative weight with grain size in Phi unit of core 10 sample no.5

size	WT %	cumulative WT %
0	22.967	22.967
0.321928	6.79	29.757
0.736965	8.252	38.009
1.736966	14.72	52.729
2.736966	11.574	64.303
3.736966	19.403	83.706
5.64385619	16.294	100
Mean size	sorting	
2.558	8.056432	

Table S22-6 Grain size analysis of core 10 sample 6




Fig.S25-6 cumulative weight with grain size in Phi unit of core 10 sample no.6

size	WT %	cumulative WT %
0	22.427	22.427
0.321928	11.185	33.612
0.736965	13.982	47.594
1.736966	23.76	71.354
2.736966	12.991	84.345
3.736966	10.598	94.943
5.64385619	5.057	100
Mean size	sorting	
1.598333	5.682985	

Table S22-7 Grain size analysis of core 10 sample 7




Fig.S25-7 cumulative weight with grain size in Phi unit of core 10 sample no.7

size	WT %	cumulative WT %
0	5.061	5.061
0.321928	4.958	10.019
0.736965	8.251	18.27
1.736966	21.226	39.496
2.736966	36.676	76.172
3.736966	19.194	95.366
5.64385619	4.634	100
Mean size	sorting	
3.072667	6.393205	

Table S22-8 Grain size analysis of core 10 sample 8




Fig.S25-8 cumulative weight with grain size in Phi unit of core 10 sample no.8

size	WT %	cumulative WT %
0	5.049	5.049
0.321928	3.466	8.515
0.736965	6.746	15.261
1.736966	19.703	34.964
2.736966	34.84	69.804
3.736966	22.215	92.019
5.64385619	7.981	100
Mean size	sorting	
4.067333	6.683636	

Table S22-9 Grain size analysis of core 10 sample 9




Fig.S25-9 cumulative weight with grain size in Phi unit of core 10 sample no.9

size	WT %	cumulative WT %
0	5.379	5.379
0.321928	3.316	8.695
0.736965	5.837	14.532
1.736966	21.458	35.99
2.736966	39.146	75.136
3.736966	23.372	98.508
5.64385619	1.492	100
Mean size	sorting	
3.975667	6.014902	




Table S22-10 Grain size analysis of core 10 sample 10

Fig.S25-10 cumulative weight with grain size in Phi unit of core 10 sample no.10

size	WT%	cumulative WT%
0	11.988	11.988
0.321928	4.821	16.809
0.736965	7.175	23.984
1.736966	23.451	47.435
2.736966	26.101	73.536
3.736966	15.357	88.893
5.64385619	11.107	100
Mean size	sorting	
3.0551	7.308591	




Table S23-1 Grain size analysis of core 11 sample 1

Fig.S26-1 cumulative weight with grain size in Phi unit of core 11 sample no.1

size	WT %	cumulative WT %
0	10.002	10.002
0.321928	6.29	16.292
0.736965	11.833	28.125
1.736966	32.391	60.516
2.736966	23.359	83.875
3.736966	7.461	91.336
5.64385619	8.664	100
Mean size	sorting	
2.603333	6.83197	

Table S23-2 Grain size analysis of core 11 sample 2




Fig.S26-2 cumulative weight with grain size in Phi unit of core 11 sample no.2

size	WT %	cumulative WT %
0	10.086	10.086
0.321928	9.937	20.023
0.736965	15.85	35.873
1.736966	30.433	66.306
2.736966	12.631	78.937
3.736966	9.7	88.637
5.64385619	11.363	100
Mean size	sorting	
2.411333	6.962644	

Table S23-3 Grain size analysis of core 11 sample 3




Fig.S26-3 cumulative weight with grain size in Phi unit of core 11 sample no.3

size	WT %	cumulative WT %
0	21.078	21.078
0.321928	7.295	28.373
0.736965	10.255	38.628
1.736966	21.391	60.019
2.736966	12.408	72.427
3.736966	9.7	82.127
5.64385619	11.363	93.49
Mean size	sorting	
2.26	8.868258	

Table S23-4 Grain size analysis of core 11 sample 4




Fig.S26-4 cumulative weight with grain size in Phi unit of core 11 sample no.4

size	WT %	cumulative WT %
0	40.677	40.677
0.321928	8.696	49.373
0.736965	10.204	59.577
1.736966	17.489	77.066
2.736966	10.146	87.212
3.736966	7.402	94.614
5.64385619	5.386	100
Mean size	sorting	
1.133333	5.394	

Table S23-5 Grain size analysis of core 11 sample 5




Fig.S26-5 cumulative weight with grain size in Phi unit of core 11 sample no.5

size	WT %	cumulative WT %
0	0.848	0.848
0.321928	1.313	2.161
0.736965	4.696	6.857
1.736966	34.518	41.375
2.736966	54.704	96.079
3.736966	2.3	98.379
5.64385619	1.621	100
Mean size	sorting	
3.826667	4.614773	

Table S23-6 Grain size analysis of core 11 sample 6




Fig.S26-6 cumulative weight with grain size in Phi unit of core 11 sample no.6

size	WT %	cumulative WT %
0	13.269	13.269
0.321928	10.165	23.434
0.736965	14.999	38.433
1.736966	28.467	66.9
2.736966	14.591	81.491
3.736966	8.007	89.498
5.64385619	10.502	100
Mean size	sorting	
2.168	6.854667	

Table S23-7 Grain size analysis of core 11 sample 7




Fig.S26-7 cumulative weight with grain size in Phi unit of core 11 sample no.7

size	WT %	cumulative WT %
0	7.155	7.155
0.321928	3.783	10.938
0.736965	6.379	17.317
1.736966	17.027	34.344
2.736966	19.941	54.285
3.736966	26.131	80.416
5.64385619	19.584	100
Mean size	sorting	
4.503333	8.117197	

Table S23-8 Grain size analysis of core 11 sample 8




Fig.S26-8 cumulative weight with grain size in Phi unit of core 11 sample no.8

size	WT %	Cumulative WT %
0	4.078	4.078
0.321928	2.223	6.301
0.736965	3.898	10.199
1.736966	13.951	24.15
2.736966	19.363	43.513
3.736966	30.763	74.276
5.64385619	25.724	100
Mean size	sorting	
5.521667	8.403295	

Table S23-9 Grain size analysis of core 11 sample 9




Fig.S26-9 cumulative weight with grain size in Phi unit of core 11 sample no.9

size	WT %	cumulative WT %
0	7.479	7.479
0.321928	3.866	11.345
0.736965	6.738	18.083
1.736966	16.711	34.794
2.736966	19.754	54.548
3.736966	30.446	84.994
5.64385619	15.006	100
Mean size	sorting	
4.395333	7.523212	

Table S23-10 Grain size analysis of core 11 sample 10




Fig.S26-10 cumulative weight with grain size in Phi unit of core 11 sample no.10

size	WT %	cumulative WT %
0	13.374	13.374
0.321928	4.919	18.293
0.736965	6.201	24.494
1.736966	14.968	39.462
2.736966	18.022	57.484
3.736966	25.313	82.797
5.64385619	17.203	100
Mean size	sorting	
3.802	7.975182	

Table S23-11 Grain size analysis of core 11 sample 11




Fig.S26-11 cumulative weight with grain size in Phi unit of core 11 sample no.11

size	WT %	cumulative WT %
0	10.711	10.711
0.321928	3.694	14.405
0.736965	5.85	20.255
1.736966	14.821	35.076
2.736966	18.712	53.788
3.736966	29.811	83.599
5.64385619	16.401	100
Mean size	sorting	
4.276667	7.708561	

Table S23-12 Grain size analysis of core 11 sample 12




Fig.S26-12 cumulative weight with grain size in Phi unit of core 11 sample no.12

size	WT %	cumulative WT%
0	9.854	9.854
0.321928	5.75	15.604
0.736965	8.798	24.402
1.736966	20.983	45.385
2.736966	27.509	72.894
3.736966	14.455	87.349
5.64385619	12.651	100
Mean size	sorting	
3.075333	7.631083	

Table S24-1 Grain size analysis of core 12 sample 1




Fig.S27-1 cumulative weight with grain size in Phi unit of core 12 sample no.1

size	WT %	cumulative WT %
0	4.632	4.632
0.321928	4.193	8.825
0.736965	9.161	17.986
1.736966	43.668	61.654
2.736966	28.44	90.094
3.736966	7.465	97.559
5.64385619	2.441	100
Mean size	sorting	
2.826667	5.420303	

Table S24-2 Grain size analysis of core 12 sample 2




Fig.S27-2 cumulative weight with grain size in Phi unit of core 12 sample no.2

size	WT %	cumulative WT %
0	8.819	8.819
0.321928	3.271	12.09
0.736965	5.559	17.649
1.736966	25.105	42.754
2.736966	50.012	92.766
3.736966	4.888	97.654
5.64385619	2.346	100
Mean size	sorting	
3.339667	5.02425	

Table S24-3 Grain size analysis of core 12 sample 3




Fig.S27-3 cumulative weight with grain size in Phi unit of core 12 sample no.3

size	WT %	cumulative WT %
0	2.539	2.539
0.321928	3.144	5.683
0.736965	5.949	11.632
1.736966	15.052	26.684
2.736966	10.793	37.477
3.736966	22.711	60.188
5.64385619	39.812	100
Mean size	sorting	
5.936667	9.46303	

Table S24-4 Grain size analysis of core 12 sample 4




Fig.S27-4 cumulative weight with grain size in Phi unit of core 12 sample no.4

size	WT %	cumulative WT %
0	4.68	4.68
0.321928	6.167	10.847
0.736965	11.747	22.594
1.736966	32.955	55.549
2.736966	35.854	91.403
3.736966	5.662	97.065
5.64385619	2.935	100
Mean size	sorting	
3.553333	4.313409	

Table S24-5 Grain size analysis of core 12 sample 5




Fig.S27-5 cumulative weight with grain size in Phi unit of core 12 sample no.5

size	WT %	cumulative WT %
0	11.792	11.792
0.321928	4.069	15.861
0.736965	5.672	21.533
1.736966	14.261	35.794
2.736966	31.853	67.647
3.736966	18.887	86.534
5.64385619	13.466	100
Mean size	sorting	
3.71	7.66803	

Table S24-6 Grain size analysis of core 12 sample 6




Fig.S27-6 cumulative weight with grain size in Phi unit of core 12 sample no.6

size	WT %	cumulative WT %
0	15.062	15.062
0.321928	5.53	20.592
0.736965	7.774	28.366
1.736966	21.463	49.829
2.736966	18.533	68.362
3.736966	20.752	89.114
5.64385619	10.886	100
Mean size	sorting	
2.964333	7.324447	

Table S24-7 Grain size analysis of core 12 sample 7




Fig.S27-7 cumulative weight with grain size in Phi unit of core 12 sample no.7

size	WT %	cumulative WT %
0	2.008	2.008
0.321928	2.098	4.106
0.736965	4.8	8.906
1.736966	15.069	23.975
2.736966	22.651	46.626
3.736966	37.649	84.275
5.64385619	15.725	100
Mean size	sorting	
5.293333	7.278864	

Table S24-8 Grain size analysis of core 12 sample 8




Fig.S27-8 cumulative weight with grain size in Phi unit of core 12 sample no.8

size	WT %	cumulative WT %
0	0.623	0.623
0.321928	0.674	1.297
0.736965	2.252	3.549
1.736966	13.422	16.971
2.736966	20.545	37.516
3.736966	46.18	83.696
5.64385619	16.304	100
Mean size	sorting	
5.926667	7.091667	

Table S24-9 Grain size analysis of core 12 sample 9




Fig.S27-9 cumulative weight with grain size in Phi unit of core 12 sample no.9

size	WT %	cumulative WT %
0	1.645	1.645
0.321928	1.656	3.301
0.736965	2.486	5.787
1.736966	5.867	11.654
2.736966	9.46	21.114
3.736966	65.026	86.14
5.64385619	13.86	100
Mean size	sorting	
7.02	6.731061	

Table S24-10 Grain size analysis of core 12 sample 10




Fig.S27-10 cumulative weight with grain size in Phi unit of core 12 sample no.10

size	WT %	cumulative WT %
0	18.281	18.281
0.321928	6.467	24.748
0.736965	9.038	33.786
1.736966	20.24	54.026
2.736966	19.068	73.094
3.736966	14.157	87.251
5.64385619	12.749	100
Mean size	sorting	
2.56	7.622273	

Table S24-11 Grain size analysis of core 12 sample 11




Fig.S27-11 cumulative weight with grain size in Phi unit of core 12 sample no.11

size	WT %	cumulative WT %
0	12.174	12.174
0.321928	6.325	18.499
0.736965	9.701	28.2
1.736966	27.948	56.148
2.736966	35.438	91.586
3.736966	4.988	96.574
5.64385619	3.426	100
Mean size	sorting	
2.57	5.132727	

Table S24-12 Grain size analysis of core 12 sample 12




Fig.S27-12 cumulative weight with grain size in Phi unit of core 12 sample no.12

size	WT %	cumulative WT %
0	12.735	12.735
0.321928	4.881	17.616
0.736965	6.162	23.778
1.736966	14.451	38.229
2.736966	22.015	60.244
3.736966	29.012	89.256
5.64385619	10.744	100
Mean size	sorting	
3.713333	7.26053	

Table S24-13 Grain size analysis of core 12 sample 13




Fig.S27-13 cumulative weight with grain size in Phi unit of core 12 sample no.13

size	WT %	cumulative WT %
0	2.5	2.5
0.321928	2.196	4.696
0.736965	4.124	8.82
1.736966	16.57	25.39
2.736966	35.652	61.042
3.736966	25.582	86.624
5.64385619	13.376	100
Mean size	sorting	
4.916667	7.232955	

Table S24-14 Grain size analysis of core 12 sample 14




Fig.S27-14 cumulative weight with grain size in Phi unit of core 12 sample no.14

size	WT %	cumulative WT %
0	6.321	6.321
0.321928	3.465	9.786
0.736965	5.701	15.487
1.736966	15.566	31.053
2.736966	35.536	66.589
3.736966	29.898	96.487
5.64385619	3.513	100
Mean size	sorting	
4.136667	6.443788	

Table S24-15 Grain size analysis of core 12 sample 15




Fig.S27-15 cumulative weight with grain size in Phi unit of core 12 sample no.15

size	WT %	cumulative WT %
0	4.265	4.265
0.321928	2.435	6.7
0.736965	5.084	11.784
1.736966	15.797	27.581
2.736966	37.109	64.69
3.736966	32.643	97.333
5.64385619	2.667	100
Mean size	sorting	
4.543333	6.332348	

Table S24-16 Grain size analysis of core 12 sample 16




Fig.S27-16 cumulative weight with grain size in Phi unit of core 12 sample no.16