

Supplement of Nat. Hazards Earth Syst. Sci., 15, 805–816, 2015
<http://www.nat-hazards-earth-syst-sci.net/15/805/2015/>
doi:10.5194/nhess-15-805-2015-supplement
© Author(s) 2015. CC Attribution 3.0 License.



Natural Hazards
and Earth System
Sciences

Open Access



Supplement of

Field survey report and satellite image interpretation of the 2013 Super Typhoon Haiyan in the Philippines

E. Mas et al.

Correspondence to: E. Mas (mas@irides.tohoku.ac.jp)

FID	Location	latitude	longitude	Date	GMT	PHT	JST	Height	Depth	Ground	WaveHeight	Type	Target	Reason	Rely	Team	Comments	Astronomic	CorrHeight wrt MSL
0	Tacloban	11.2452	124.9800	1/18/14	5:01:39	13:01:39	14:01:39	-99.00	0.00	-99.00	-99.00	D	Ground floor	Eyewitness report	A	IRIDeS G2	Limit of inundation from the sea	-0.213	
1	Tacloban	11.2462	124.9950	1/18/14	5:36:06	13:36:06	14:36:06	5.00	0.00	-99.00	-99.00	H	Lock at red door	Eyewitness report	A	IRIDeS G2	From this point the topographygoes up to the west	-0.205	4.795
2	Tacloban	11.2464	124.9880	1/18/14	6:10:09	14:10:09	15:10:09	-99.00	2.50	-99.00	-99.00	D	Blue CGI roof	Eyewitness report	B	IRIDeS G2	-	-0.186	
3	Tacloban	11.2452	124.9890	1/18/14	6:24:48	14:24:48	15:24:48	-99.00	1.70	-99.00	-99.00	D	Ceiling lamp	Eyewitness report	A	IRIDeS G2	Below a hanging lamp inside a living room	-0.165	
4	Tacloban	11.2442	124.9890	1/18/14	6:30:17	14:30:17	15:30:17	-99.00	0.80	-99.00	-99.00	D	Garden small wall	Eyewitness report	A	IRIDeS G2	-	-0.157	
5	Tacloban	11.2419	124.9970	1/18/14	6:46:04	14:46:04	15:46:04	-99.00	0.00	-99.00	-99.00	D	Ground floor	Eyewitness report	A	IRIDeS G2	Limit of inundation from the sea (north)	-0.135	
6	Tacloban	11.2422	124.9970	1/18/14	6:51:45	14:51:45	15:51:45	-99.00	0.00	-99.00	-99.00	D	Ground floor	Eyewitness report	A	IRIDeS G2	Limit of inundation from the sea or river (east)	-0.127	
7	Tacloban	11.2410	124.9980	1/18/14	7:02:50	15:02:50	16:02:50	-99.00	1.80	-99.00	-99.00	D	Half of yellow column	Eyewitness report	A	IRIDeS G2	-	-0.111	
8	Tacloban	11.2298	125.0000	1/18/14	7:43:28	15:43:28	16:43:28	-99.00	0.94	-99.00	-99.00	D	Staff measure	Eyewitness report	A	IRIDeS G2	Eyewitness pointed at staff	-0.053	
9	Tacloban	11.2317	125.0020	1/18/14	7:50:53	15:50:53	16:50:53	-99.00	1.20	-99.00	-99.00	D	Staff measure	Eyewitness report	A	IRIDeS G2	Eyewitness pointed at staff	-0.043	
10	Tacloban	11.2354	125.0030	1/18/14	8:01:12	16:01:12	17:01:12	-99.00	1.05	-99.00	-99.00	D	Staff measure	Eyewitness report	A	IRIDeS G2	-	-0.115	
11	Tacloban	11.2564	124.9900	1/18/14	0:34:03	8:34:03	9:34:03	7.50	-99.00	-99.00	-99.00	H	Pointed level	Eyewitness report	B	IRIDeS G2	Top of 2nd floor roof	-0.098	7.402
12	Tacloban	11.2547	124.9910	1/18/14	0:25:26	8:25:26	9:25:26	8.00	-99.00	-99.00	-99.00	H	Pointed level	Eyewitness report	B	IRIDeS G2	Top of coconut palm	-0.094	7.906
13	Tacloban	11.2528	124.9890	1/18/14	5:53:07	13:53:07	14:53:07	-99.00	6.40	-99.00	-99.00	D	Pointed level	Eyewitness report	A	IRIDeS G2	Top of wall	-0.202	
14	Tacloban	11.2519	125.0040	1/18/14	2:20:49	10:20:49	11:20:49	6.80	-99.00	-99.00	-99.00	H	Pointed level	Eyewitness report	A	IRIDeS G2	metal strip around the pole. Behind Hospital	-0.144	6.656
15	Tacloban	11.2471	125.0000	1/18/14	2:05:26	10:05:26	11:05:26	4.00	-99.00	-99.00	-99.00	H	Pointed level	Eyewitness report	B	IRIDeS G2	Fence of Mc. Donalds. Below red beam	-0.137	3.863
16	Tacloban	11.2481	124.9950	1/18/14	1:37:37	9:37:37	10:37:37	6.20	-99.00	-99.00	-99.00	H	Pointed level	Eyewitness report	A	IRIDeS G2	Top of bridge girder	-0.125	6.075
17	Tacloban	11.2476	124.9940	1/18/14	5:42:49	13:42:49	14:42:49	6.00	-99.00	-99.00	-99.00	H	Pointed level	Eyewitness report	C	IRIDeS G2	-	-0.204	5.796
18	Tacloban	11.2515	125.0030	1/19/14	0:22:22	8:22:22	9:22:22	6.00	-99.00	-99.00	-99.00	H	Watermark	Eyewitness report	C	IRIDeS G2	Watermark inside a house	-0.070	5.930
19	Tacloban	11.2508	125.0020	1/19/14	0:30:30	8:30:30	9:30:30	4.50	2.00	2.50	-99.00	H	Watermark	Eyewitness report	A	IRIDeS G2	Inside National Labor Relations Commission office	-0.069	4.431
20	Tacloban	11.2501	125.0020	1/19/14	0:36:16	8:36:16	9:36:16	7.00	-99.00	-99.00	-99.00	H	Top first floor parapet	Eyewitness report	B	IRIDeS G2	Possible watermark	-0.067	6.933
21	Tacloban	11.2501	125.0030	1/19/14	0:38:17	8:38:17	9:38:17	6.50	4.00	2.50	-99.00	H	Watermark	Eyewitness report	A	IRIDeS G2	Inside the patio garage of the Fire Station	-0.067	6.433
22	Tacloban	11.2499	125.0030	1/19/14	0:44:07	8:44:07	9:44:07	5.10	2.60	2.50	-99.00	H	Watermark	Eyewitness report	A	IRIDeS G2	Inside the office of Tzu Chi Foundation	-0.066	5.034
23	Tacloban	11.2499	125.0030	1/19/14	0:48:27	8:48:27	9:48:27	5.70	3.20	2.50	-99.00	H	Watermark	Eyewitness report	A	IRIDeS G2	Outside Tzu Chi Foundation	-0.065	5.635
24	Tacloban	11.2505	125.0040	1/19/14	0:54:35	8:54:35	9:54:35	5.00	-99.00	-99.00	-99.00	H	Watermark	Eyewitness report	A	IRIDeS G2	Front door of Leyte Provincial Capitol	-0.064	4.936
25	Tacloban	11.2506	125.0050	1/19/14	1:08:02	9:08:02	10:08:02	5.00	1.80	3.20	-99.00	H	Watermark	Eyewitness report	A	IRIDeS G2	Inside house-office	-0.067	4.933
26	Tacloban	11.2501	125.0080	1/19/14	1:25:18	9:25:18	10:25:18	6.50	-99.00	-99.00	-99.00	H	Watermark	Eyewitness report	C	IRIDeS G2	Stranded boat. Mark on pontoons	-0.075	6.425
27	Tacloban	11.2492	125.0070	1/19/14	1:51:45	9:51:45	10:51:45	5.00	2.50	2.50	-99.00	H	Watermark	Eyewitness report	A	IRIDeS G2	Inside office of the Univ. of Philippines Visayas	-0.088	4.912
28	Tacloban	11.2466	125.0090	1/19/14	2:01:57	10:01:57	11:01:57	5.00	-99.00	-99.00	-99.00	H	Watermark	Eyewitness report	A	IRIDeS G2	Inside Nat. Telecom. Commission office	-0.093	4.907
29	Tacloban	11.2460	125.0080	1/19/14	2:17:29	10:17:29	11:17:29	5.80	-99.00	-99.00	-99.00	H	Top first floor roof	Eyewitness report	B	IRIDeS G2	Outside of house	-0.101	5.699
30	Tacloban	11.2465	125.0070	1/19/14	2:20:36	10:20:36	11:20:36	5.50	-99.00	-99.00	-99.00	H	Top first floor roof	Eyewitness report	B	IRIDeS G2	Outside carpenter house	-0.103	5.397
31	Tacloban	11.2469	125.0060	1/19/14	2:29:11	10:29:11	11:29:11	5.90	-99.00	-99.00	-99.00	H	Watermark	Eyewitness report	A	IRIDeS G2	Inside house. Reported 10cm mud	-0.107	5.793
32	Tacloban	11.2483	125.0050	1/19/14	2:39:57	10:39:57	11:39:57	6.00	-99.00	-99.00	-99.00	H	Below small windows	Eyewitness report	A	IRIDeS G2	Outside of industry back wall	-0.112	5.888
33	Tacloban	11.2486	125.0050	1/19/14	2:45:14	10:45:14	11:45:14	6.00	-99.00	-99.00	-99.00	H	Watermark	Eyewitness report	A	IRIDeS G2	Watermark outside house	-0.115	5.885
34	Tacloban	11.2492	125.0050	1/19/14	2:51:05	10:51:05	11:51:05	6.00	-99.00	-99.00	-99.00	H	Top of the roof	Eyewitness report	A	IRIDeS G2	Top of the roof of Plant Quarantine Service	-0.118	5.882
35	Tacloban	11.2482	125.0040	1/19/14	2:56:36	10:56:36	11:56:36	6.50	-99.00	-99.00	-99.00	H	Watermark	Eyewitness report	A	IRIDeS G2	Inside a house	-0.120	6.380
36	Tacloban	11.2486	125.0020	1/19/14	3:04:55	11:04:55	12:04:55	5.80	-99.00	-99.00	-99.00	H	Watermark	Eyewitness report	A	IRIDeS G2	Inside door	-0.124	5.676
37	Tacloban	11.2472	125.0020	1/19/14	3:21:11	11:21:11	12:21:11	5.80	-99.00	-99.00	-99.00	H	Below the beam	Eyewitness report	A	IRIDeS G2	-	-0.132	5.668
38	Tacloban	11.2467	125.0030	1/19/14	3:27:24	11:27:24	12:27:24	7.00	-99.00	-99.00	-99.00	H	Cable on the pole	Eyewitness report	B	IRIDeS G2	-	-0.135	6.865
39	Tacloban	11.2467	125.0030	1/19/14	3:32:55	11:32:55	12:32:55	5.50	-99.00	-99.00	-99.00	H	Top of the roof	Eyewitness report	A	IRIDeS G2	A person got wet to the leg when sit on the roof	-0.138	5.362
40	Tacloban	11.2456	125.0050	1/19/14	3:46:14	11:46:14	12:46:14	5.80	-99.00	-99.00	-99.00	H	Blue numbers on pole	Eyewitness report	A	IRIDeS G2	-	-0.145	5.655
41	Tacloban	11.2441	125.0070	1/19/14	4:04:51	12:04:51	13:04:51	6.70	0.00	6.70	-99.00	H	Ground floor	Eyewitness report	A	IRIDeS G2	Tacloban city Police Office	-0.154	6.546
42	Tacloban	11.2424	125.0070	1/19/14	5:46:00	13:46:00	14:46:00	5.70	-99.00	-99.00	-99.00	H	Third stair	Eyewitness report	A	IRIDeS G2	Entrance of Legislative Building	-0.204	5.496
43	Tacloban	11.2419	125.0070	1/19/14	5:53:58	13:53:58	14:53:58	5.30	-99.00	-99.00	-99.00	H	Eyes of Lion	Eyewitness report	A	IRIDeS G2	Lion monument on road intersection	-0.208	5.092
44	Tacloban	11.2430	125.0060	1/19/14	6:04:03	14:04:03	15:04:03	4.50	-99.00	-99.00	-99.00	H	Pointed level	Eyewitness report	A	IRIDeS G2	Guardian report. Land Registration Auth. Bldg.	-0.208	4.292
45	Tacloban	11.2442	125.0050	1/19/14	6:10:35	14:10:35	15:10:35	5.30	-99.00	-99.00	-99.00	H	Top of fence wall	Eyewitness report	A	IRIDeS G2	-	-0.203	5.097
46	Tacloban	11.2447	125.0040	1/19/14	6:21:42	14:21:42	15:21:42	5.65	-99.00	-99.00	-99.00	H	Watermark	Eyewitness report	A	IRIDeS G2	Inside the Mother and Child Hospital	-0.194	5.456
47	Tacloban	11.2458	125.0030	1/19/14	6:30:14	14:30:14	15:30:14	4.50	-99.00	-99.00	-99.00	H	Bottom of shop sign	Eyewitness report	A	IRIDeS G2	JC Food Spot	-0.188	4.312
48	Tacloban	11.2459	125.0030	1/19/14	6:36:13	14:36:13	15:36:13	4.90	-99.00	-99.00	-99.00	H	Line on column 2nd floor	Eyewitness report	A	IRIDeS G2	-	-0.183	4.717
49	Tacloban	11.2467	125.0010	1/19/14	6:42:40	14:42:40	15:42:40	4.50	-99.00	-99.00	-99.00	H	Watermark	Eyewitness report	A	IRIDeS G2	Inside a barber shop	-0.178	4.322
50	Tacloban	11.2458	125.0000	1/19/14	7:06:06	15:06:06	16:06:06	5.00	-99.00	-99.00	-99.00	H	2nd floor knee level	Eyewitness report	A	IRIDeS G2	De Jesus Allyn Pawnshop	-0.157	4.843
51	Tacloban	11.2458	125.0010	1/19/14	7:10:18	15:10:18	16:10:18	5.00	-99.00	-99.00	-99.00	H	Top of blue column	Eyewitness report	A	IRIDeS G2	Below the A/C	-0.151	4.849

52	Tacloban	11.2455	125.0010	1/19/14	7:18:08	15:18:08	16:18:08	4.90	-99.00	-99.00	-99.00	H	Top of sloped roof	Eyewitness report	A	IRIDeS G2	-	-0.141	4.759
53	Tacloban	11.2439	125.0030	1/19/14	7:33:22	15:33:22	16:33:22	4.10	-99.00	-99.00	-99.00	H	Watermark	Eyewitness report	A	IRIDeS G2	Window of a van	-0.120	3.980
54	Tacloban	11.2432	125.0040	1/19/14	7:40:23	15:40:23	16:40:23	4.20	-99.00	-99.00	-99.00	H	Below electricity meter	Eyewitness report	A	IRIDeS G2	Outside house	-0.111	4.089
55	Tacloban	11.2427	125.0050	1/19/14	7:46:13	15:46:13	16:46:13	4.00	-99.00	-99.00	-99.00	H	Pointed level	Eyewitness report	A	IRIDeS G2	Outside the bank office. Guard reported	-0.103	3.897
56	Tacloban	11.2425	125.0050	1/19/14	7:50:32	15:50:32	16:50:32	3.80	-99.00	-99.00	-99.00	H	Pointed level	Eyewitness report	A	IRIDeS G2	Patio of the United Church of Christ	-0.098	3.702
57	Tacloban	11.2413	125.0050	1/19/14	8:04:09	16:04:09	17:04:09	4.50	-99.00	-99.00	-99.00	H	Watermark	Eyewitness report	A	IRIDeS G2	Inside the patio of a house	-0.115	4.385
58	Tacloban	11.2418	125.0040	1/19/14	8:10:27	16:10:27	17:10:27	4.40	-99.00	-99.00	-99.00	H	Pointed level	Eyewitness report	A	IRIDeS G2	Outside of a shop	-0.110	4.290
59	Tacloban	11.2422	125.0040	1/19/14	8:15:26	16:15:26	17:15:26	4.50	-99.00	-99.00	-99.00	H	Watermark	Eyewitness report	A	IRIDeS G2	Yellow column entrance of house	-0.107	4.393
60	Tacloban	11.2427	125.0030	1/19/14	8:22:36	16:22:36	17:22:36	3.90	-99.00	-99.00	-99.00	H	Stairs in house	Eyewitness report	A	IRIDeS G2	Also same level outside	-0.102	3.798
61	Tacloban	11.2434	125.0020	1/19/14	8:27:13	16:27:13	17:27:13	4.30	-99.00	-99.00	-99.00	H	Pointed level	Eyewitness report	A	IRIDeS G2	Sewing house. Owner survived in flood.	-0.098	4.202
62	Tacloban	11.2441	125.0010	1/19/14	8:33:11	16:33:11	17:33:11	5.00	-99.00	-99.00	-99.00	H	Watermark	-	B	IRIDeS G2	-	-0.094	4.906
63	Tacloban	11.2452	125.0000	1/19/14	8:44:55	16:44:55	17:44:55	5.50	-99.00	-99.00	-99.00	H	Pointed level	Eyewitness report	A	IRIDeS G2	Between a column and arc intersection at 2nd floor	-0.085	5.415
64	Tacloban	11.2163	125.0240	1/20/14	2:30:13	10:30:13	11:30:13	6.00	2.20	3.80	-99.00	H	Pointed level	Eyewitness report	A	IRIDeS G2	Entrance of National Bank of Philippines	-0.044	5.956
65	Tacloban	11.2175	125.0210	1/20/14	2:44:09	10:44:09	11:44:09	5.50	-99.00	-99.00	-99.00	H	Top of roof	Eyewitness report	A	IRIDeS G2	Green house	-0.053	5.447
66	Tacloban	11.2184	125.0200	1/20/14	2:52:15	10:52:15	11:52:15	5.00	-99.00	-99.00	-99.00	H	Top of pole in fence	Eyewitness report	A	IRIDeS G2		-0.058	4.942
67	Tacloban	11.2189	125.0210	1/20/14	3:00:58	11:00:58	12:00:58	7.30	-99.00	-99.00	-99.00	H	Below water tank	Eyewitness report	B	IRIDeS G2	aprox. 1m below of tank in blue house	-0.063	7.237
68	Tacloban	11.2325	125.0030	1/20/14	3:45:59	11:45:59	12:45:59	-99.00	1.90	-99.00	-99.00	D	Pointed level	Eyewitness report	A	IRIDeS G2	Entrance of Bethany Hospital	-0.090	
69	Tacloban	11.2277	125.0260	1/20/14	6:39:27	14:39:27	15:39:27	5.90	-99.00	-99.00	-99.00	H	Watermark	Eyewitness report	A	IRIDeS G2	Air control tower 2nd floor office	-0.195	5.705
70	Tacloban	11.2279	125.0240	1/20/14	6:55:44	14:55:44	15:55:44	5.14	3.90	1.24	-99.00	H	Pointed level	Eyewitness report	A	IRIDeS G2	2nd floor Leyte Province Police Office Bldg	-0.205	4.935
71	Tacloban	11.2263	125.0210	1/20/14	7:34:33	15:34:33	16:34:33	4.90	3.20	1.70	-99.00	H	Palm tree	Eyewitness report	B	IRIDeS G2	Top of green end of palm tree	-0.170	4.730
72	Tacloban	11.2263	125.0210	1/20/14	7:44:37	15:44:37	16:44:37	5.00	2.20	2.80	-99.00	H	Top of wall	Eyewitness report	A	IRIDeS G2	Remains of a concrete house	-0.158	4.842
73	Tacloban	11.2131	125.0240	1/20/14	8:13:21	16:13:21	17:13:21	5.90	3.40	2.50	-99.00	H	Fence wires	Eyewitness report	A	IRIDeS G2	Fence over wall behind concrete house	-0.103	5.797
74	Tacloban	11.2130	125.0240	1/20/14	8:25:33	16:25:33	17:25:33	4.70	-99.00	-99.00	-99.00	H	Pointed level	Eyewitness report	A	IRIDeS G2	Entrance of concrete house	-0.093	4.607
75	Tacloban	11.2123	125.0250	1/20/14	8:54:28	16:54:28	17:54:28	5.30	3.80	1.50	-99.00	H	Bottom of window	Eyewitness report	A	IRIDeS G2	Bottom of a window on 2nd floor	-0.069	5.231
76	Hernani	11.3227	125.6180	1/20/14	0:55:20	8:55:20	9:55:20	-99.00	-99.00	-99.00	8.50	V	Pointed level	Eyewitness report	C	IRIDeS G2	Witness - waves overtopped roof	0.632	9.132
77	Hernani	11.3233	125.6180	1/20/14	1:14:18	9:14:18	10:14:18	-99.00	-99.00	-99.00	6.50	V	Pointed level	Eyewitness report	C	IRIDeS G2	Witness - room inside flooded to this height for e	0.586	7.086
78	Hernani	11.3237	125.6180	1/20/14	2:04:31	10:04:31	11:04:31	-99.00	-99.00	-99.00	6.30	V	Pointed level	Eyewitness report	C	IRIDeS G2	Interview - top of 1st floor	0.398	6.698
79	Hernani	11.3235	125.6180	1/20/14	2:14:50	10:14:50	11:14:50	-99.00	-99.00	-99.00	5.50	V	Pointed level	Eyewitness report	C	IRIDeS G2	Interview	0.352	5.852
80	Hernani	11.3229	125.6200	1/20/14	3:08:15	11:08:15	12:08:15	-99.00	-99.00	-99.00	7.70	V	Pointed level	Eyewitness report	C	IRIDeS G2	Interview - bottom of 2nd floor	0.079	7.779
81	Hernani	11.4134	125.5480	1/20/14	4:15:05	12:15:05	13:15:05	-99.00	-99.00	-99.00	7.00	V	Pointed level	Eyewitness report	C	IRIDeS G2	Interview	-0.254	6.746
82	Tacloban	11.2456	124.9990	1/21/14	0:35:02	8:35:02	9:35:02	5.70	3.20	2.50	-99.00	H	Watermark	Eyewitness report	A	IRIDeS G2	Below a window in front of the supermarket	-0.025	5.675
83	Tacloban	11.2472	124.9980	1/21/14	0:59:43	8:59:43	9:59:43	7.00	-99.00	-99.00	-99.00	H	Pointed level	Eyewitness report	A	IRIDeS G2	Below the elevated tank	-0.003	6.997
84	Tacloban	11.2470	124.9960	1/21/14	1:15:28	9:15:28	10:15:28	5.00	-99.00	-99.00	-99.00	H	Pointed level	Eyewitness report	A	IRIDeS G2	Half of second floor	0.011	5.011
85	Tacloban	11.2467	124.9960	1/21/14	1:27:41	9:27:41	10:27:41	4.60	2.70	1.90	-99.00	H	Watermark	Eyewitness report	A	IRIDeS G2	Almost top of 1st floor	0.021	4.621
86	Tacloban	11.2458	124.9970	1/21/14	1:41:26	9:41:26	10:41:26	4.20	2.10	2.10	-99.00	H	Watermark	Eyewitness report	A	IRIDeS G2	Garage door	0.034	4.234
87	Tacloban	11.2451	124.9980	1/21/14	1:58:22	9:58:22	10:58:22	4.30	2.10	2.20	-99.00	H	Pointed level	Eyewitness report	B	IRIDeS G2	Shop entrance at gas station	0.049	4.349
88	Tacloban	11.2443	124.9990	1/21/14	2:10:23	10:10:23	11:10:23	4.50	2.10	2.40	-99.00	H	Watermark	Eyewitness report	A	IRIDeS G2	Inside ATH Trading store	0.043	4.543
89	Tacloban	11.2437	125.0000	1/21/14	2:18:52	10:18:52	11:18:52	4.40	2.00	2.40	-99.00	H	Pointed level	Eyewitness report	A	IRIDeS G2	Level described by owner of Music Shop	0.037	4.437
90	Tacloban	11.2431	125.0010	1/21/14	2:26:26	10:26:26	11:26:26	4.90	2.60	2.30	-99.00	H	Pointed level	Eyewitness report	C	IRIDeS G2	Level to the top of the wired fence	0.032	4.932
91	Tacloban	11.2425	125.0010	1/21/14	2:39:07	10:39:07	11:39:07	4.20	1.70	2.50	-99.00	H	Pointed level	Eyewitness report	A	IRIDeS G2	Entrance of Metrobank	0.024	4.224
92	Tacloban	11.2424	125.0020	1/21/14	2:48:59	10:48:59	11:48:59	4.60	2.10	2.50	-99.00	H	Pointed level	Eyewitness report	A	IRIDeS G2	Patio of Church. Basket pole	0.017	4.617
93	Tacloban	11.2414	125.0030	1/21/14	3:09:48	11:09:48	12:09:48	3.90	1.40	2.50	-99.00	H	Pointed level	Eyewitness report	A	IRIDeS G2	Entrance of house in front of school	0.003	3.903
94	Tacloban	11.2409	125.0040	1/21/14	3:25:52	11:25:52	12:25:52	5.00	2.50	2.50	-99.00	H	Pointed level	Eyewitness report	C	IRIDeS G2	Inside house to the ceiling. Outside top of sign	-0.008	4.992
95	Tacloban	11.2399	125.0040	1/21/14	3:38:00	11:38:00	12:38:00	4.30	2.00	2.30	-99.00	H	Watermark	Eyewitness report	A	IRIDeS G2	Inside the pension entrance	-0.016	4.284
96	Tacloban	11.2396	125.0050	1/21/14	3:43:15	11:43:15	12:43:15	4.80	2.50	2.30	-99.00	H	Pointed level	Eyewitness report	A	IRIDeS G2	Level of the 1st floor roof	-0.019	4.781
97	Tacloban	11.2382	125.0050	1/21/14	5:36:39	13:36:39	14:36:39	6.30	3.60	2.70	-99.00	H	Pointed level	Eyewitness report	A	IRIDeS G2	Half of the 2nd floor window	-0.095	6.205
98	Tacloban	11.2391	125.0040	1/21/14	6:07:35	14:07:35	15:07:35	4.00	1.20	2.80	-99.00	H	Pointed level	Eyewitness report	A	IRIDeS G2	Inside Crystal Clean shop	-0.116	3.884
99	Tacloban	11.2394	125.0030	1/21/14	6:15:10	14:15:10	15:15:10	4.20	1.40	2.80	-99.00	H	Pointed level	Eyewitness report	B	IRIDeS G2	To the chest of survivor	-0.121	4.079
100	Tacloban	11.2406	125.0020	1/21/14	6:38:05	14:38:05	15:38:05	4.00	1.20	2.80	-99.00	H	Pointed level	Eyewitness report	A	IRIDeS G2	4th stair at Hotel Consuelo entrance	-0.136	3.864
101	Tacloban	11.2406	125.0020	1/21/14	6:42:07	14:42:07	15:42:07	4.60	1.80	2.80	-99.00	H	Watermark	Eyewitness report	A	IRIDeS G2	Entrance guard room Liceo del Verbo Divino Sch..	-0.139	4.461
102	Tacloban	11.2412	125.0000	1/21/14	7:02:04	15:02:04	16:02:04	3.90	1.40	2.50	-99.00	H	Pointed level	Eyewitness report	A	IRIDeS G2	Entrance next to shop	-0.152	3.748
103	Tacloban	11.2420	125.0000	1/21/14	7:10:51	15:10:51	16:10:51	4.30	1.80	2.50	-99.00	D	Pointed level	Eyewitness report	A	IRIDeS G2	Bosjan shop entrance	-0.158	4.142
104	Tacloban	11.2424	124.9990	1/21/14	7:18:54	15:18:54	16:18:54	3.75	1.25	2.50	-99.00	D	Watermark	Eyewitness report	A	IRIDeS G2	Inside temporary warehouse	-0.163	3.587

105	Tacloban	11.2432	124.9990	1/21/14	7:30:03	15:30:03	16:30:03	4.80	2.10	2.70	-99.00 D	Pointed level	Eyewitness report	A	IRIDeS G2	Level at door of house	-0.169	4.631
106	Tacloban	11.2450	124.9970	1/21/14	7:52:59	15:52:59	16:52:59	4.80	1.80	3.00	-99.00 D	Watermark	Eyewitness report	A	IRIDeS G2	Inside private house	-0.184	4.616
107	Tacloban	11.2451	124.9970	1/21/14	7:53:18	15:53:18	16:53:18	5.40	2.50	2.90	-99.00 D	Watermark	Eyewitness report	A	IRIDeS G2	Inside ceramic floor fabric	-0.184	5.216
108	Tacloban	11.2460	124.9960	1/21/14	8:02:07	16:02:07	17:02:07	4.50	2.10	2.40	-99.00 D	Pointed level	Eyewitness report	A	IRIDeS G2	Inside wood shop	-0.108	4.392
109	Tacloban	11.2214	125.0050	1/21/14	9:08:05	17:08:05	18:08:05	7.50	-99.00	-99.00	-99.00 D	Watermark	Eyewitness report	B	IRIDeS G2	Astrodome entrance	-0.049	7.451
110	Tacloban	11.2385	125.0050	1/21/14	5:45:00	13:45:00	14:45:00	6.30	3.60	2.70	-99.00 H	Pointed level	Eyewitness report	A	IRIDeS G2	Top of 1st floor roof	-0.101	6.199
111	Guiuan	11.0553	125.7520	1/21/14	1:24:51	9:24:51	10:24:51	-99.00	-99.00	-99.00	6.00 V	Pointed level	Eyewitness report	C	IRIDeS G2	Interview	0.626	6.626
112	Guiuan	11.0426	125.7549	1/21/14	2:08:00	10:08:00	11:08:00	-99.00	2.00	-99.00	-99.00 D	Top of window	Eyewitness report	C	IRIDeS G2	Interview	0.509	
113	Guiuan	11.1545	125.6850	1/21/14	3:33:48	11:33:48	12:33:48	-99.00	-99.00	-99.00	11.50 V	Pointed level	Eyewitness report	C	IRIDeS G2	Top floor level 11.5m. Top floor washed away.	0.120	11.620
114	Guiuan	11.1549	125.6850	1/21/14	3:48:54	11:48:54	12:48:54	-99.00	-99.00	9.00	11.00 V	Pointed level	Eyewitness report	B	IRIDeS G2	Staff base at 9 m. Toilet deposited here (assume f	0.042	11.042
115	Guiuan	11.1568	125.6850	1/21/14	4:06:29	12:06:29	13:06:29	-99.00	-99.00	-99.00	10.00 V	Pointed level	Eyewitness report	C	IRIDeS G2	Interview - flooded to ankle level	-0.047	9.953
116	Guiuan	11.1814	125.5570	1/21/14	6:09:29	14:09:29	15:09:29	-99.00	-99.00	-99.00	3.00 V	Pointed level	Eyewitness report	C	IRIDeS G2	Interview - water to knee level	-0.494	2.506
117	Guiuan	11.1804	125.5570	1/21/14	6:18:43	14:18:43	15:18:43	-99.00	0.00	-99.00	-99.00 D	Pointed level	Eyewitness report	C	IRIDeS G2	Limit of inundation	-0.506	
118	Guiuan	11.2214	125.5340	1/21/14	6:55:40	14:55:40	15:55:40	-99.00	-99.00	-99.00	2.00 V	Pointed level	Eyewitness report	C	IRIDeS G2	Interview - 3rd stair of guardhouse flooded	-0.519	1.481

119	Leyte North	11.2950	124.9660	1/22/14	0:44:17	8:44:17	9:44:17	5.90	4.00	1.90	-99.00	H	Top first floor	Eyewitness report	A	IRIDeS G2	Fire fighter Display Bldg	-0.008	5.892
120	Leyte North	11.2955	124.9650	1/22/14	0:52:07	8:52:07	9:52:07	7.20	4.30	2.90	-99.00	H	Top of window	Eyewitness report	A	IRIDeS G2	JICA donated Bldg	0.000	7.200
121	Leyte North	11.2955	124.9650	1/22/14	0:59:06	8:59:06	9:59:06	5.30	-99.00	-99.00	-99.00	H	Watermark	Eyewitness report	A	IRIDeS G2	Inside building	0.007	5.307
122	Leyte North	11.3358	124.9690	1/22/14	1:29:30	9:29:30	10:29:30	4.40	-99.00	-99.00	-99.00	H	Last stair step	Eyewitness report	A	IRIDeS G2	Inside office of Community Theater	0.036	4.436
123	Leyte North	11.3356	124.9690	1/22/14	1:34:57	9:34:57	10:34:57	4.30	3.10	1.20	-99.00	H	Over electric meter	Eyewitness report	B	IRIDeS G2	On street	0.041	4.341
124	Leyte North	11.3360	124.9700	1/22/14	1:57:50	9:57:50	10:57:50	4.30	3.00	1.30	-99.00	H	Top of window	Eyewitness report	A	IRIDeS G2	School Bldg. Old Kauayan	0.063	4.363
125	Leyte North	11.3454	124.9670	1/22/14	2:24:48	10:24:48	11:24:48	6.90	5.60	1.30	-99.00	H	Bamboo handrail	Eyewitness report	B	IRIDeS G2	Half of hill at Tagpuru	0.080	6.980
126	Leyte North	11.3691	124.9750	1/22/14	3:04:04	11:04:04	12:04:04	5.00	4.20	0.80	-99.00	H	Pointed level	Eyewitness report	A	IRIDeS G2	Top roof of Town hall	0.097	5.097
127	Leyte North	11.3691	124.9750	1/22/14	3:18:37	11:18:37	12:18:37	5.70	4.50	1.20	-99.00	H	Pointed level	Eyewitness report	A	IRIDeS G2	Column of basket yard	0.087	5.787
128	Samar West	11.3927	125.0010	1/22/14	7:29:57	15:29:57	16:29:57	3.00	-99.00	-99.00	-99.00	H	Pointed level	Eyewitness report	A	IRIDeS G2	Tree at a small port for canoes	-0.091	2.909
129	Samar West	11.3196	124.9770	1/22/14	7:57:45	15:57:45	16:57:45	3.80	-99.00	-99.00	-99.00	H	Pointed level	Eyewitness report	B	IRIDeS G2	Top of house next to river	-0.110	3.690
130	Tacloban	11.2243	125.0030	1/23/14	3:04:15	11:04:15	12:04:15	5.40	2.20	3.20	-99.00	H	Pointed level	Eyewitness report	A	IRIDeS G2	Top of first floor shop	0.137	5.537
131	Tacloban	11.2249	125.0040	1/23/14	3:17:54	11:17:54	12:17:54	6.20	4.60	1.60	-99.00	H	Pointed level	Eyewitness report	A	IRIDeS G2	Top of 2nd floor	0.140	6.340
132	Tacloban	11.2260	125.0040	1/23/14	3:30:05	11:30:05	12:30:05	6.70	4.70	2.00	-99.00	H	Watermark	Eyewitness report	A	IRIDeS G2	Second floor house	0.143	6.843
133	Tacloban	11.2265	125.0030	1/23/14	3:51:13	11:51:13	12:51:13	5.60	4.00	1.60	-99.00	H	Watermark	Eyewitness report	A	IRIDeS G2	Half second level. Adventist Church	0.148	5.748
134	Tacloban	11.2273	125.0040	1/23/14	3:58:38	11:58:38	12:58:38	5.30	3.80	1.50	-99.00	H	Pointed level	Eyewitness report	A	IRIDeS G2	2nd floor house	0.150	5.450
135	Palo	11.1620	124.9900	1/23/14	1:00:00	9:00:00	10:00:00	4.00	0.40	3.60	-99.00	H	Pointed level	Eyewitness report	C	IRIDeS G2	Interview	0.017	4.017
136	Palo	11.1610	124.9930	1/23/14	1:15:00	9:15:00	10:15:00	5.90	2.60	3.30	-99.00	H	Top of roof	Eyewitness report	B	IRIDeS G2	Level of the 1st floor roof	0.032	5.932
137	Palo	11.1602	124.9940	1/23/14	1:30:00	9:30:00	10:30:00	5.60	2.20	3.40	-99.00	H	Top of roof	Eyewitness report	B	IRIDeS G2	Level of the 1st floor roof	0.047	5.647

*1 Type of record

H: Inundation height
D: Inundation depth
V: Height including wave effects

*2 Reliability

A: (High) clear mark, small error of survey
B: (Medium) unclear mark, small error of survey
C: (Low) unclear mark, hearing from witness or runup at the beach, large error of survey
D: (Very low) unclear mark, low confidence, large error of survey

*3 No Data: -99.00

IRIDeS G2

Hazard and Damage Evaluation Team

- Dr. Shuichi Kure Disaster Potential Study
- Dr. Jeremy Bricker Technology for Global Disaster Risk
- Dr. Erick Mas Remote Sensing and Geoinformatics for Disaster Management
- Msc. Bruno Adriano Remote Sensing and Geoinformatics for Disaster Management
- Dr. Carine Yi International Strategy for Disaster Management

Disaster Medical Science Team

- Prof. Shinichi Egawa International Cooperation for Disaster Medicine
- Prof. Toshio Hattori Disaster related Infectious Disease
- Dr. Haroile C-Y Disaster related Infectious Disease
- Prof. Hiroaki Tomita Disaster Psychiatry