



Supplement of

Landslide susceptibility assessment in the rocky coast subsystem of Essaouira, Morocco

Abdellah Khouz et al.

Correspondence to: Abdellah Khouz (abdellah.khouz@gmail.com)

The copyright of individual parts of the supplement might differ from the article licence.

			Model 1	Model 2	Model 3	Model 4	Model 5	Model 6	Model 7	Model 8	Model 9	Model 10	Model 11	Model 12	Model 13	Model 14	Model 15
	Classes	Description	All landslides	Deep-seated landslides	Shallow landslides	Rotational slides	Deep rotational slides	Shallow rotational slides	Translational slides	Deep translational slides	Shallow translational slides	Rock topple	Rock fall	Rock slides	Debris fall	Debris flow	Debris slide
Elevation (m)	Class 1	-6-2	-2.34	-2.682	-1.457	-1.344	-1.319	-1.249	-3.221	-3.537	-1.501	-0.196	-1.225	-1.007	-4.022	-3.718	-0.973
	Class 2	2-5	-0.579	-1.043	0.489	0.258	0.183	0.565	-1.264	-1.604	0.515	1.072	1.065	0.22	-0.173	-1.776	0.328
	Class 3	5-10	-0.091	-0.484	0.9	0.635	0.611	0.977	-0.768	-1.024	0.785	0.98	1.358	1.429	0.993	-0.487	1.513
	Class 4	10-15	0.129	-0.198	1.094	0.777	0.763	1.079	-0.368	-0.547	1.077	0.431	1.123	1.55	1.378	0.079	1.616
	Class 5	15-20	0.258	0.057	1.149	0.833	0.784	1.084	-0.044	-0.204	1.167	-0.017	0.668	0.949	1.45	0.354	0.064
	Class 6	20-30	0.291	0.207	0.951	0.747	0.662	0.969	0.172	0.096	0.984	-0.781	-0.039	-0.833	1.096	0.427	-1.824
	Class 7	30-40	0.611	0.646	0.859	0.61	0.571	0.514	0.697	0.677	0.99	-1.293	-1.296	-5.702	0.965	0.857	-5.702
	Class 8	40-60	1.03	1.137	0.655	0.933	0.945	0.367	1.152	1.17	0.742	-2.668	-4.137	-5.702	0.911	0.929	-5.702
	Class 9	60-100	1.32	1.48	-2.109	0.239	0.368	-5.702	1.56	1.623	-1.578	-5.702	-5.702	-5.702	-1.832	1.297	-5.702
	Class 10	100-140	1.317	1.462	-5.702	0.133	0.245	-5.702	1.547	1.608	-5.702	-5.702	-5.702	-5.702	-5.702	1.375	-5.702
	Class 11	140-180	1.256	1.4	-5.702	0.224	0.374	-5.702	1.457	1.513	-5.702	-5.702	-5.702	-5.702	-5.702	1.171	-5.702
	Class 12	180-220	0.121	0.087	-5.702	-1.631	-1.323	-5.702	0.01	-0.037	-5.702	-5.702	-5.702	-5.702	-5.702	1.026	-5.702
	Class 13	220-260	-1.364	-2.835	-5.702	-5.702	-5.702	-5.702	-3.2	-3.385	-5.702	-5.702	-5.702	-5.702	-5.702	1.129	-5.702
Aspect	Class 1	Flat (-1)	-3.845	-4.152	-3.062	-2.723	-2.638	-3.676	-5.018	-5.701	-2.867	-1.382	-3.845	-3.96	-4.576	-5.702	-3.565
	Class 2	North (0-22.5)	-1.808	-2.074	-1.783	-1.179	-1.131	-1.298	-2.535	-2.502	-2.504	0.63	-1.808	-0.196	-5.702	-1.944	-5.702
	Class 3	Northeast (22.5-67.5)	-1.794	-1.818	-1.216	-0.914	-0.756	-0.597	-2.155	-2.124	-2.091	0.27	-1.794	-5.702	-1.497	-3.14	-5.702
	Class 4	East (67.5-112.5)	-2.394	-2.864	-1.536	-1.697	-1.578	-1.051	-3.338	-3.512	-1.629	0.103	-2.394	-5.702	-5.702	-5.702	-5.702
	Class 5	Southeast (112.5-157.5)	-2.059	-2.619	-0.643	-0.782	-1.057	0.178	-3.697	-3.987	-1.875	-0.901	-2.059	-5.702	-5.702	-1.671	-5.702
	Class 6	South (157.5-202.5)	-0.415	-0.73	0.308	0.582	0.623	0.109	-1.346	-1.762	0.523	0.532	-0.415	-1.392	-2.701	0.375	2.024
	Class 7	Southwest (202.5-247.5)	0.617	0.66	0.535	0.728	0.826	0.069	0.612	0.605	0.675	-0.277	0.617	0.086	-0.086	0.759	-2.738
	Class 8	West (247.5-292.5)	0.685	0.728	0.355	0.331	0.313	0.554	0.78	0.804	0.284	-0.044	0.685	0.462	0.995	0.564	0.25
	Class 9	Northwest (292.5-337.5)	-0.199	-0.334	0.342	0.149	0.06	0.229	-0.381	-0.449	0.339	0.61	-0.199	0.504	-0.729	-0.13	0.445

	Class 10	North (337.5-360)	-0.933	-1.418	0.168	-0.31	-0.492	0.44	-1.589	-1.802	-0.086	1.048	-0.933	1.083	-0.92	-1.581	-5.702
Slope (°)	Class 1	0-2	-3.272	-3.572	-2.535	-2.18	-2.081	-2.91	-4.453	-4.974	-2.42	-1.133	-2.465	-2.26	-4.822	-5.078	-2.712
	Class 2	2-5	-1.682	-2.176	-0.824	-0.864	-0.879	-0.76	-2.625	-2.953	-0.929	0.507	-0.307	-0.563	-2.22	-1.48	-1.614
	Class 3	5-10	-0.243	-0.384	-0.022	0.069	0.054	0.112	-0.46	-0.478	-0.068	0.543	0.562	0.312	-1.31	0.044	-0.298
	Class 4	10-15	0.598	0.594	0.319	0.302	0.294	0.665	0.629	0.657	0.184	0.629	0.698	0.654	0.492	0.678	0.837
	Class 5	15-20	0.838	0.864	0.66	0.667	0.598	1.002	0.892	0.913	0.483	-0.411	0.615	0.942	1.182	0.761	1.413
	Class 6	20-25	1.014	1.085	0.809	1.005	0.983	0.803	1.085	1.098	0.843	-0.214	0.154	0.671	1.168	1.033	0.011
	Class 7	25-30	1.111	1.187	1.072	1.068	1.124	0.274	1.201	1.195	1.253	-0.987	-0.114	-0.347	1.676	1.188	0.385
	Class 8	30-35	1.19	1.219	1.66	1.292	1.441	0.143	1.211	1.135	1.857	-0.695	0.707	0.233	0.176	0.349	-0.065
	Class 9	35-40	1.221	1.256	1.57	1.38	1.426	0.771	1.237	1.158	1.799	-0.965	0.825	-0.324	-5.702	0.944	-5.702
	Class 10	40-45	1.181	1.177	1.721	0.936	1.056	0.066	1.263	1.11	2.099	-5.702	-0.941	-5.702	-5.702	0.614	-5.702
	Class 11	>45	1.377	1.494	1.127	-0.208	-0.296	-0.83	1.642	1.648	1.314	-5.702	-5.702	-5.702	-5.702	0.578	-5.702
Curvature profile	Class 1	Concave	0.243	0.286	-0.053	0.049	0.06	-0.075	0.3	0.31	-0.034	-0.236	-0.33	-0.129	-0.155	0.227	-0.487
	Class 2	Straight	-1.144	-1.168	-1.248	-1.17	-1.191	-1.086	-1.165	-1.152	-1.365	-0.693	-0.804	-1.136	-1.102	-1.198	-1.354
	Class 3	Convexe	0.441	0.413	0.637	0.571	0.569	0.615	0.4	0.389	0.648	0.579	0.648	0.649	0.653	0.465	0.803
Curvature plan	Class 1	Convergent	0.513	0.509	0.543	0.521	0.531	0.426	0.507	0.499	0.593	0.4	0.38	0.39	0.425	0.681	0.446
	Class 2	Planar	-0.986	-1.009	-1.126	-1.055	-1.064	-0.973	-1.003	-0.986	-1.25	-0.521	-0.549	-0.801	-1.036	-1.162	-0.529
	Class 3	Divergente	0.426	0.44	0.453	0.448	0.441	0.505	0.44	0.441	0.443	0.253	0.299	0.455	0.532	0.297	0.206
Height (m)	Class 1	0-2	-2.066	-2.42	-1.894	-0.885	-0.855	-1.052	-4.254	-4.524	-2.363	0.932	-1.261	-1.954	-5.702	-5.702	-5.702
	Class 2	2-5	-1.776	-2.873	-0.478	-1.153	-1.314	-0.301	-3.126	-5.059	-0.546	0.51	0.066	0.293	-5.702	-5.702	-1.205
	Class 3	5-10	-1.243	-1.765	-0.497	-0.314	-0.269	-0.869	-2.66	-3.57	-0.44	0.744	0.331	-0.888	-1.868	-2.569	0.202
	Class 4	10-15	-0.847	-1.387	0.183	0.042	-0.058	0.486	-1.962	-2.518	0	-0.062	0.443	1.15	0.228	-1.276	1.16
	Class 5	15-20	-0.878	-1.407	-0.133	-0.082	-0.138	0.258	-2.003	-2.312	-0.409	-0.897	0.615	1.083	-0.021	-0.881	1.319
	Class 6	20-30	-0.327	-0.763	1.006	0.574	0.559	0.66	-1.036	-1.816	1.149	-0.293	0.303	0.958	0.18	-0.756	0.846
	Class 7	30-40	-0.464	-0.628	0.373	0.632	0.745	-1.539	-1.3	-1.844	0.656	-0.844	-0.34	-5.702	-5.702	-0.254	-5.702

Solar radiation (kWh/m2)	Class 2	500-600	1.325	1.504	-0.372	-1.343	-5.702	0.807	1.649	1.716	-5.702	-5.702	-5.702	-5.702	-5.702	-5.702	-5.702
	Class 3	600-700	1.175	1.137	2.072	0.12	-0.048	-0.215	1.387	1.282	2.28	-5.702	0.387	-5.702	-5.702	0.238	-5.702
	Class 4	700-800	0.931	0.852	1.855	0.933	0.884	0.071	0.969	0.83	2.001	-0.566	0.316	0.991	-1.235	0.419	0.47
	Class 5	800-900	0.929	0.967	1.074	1.067	1.058	0.712	0.955	0.932	1.203	-0.609	0.483	0.613	1.323	0.81	0.66
	Class 6	900-1000	-0.205	-0.216	-0.322	-0.244	-0.238	-0.117	-0.219	-0.206	-0.404	0.054	-0.072	-0.109	-0.327	-0.146	-0.107
	Landuse	Class 1	Bare ground	-0.082	-0.319	0.767	0.359	0.243	0.823	-0.361	-0.508	0.752	0.615	0.602	0.927	0.982	0.096
Class 2		Light vegetation	0.985	1.123	-1.221	0.091	0.209	-1.864	1.187	1.241	-1.055	-3.542	-3.507	-3.595	-1.033	0.967	-3.2
Class 3		Breakwater area	-1.452	-1.655	-0.68	-0.441	-0.351	-0.832	-2.19	-2.385	-0.688	-0.116	-0.102	-0.997	-2.482	-2.883	-0.991
Class 4		Dense vegetation	0.698	0.789	-1.158	-0.037	-0.021	-0.456	0.848	0.9	-1.012	-5.702	-5.702	-5.702	-1.252	0.935	-1.156
Class 5		Cultivated areas	-5.702	-5.702	-5.702	-5.702	-5.702	-5.702	-5.702	-5.702	-5.702	-5.702	-5.702	-5.702	-5.702	-5.702	-5.702
Class 6		Roads and habitation	-2.536	-3.799	-5.702	-3.363	-5.702	-5.702	-4.059	-5.702	-5.702	-5.702	-5.702	-0.611	-5.702	-5.702	-5.702
NDVI	Class 1	Water	-2.305	-2.391	-1.209	-1.068	-0.976	-1.427	-3	-3.242	-1.311	-1.702	-1.075	-4.196	-5.702	-4.376	-5.702
	Class 2	Bare soil	-0.798	-0.933	-0.253	0.058	0.127	-0.21	-1.293	-1.38	-0.375	0.452	0.141	-1.305	0.276	-1.954	-5.702
	Class 3	Sparse vegetation	0.409	0.408	0.362	0.315	0.296	0.391	0.425	0.427	0.374	0.401	0.342	0.495	0.481	0.449	0.49
	Class 4	Moderate vegetation	0.293	0.399	-0.732	0.012	0.088	-1.134	0.408	0.452	-0.662	-1.52	-0.996	-5.702	-5.702	0.274	-0.889
	Class 5	Dense vegetaion	-2.585	-2.382	-1.485	-2.456	-2.337	-5.702	-2.459	-2.393	-5.702	-5.702	-5.702	-5.702	-5.702	-5.702	-5.702
Layers tilt	Class 1	Towards_sea	0.401	0.455	0.657	0.753	0.807	0.163	0.384	0.344	0.824	-0.283	0.059	0.292	1.044	0.391	-0.346
	Class 2	Sub_horizontal	-0.176	-0.209	-0.361	-0.457	-0.52	-0.06	-0.166	-0.144	-0.541	0.078	-0.02	-0.118	-0.92	-0.17	0.091
Grain size Clay (% Clays < 2 µm)	Class 1	No sampling	-0.034	-0.017	-0.117	-0.092	-0.091	-0.143	-0.007	-0.001	-0.106	-0.074	-0.125	-0.263	-0.36	-0.093	-0.238
	Class 2	0-7	0.293	-0.301	1.36	1.245	1.115	2.302	-1.291	-1.812	0.637	2.016	1.147	1.856	-5.702	-1.106	0.855
	Class 3	7-13	0.762	0.639	1.213	1.141	1.139	0.863	0.535	0.56	1.226	1.66	1.921	-5.702	2.958	2.077	2.697
	Class 4	13-19	0.378	-0.04	1.405	1.107	1.113	1.477	-0.379	-0.777	1.378	0.791	1.42	2.23	1.604	-1.424	1.722
	Class 5	19-28	0.961	1.136	0.625	0.709	0.505	1.634	1.186	1.256	-0.871	-5.702	-5.702	1.734	2.94	1.717	-5.702
	Class 6	28-35	0.46	0.354	0.082	0.544	0.643	-5.702	0.273	0.241	0.458	-5.702	-5.702	-5.702	-0.153	1.617	-5.702
Grain size Silt (% Silt)	Class 1	No sampling	-0.034	-0.017	-0.117	-0.091	-0.091	-0.143	-0.007	-0.001	-0.106	-0.074	-0.125	-0.263	-0.36	-0.093	-0.238

2 μm << 63 μm)	Class 2	0-11	0.188	-0.636	1.371	0.878	0.782	2.259	-1.349	-2.129	0.831	2.092	1.053	2.05	-5.702	-5.702	1.049
	Class 3	11-23	0.996	1.17	1.113	0.361	0.318	0.842	1.245	1.316	1.141	0.61	0.67	-5.702	3.792	2.915	2.745
	Class 4	23-48	0.438	-0.083	1.193	1.402	1.391	1.298	-0.897	-1.104	1.009	1.84	2.107	-5.702	0.398	-0.263	2.39
	Class 5	48-67	0.462	0.368	0.5	0.853	0.843	0.577	0.224	0.188	0.47	-5.702	-5.702	0.678	-0.236	1.545	-5.702
	Class 6	67-72	0.502	0.233	1.314	1.022	1.03	1.364	0.063	-0.112	1.297	0.71	1.339	2.15	1.973	-0.032	1.641
Grain size Sand (% Sand 63μm << 2 mm)	Class 1	No sampling	-0.029	-0.013	-0.127	-0.082	-0.079	-0.152	-0.005	0.001	-0.116	-0.083	-0.134	-0.272	-0.37	-0.051	-0.185
	Class 2	0-12	0.512	0.243	1.425	1.067	1.058	1.479	0.088	-0.113	1.406	0.659	1.288	2.186	1.965	0.016	1.653
	Class 3	12-38	-1.858	-5.702	0.158	-0.112	-5.702	1.334	-5.702	-5.702	-5.702	-5.702	-5.702	-5.702	-5.702	-5.702	-5.702
	Class 4	38-51	0.586	0.077	1.294	1.553	1.55	1.276	-0.737	-0.944	1.169	1.999	2.267	-5.702	0.557	-0.104	-5.702
	Class 5	51-66	1.035	1.247	1.031	-5.702	-5.702	-5.702	1.411	1.483	1.327	0.103	0.268	-5.702	3.978	3.081	2.994
	Class 6	66-91	0.306	-0.28	1.381	1.21	1.135	2.323	-1.27	-1.791	0.658	2.037	1.168	1.877	-5.702	-1.084	0.938
Organic Matter (LOI%)	Class 1	No sampling	-0.034	-0.017	-0.117	-0.091	-0.091	-0.143	-0.007	-0.001	-0.106	-0.074	-0.125	-0.242	-0.36	-0.038	1.148
	Class 2	0-2	0.697	0.674	1.249	0.343	0.166	1.671	0.744	0.778	1.094	1.439	0.911	1.418	3.234	2.413	3.728
	Class 3	2-4	0.457	0.101	1.366	1.283	1.285	1.569	-0.339	-0.627	1.267	0.955	1.604	2.166	1.882	-0.761	2.936
	Class 4	4-6	0.595	0.585	-0.168	0.351	0.427	-5.702	0.589	0.608	0.208	-5.702	-5.702	-5.702	-0.403	1.665	2.506
	Class 5	6-8	-0.02	-2.24	1.973	0.222	-0.584	1.667	-0.842	-5.702	1.897	2.465	0.684	-5.702	1.642	1.036	4.04
Precipitation (mm)	Class 1	<260	0.088	0.174	-0.682	-0.54	-0.583	-0.261	0.243	0.29	-0.953	-0.043	-0.385	-0.229	0.392	0.199	-0.559
	Class 2	260-270	-0.552	-1.067	0.694	-0.144	-0.184	0.041	-0.989	-1.492	0.889	0.225	0.278	0.273	0.012	-0.268	0.93
	Class 3	270-280	0.567	0.657	-0.36	0.825	0.85	0.699	0.547	0.612	-2.299	-1.075	0.222	0.42	-5.702	0.206	-5.702
	Class 4	280-290	-1.588	-5.702	-0.273	-2.961	-5.702	-0.812	-2.896	-5.702	-0.157	0.547	1.073	-5.702	-5.702	-5.702	-5.702
	Class 5	>290	-0.648	-0.702	0.093	0.807	0.931	-5.702	-2.121	-4.108	0.5	0.529	-0.94	-5.702	-5.702	-5.702	-5.702
Drains	Class 1	0	-0.106	-0.133	0.103	-0.013	-0.027	0.097	-0.14	-0.159	0.097	0.008	-0.027	-0.187	-0.378	-0.252	0
	Class 2	1	0.244	0.294	-0.356	0.035	0.072	-0.33	0.307	0.339	-0.329	-0.021	0.072	0.385	0.624	0.478	-0.001
Spring	Class 1	0	-0.01	-0.014	-0.02	-0.044	-0.047	-0.017	-0.007	-0.006	-0.021	0.018	0.018	0.018	-0.048	0	0.018
	Class 2	1	0.442	0.583	0.756	1.229	1.284	0.667	0.341	0.295	0.783	-5.702	-5.702	-5.702	1.296	-0.019	-5.702

Faulting	Class 1	0	-0.007	-0.01	0.011	-0.002	-0.003	0.018	-0.011	-0.011	0.006	0.008	0.022	0.024	0.024	-0.041	0.024	
	Class 2	1	0.233	0.343	-0.618	0.06	0.116	-1.272	0.36	0.379	-0.281	-0.394	-2.269	-5.702	-5.702	0.964	-5.702	
Lithology	Class 1	Calcareous crusting	-0.011	-0.23	-0.683	0.508	0.09	0.125	-0.369	-0.303	-5.702	-0.512	0.752	0.427	-1.586	-2.535	-0.575	
	Class 2	Clay and Sandstone	-1.678	-1.89	0.355	-0.454	-0.235	-5.702	-2.151	-5.702	0.588	-5.702	-0.081	-5.702	-5.702	-5.702	-5.702	
	Class 3	Conglomerate and dune	-0.305	-0.875	0.422	-0.349	-0.503	0.16	-0.796	-1.003	0.501	0.846	0.465	0.181	-0.423	0.751	0.495	
	Class 4	Conglomerate with sandy matrix	-5.702	-5.702	-5.702	-5.702	-5.702	-5.702	-5.702	-5.702	-5.702	-5.702	-5.702	-5.702	-5.702	-5.702	-5.702	-5.702
	Class 5	Dolomitic limstones	-1.034	-1.165	-0.54	-0.733	-0.616	-0.886	-1.193	-1.279	-0.396	-0.373	0.046	-1.332	-5.702	-1.136	-0.947	
	Class 6	Dolomitic Sandstones	-5.702	-5.702	-5.702	-1.388	-5.702	1.444	-5.702	-5.702	-5.702	-5.702	0.461	-5.702	-5.702	-5.702	-5.702	
	Class 7	Dune sandstone with oblique stratification	0.638	0.359	-2.834	1.499	1.411	1.98	0.045	-0.084	1.371	1.329	2.027	2.162	-5.702	-0.463	1.092	
	Class 8	Essaouira Sandstone_Cal carenite	-1.671	-1.925	-1.347	-0.576	-0.538	-0.833	-2.445	-2.925	-0.488	-0.372	-0.433	-1.307	-1.994	-2.234	-0.321	
	Class 9	Friable layers	0.392	-0.149	3.011	1.337	1.306	1.798	-1.016	-1.302	0.896	1.916	1.858	0.862	-0.052	-0.49	2.058	
	Class 10	Gray Clays	-2.963	-2.994	0.456	-2.282	-1.478	-5.702	-3.787	-3.433	-5.702	-5.702	-0.721	-1.333	-5.702	-5.702	-5.702	
	Class 11	Gray Marls	-1.013	-1.046	-4.361	-0.488	-0.468	0.11	-0.887	-0.981	0.204	-0.159	-0.431	0.124	0.964	-0.815	-0.995	
	Class 12	Heterogeneous conglomerate	1.026	1.2	-1.353	0.244	0.277	-0.425	1.266	1.333	-4.795	-5.702	-4.978	-3.576	-1.494	0.283	-3.191	
	Class 13	Limestone barre	0.559	0.648	0.284	-0.651	-0.328	-5.702	0.589	0.545	-5.702	-5.702	-5.702	-5.702	-5.702	0.555	-5.702	
	Class 14	Lumachelic clayey limstones	0.24	-0.039	0.842	1.087	0.982	1.927	-0.649	-0.658	-5.702	1.136	1.426	3.253	-5.702	-5.702	-5.702	
	Class 15	Marls	0.609	0.657	0.071	0.637	0.652	0.386	0.6	0.656	-0.172	-1.55	-1.385	0.487	2.751	2.125	1.278	
	Class 16	Marly limstones	0.27	0.45	0.99	1.073	0.664	1.999	0.474	0.645	-1.892	-5.702	-5.702	0.02	2.101	-0.169	-5.702	
	Class 17	Pudding Conglomerate	-2.235	-2.931	-1.723	-2.175	-1.728	-5.702	-2.987	-3.732	-1.059	1.301	-1.936	-5.702	-5.702	-5.702	-5.702	
	Class 18	Sandstone dolomites	-0.352	-0.603	-0.041	1.635	0.716	1.135	-5.702	-5.702	-5.702	1.596	0.845	-5.702	-5.702	-5.702	-5.702	
	Class 19	Sequence of Marls and Marly limestone	0.701	0.626	1.556	1.298	1.373	1.101	0.498	0.326	1.714	0.247	0.859	1.698	2.236	0.764	1.082	
	Class 20	Terrigenous red deposit	-1.181	-5.702	0.499	-1.157	-5.702	0.758	-3.068	-5.702	-0.329	-5.702	-0.225	-5.702	-5.702	-0.686	3.354	
Toe Lithology	Class 1	Grey_Marls	0.348	0.431	-0.25	0.573	0.582	0.495	0.335	0.389	-0.969	-0.742	-1.243	0.127	1.209	1.049	-1.37	

Class 2	Marley_limestones	0.147	0.057	1.234	0.6	0.637	-0.188	0.113	-0.145	1.551	-1.385	-0.227	0.824	-5.702	-5.702	2.513
Class 3	Essaouira_Sandstone_Calcarenite	-0.074	-0.063	-0.192	-0.232	-0.218	-0.245	-0.034	-0.027	-0.159	0.109	0.127	-0.106	-1.166	-0.947	-5.702
Class 4	Dolomitic_Sandstone	-1.732	-5.702	0.283	-0.68	-5.702	1.459	-5.702	-5.702	-5.702	1.227	0.476	-5.702	-5.702	-5.702	-5.702
Class 5	Dolomitic_limestones	-0.557	-1.133	0.389	-0.872	-1.199	0.059	-0.893	-1.135	0.463	0.46	0.49	-0.173	-0.079	0.352	1.329

Table S1: Information Value scores obtained for defined landslides