Nat. Hazards Earth Syst. Sci. Discuss., doi:10.5194/nhess-2016-127-RC1, 2016 © Author(s) 2016. CC-BY 3.0 License.



# **NHESSD**

Interactive comment

# Interactive comment on "Evaluation of Environmental Factors in Landslide Prone Areas of Central Taiwan using Spatial Analysis of Landslide Inventory Maps" by K.-L. Fu et al.

**Anonymous Referee #1** 

Received and published: 1 August 2016

The paper analyses landslide inventories maps prepared for several events in Taiwan to evaluate which are the environmental factors and cumulated rainfall that influence the generation of new landslides, including the magnification effects produced by typhoons after the 2009 Chi-Chi earthquake. The Authors analyze a large set of spot images (17 scenes) to produce landslide inventory maps. They adopted a two-step mapping method, combining a semi-automatic method based on an object-oriented approach with interpretation made by a skilled photointerpreter to adjust the classification of the polygons. The landslide inventories are analyzed considering the environmental factors and the triggering (rainfall events) adopting the Uchiughi (1971) relation. The results obtained are used to build a so-called "logical reason-based" rule set to obtain

Printer-friendly version



a landslide potential map. The contents of the manuscript fit the scope of the journal. The scientific approach is not innovative, but the use of a very wide dataset is interesting and probably worth being published. Unfortunately, in my opinion, the manuscript is poorly structured and the data are not presented clearly. This make the manuscript hard to read. I recommend the Authors to rewrite completely the work. 1. Number of figures: 23 figures are too many for a single paper. The number of figures could be reduced, for example, summarizing figures from 1 to 3 into a single figure; the same applies to other cases. 2. The Introduction section is rather general and not focused on the purpose of the work. Many introductive information are found in other paragraphs such as "Spatial data and methodology" or in the firsts parts of other subparagraphs (see specific comments). 3. Hazard history of the study area. This Section is too long and not useful to make the point of the manuscript (see specific comments). 4. The whole manuscript can be made clearer; for example the "Methods and spatial data" should present strictly the data and methods used for the analysis: the Results section should present strictly the results of this study(see specific comments). 5. In this Discussion section, the Authors should discuss ALL the obtained results point by point, which is not the case in the present version of the Manuscript. The discussion of the Earth amplification Effects is not clear to me and poorly described. Moreover the subsection 5.2 and 5.3 "Combination of Causative factors" and "Landslide potential maps" should be moved in the Method and Result section, respectively. Specific comments: Page 3, lines 6-11: what do you mean by "primary contributors" and "secondary contributors"? River undercutting is a borderline factor (trigger or causative). Page 5, line 6: the analysis consider the influence of Nanchuang and Heshe formations. Please describe the two formations in detail, highlighting the existing differences and providing information about the percentage content of each formation in the two watersheds, Aiyuzih and Chushui. Moreover, the two watersheds should be described in terms of factors considered for the analysis (elevation, slope, aspect, lithology, human activities ecc.), and other irrelevant information should be removed (for example, the historical information from page 5, line 14 to page 6, line 16) or substantially reduced. Page 6,

## **NHESSD**

Interactive comment

Printer-friendly version



## **NHESSD**

Interactive comment

Printer-friendly version



removing irrelevant information. The Discussion and Conclusions sections should be rewritten from scratch, using the results actually obtained in this work and avoiding generic comments and lengthy introductory text. Moreover, I suggest that the Authors analyze how the landslide potential map change using the combination of causative factor for the three temporal periods pre-1999 Chi-Chi earthquake, from 1999 Chi-Chi earthquake to pre- and post- typhoon Morakot. A validation of the map itself could be performed by discussing the landslide potential map obtained from each period against the observation of the next one.

Interactive comment on Nat. Hazards Earth Syst. Sci. Discuss., doi:10.5194/nhess-2016-127, 2016.

## **NHESSD**

Interactive comment

Printer-friendly version

