

Supplementary information

Historical activity

Date	Crater	Plume height ^a (km)	Lava fountain height (m)	Duration (mins)	Reference
23 May 2016	NEC	n/a	n/a	n/a	(INGV, n.d.)
21 May 2016	VOR	n/a	n/a	~ 60	(INGV, n.d.)
19 May 2016	VOR	n/a	n/a	n/a	(INGV, n.d.)
18 May 2016	VOR	3 - 3.5 av	n/a	> 60	(INGV, n.d.)
5 Dec 2015	VOR	13 12.5	1120 115	~ 120 115	(Bonaccorso and Calvari, 2017; Corsaro et al., 2017; Pompilio et al., 2017; Vulpiani et al., 2016)
4 Dec 2015 pm	VOR	13.3 12.5	2050	65	(Bonaccorso and Calvari, 2017; Corsaro et al., 2017; Pompilio et al., 2017; Vulpiani et al., 2016)
4 Dec 2015 am	VOR	13.4	2600	~ 140 80	(Bonaccorso and Calvari, 2017; Corsaro et al., 2017; Pompilio et al., 2017; Vulpiani et al., 2016)
3 Dec 2015	VOR	15	>1000 4100	80 90	(Bonaccorso and Calvari, 2017; Corsaro et al., 2017; INGV, n.d.; Pompilio et al., 2017; Vulpiani et al., 2016)
28 Dec 2014	NSEC	n/a	n/a	> 120 ~ 90	(Bonforte and Guglielmino, 2015; INGV, n.d.)
14 Jun 2014	NSEC	n/a	n/a	n/a	(INGV, n.d.)
2 Dec 2013	NSEC	n/a	n/a	85	(De Beni et al., 2015)
28 Nov 2013	NSEC	n/a	n/a	385	(De Beni et al., 2015)
23 Nov 2013	NSEC	> 6 av 9 +/- 1.8 10 - 12	2500 3500 1000	40 50	(Andronico et al., 2015; De Beni et al., 2015; Bonaccorso et al., 2014, 2016; Corradini et al., 2016)
17 Nov 2013	NSEC	n/a	n/a	225	(De Beni et al., 2015; INGV, n.d.)
11 Nov 2013	NSEC	n/a	n/a	420	(De Beni et al., 2015; INGV, n.d.)
26 Oct 2013	NSEC	7	500	480	(De Beni et al., 2015; Greco et al., 2016; INGV, n.d.; Sellitto et al., 2016)
27 Apr 2013	NSEC	n/a	300 - 500 130 210	~ 120 130 210	(De Beni et al., 2015; INGV, n.d.; Viccaro et al., 2016)
20 Apr 2013	NSEC	7 av	800 - 1000	55 ~ 60 85	(De Beni et al., 2015; INGV, n.d.; Viccaro et al., 2016)
18 Apr 2013	NSEC	n/a	n/a	75 135	(De Beni et al., 2015; Spampinato et al., 2015; Viccaro et al., 2016)
12 Apr 2013	NSEC	n/a	n/a	~ 60 70 480	(De Beni et al., 2015; INGV, n.d.; Spampinato et al., 2015; Viccaro et al., 2016)
3 Apr 2013	NSEC	n/a	80 - 100	60 95 135	(De Beni et al., 2015; INGV, n.d.; Viccaro et al., 2016)
16 Mar 2013	NSEC	2 av	600 - 800	25 20	(De Beni et al., 2015; INGV, n.d.; Viccaro et al., 2016)
5-6 Mar 2013	NSEC	Several km av	800	45 50	(De Beni et al., 2015; INGV, n.d.; Viccaro et al., 2016)

Date	Crater	Plume height ^a (km)	Lava fountain height (m)	Duration (mins)	Reference
28 Feb 2013	NSEC	n/a	n/a	30	(De Beni et al., 2015; Viccaro et al., 2016)
				50	
23 Feb 2013	NSEC	n/a	800	45	(De Beni et al., 2015; INGV, n.d.; Viccaro et al., 2016)
				60	
21 Feb 2013	NSEC	n/a	n/a	30	(De Beni et al., 2015; Viccaro et al., 2016)
20 Feb 2013 pm	NSEC	n/a	n/a	45	(De Beni et al., 2015; Spampinato et al., 2015; Viccaro et al., 2016)
				110	
20 Feb 2013 am	NSEC	n/a	n/a	40	(De Beni et al., 2015; Spampinato et al., 2015; Viccaro et al., 2016)
				70	
19 Feb 2013	NSEC	n/a	200	45	(De Beni et al., 2015; Viccaro et al., 2016)
				80	
13 Feb 2013	NSEC	n/a	n/a	57	(De Beni et al., 2015)
24 Apr 2012	NSEC	n/a	n/a	45	(Viccaro et al., 2016)
12 Apr 2012	NSEC	3 av	n/a	70	(Viccaro et al., 2016)
1 Apr 2012	NSEC	Few km av	n/a	90	(Viccaro et al., 2016)
18 Mar 2012	NSEC	4 - 5 av	100	150	(INGV, n.d.; Viccaro et al., 2016)
				165	
4 Mar 2012	NSEC	Several km av	n/a	120	(Viccaro et al., 2016)
9 Feb 2012	NSEC	6 av	300 - 400	300	(INGV, n.d.; Viccaro et al., 2016)
				330	
5 Jan 2012	NSEC	7 - 8	100-150	95	(INGV, n.d.; Viccaro et al., 2016)
				105	
15 Nov 2011	SEC	Several km av	300	80	(Andronico and Del Carlo, 2015; Viccaro et al., 2016)
23 Oct 2011	NSEC	6	300	155	(Guerrieri et al., 2015; INGV, n.d.; Viccaro et al., 2016)
				165	
8 Oct 2011	NSEC	n/a	n/a	195	(INGV, n.d.; Viccaro et al., 2016)
				~ 20	
28 Sep 2011	NSEC	n/a	600 - 800	35	(INGV, n.d.; Viccaro et al., 2016)
				40	
19 Sep 2011	NSEC	n/a	n/a	40	(Viccaro et al., 2016)
8 Sep 2011	NSEC	n/a	n/a	120	(Carbone et al., 2015; INGV, n.d.; Viccaro et al., 2016)
				135	
29 Aug 2011	NSEC	n/a	100	45	(Carbone et al., 2015; INGV, n.d.; Viccaro et al., 2016)
20 Aug 2011	NSEC	5 - 6 av	n/a	50	(Carbone et al., 2015; INGV, n.d.; Viccaro et al., 2016)
				55	
12 Aug 2011	NSEC	3 av 7 9.5 +/- 0.5	> 100	115	(Carbone et al., 2015; Guerrieri et al., 2015; Scollo et al., 2015; Viccaro et al., 2016)
			Several 100 m		
5 Aug 2011	NSEC	n/a	710 > 500	165	(Carbone et al., 2015; INGV, n.d.; Viccaro et al., 2016)
30 Jul 2011	SEC	n/a	450 - 500	120	(Carbone et al., 2015; INGV, n.d.; Viccaro et al., 2016)
25 Jul 2011	SEC	n/a	340	240	(Carbone et al., 2015; INGV, n.d.; Viccaro et al., 2016)
			350		

Date	Crater	Plume height ^a (km)	Lava fountain height (m)	Duration (mins)	Reference
19 Jul 2011	SEC	1.5 - 2 av	200 - 250	150	(Carbone et al., 2015; INGV, n.d.; Viccaro et al., 2016)
9 Jul 2011	SEC	9 av	540	105	(Carbone et al., 2015; Viccaro et al., 2016)
12 May 2011	SEC	2 - 3 av	200 - 300	250	(INGV, n.d.; Viccaro et al., 2016)
10 Apr 2011	SEC	2 av	300	360	(INGV, n.d.; Viccaro et al., 2016)
18 Feb 2011	SEC	n/a	n/a	660	(Viccaro et al., 2016)
12 Jan 2011	SEC	9 > 4 av > 6 av	800 300 - 500	65 100	(Andronico et al., 2014b; Calvari et al., 2011; Donnadieu et al., 2016; INGV, n.d.; Viccaro et al., 2015)
10 May 2008	SEC	n/a	n/a	210	(Bonaccorso et al., 2011)
23 Nov 2007	SEC	n/a	n/a	300	(Acocella et al., 2016)
4 Sep 2007	SEC	5	350 - 400 400 - 600	600 640	(Acocella et al., 2016; Andronico et al., 2008)
7 May 2007	SEC	n/a	n/a	450	(Acocella et al., 2016)
29 Apr 2007	SEC	Few 100 m av	n/a	n/a	(Acocella et al., 2016)
11 Apr 2007	SEC	n/a	n/a	> 225	(Acocella et al., 2016)
29 Mar 2007	SEC	Several km av	600 - 800	70	(Acocella et al., 2016)
24 Nov 2006	SEC	1.3 - 2 av	200 - 300	n/a	(Andronico et al., 2014a)
25 Nov – 4 Dec 2002	SEC	n/a	n/a	10 days	(Spampinato et al., 2008)
14 Nov 2002	SEC	7 av 3.5 av	n/a	n/a	(Scollo et al., 2012)
13 Jul 2001	SEC	n/a	400 - 500	140	(La Spina et al., 2015)
7 Jul 2001	SEC	n/a	300 - 400	45	(La Spina et al., 2015)
4 Jul 2001	SEC	n/a	50 - 60	80	(La Spina et al., 2015)
27 Jun 2001	SEC	n/a	400 - 500	55	(La Spina et al., 2015)
22 Jun 2001	SEC	n/a	300 - 400	15	(La Spina et al., 2015)
19 Jun 2001	SEC	n/a	200 - 300	35	(La Spina et al., 2015)
17 Jun 2001	SEC	n/a	150 - 200	40	(La Spina et al., 2015)
15 Jun 2001	SEC	n/a	50 - 60	n/a	(La Spina et al., 2015)
13 Jun 2001	SEC	n/a	150 - 200	45	(La Spina et al., 2015)
9 Jun 2001	SEC	n/a	n/a	n/a	(Alparone et al., 2007)
7 Jun 2001	SEC	n/a	n/a	n/a	(Alparone et al., 2007)
24 Jun 2000	SEC	3 – 4 av	500	440	(Alparone et al., 2003)
14 Jun 2000	SEC	4.5 av	600	250	(Alparone et al., 2003)
8 Jun 2000	SEC	n/a	n/a	280	(Alparone et al., 2003)
5 Jun 2000	SEC	4 av	500 - 600 35	145 35	(Alparone et al., 2003, 2007)
1 Jun 2000 pm	SEC	n/a	n/a	125	(Alparone et al., 2003)
1 Jun 2000 am	SEC	5.5 av	800	500	(Alparone et al., 2003)
27 May 2000	SEC	n/a	n/a	195	(Alparone et al., 2003)
23 May 2000	SEC	n/a	n/a	115	(Alparone et al., 2003)
19 May 2000	SEC	n/a	n/a	115	(Alparone et al., 2003)
17 May 2000	SEC	Not visible	500	125	(Alparone et al., 2003)
15 May 2000 pm	SEC	Not visible	700	90	(Alparone et al., 2003)
15 May 2000 am	SEC	n/a	n/a	60	(Alparone et al., 2003)
5 May 2000	SEC	4.5 – 5 av	800	370	(Alparone et al., 2003)
26 Apr 2000	SEC	5 av	No data	80	(Alparone et al., 2003)


Date	Crater	Plume height ^a (km)	Lava fountain height (m)	Duration (mins)	Reference
16 Apr 2000	SEC	6 av	400	215	(Alparone et al., 2003)
6 Apr 2000	SEC	n/a	n/a	105	(Alparone et al., 2003)
3 Apr 2000	SEC	n/a	n/a	165	(Alparone et al., 2003)
1 Apr 2000	SEC	3 av	Fog	180	(Alparone et al., 2003)
29 Mar 2000	SEC	n/a	n/a	115	(Alparone et al., 2003)
24 Mar 2000	SEC	n/a	n/a	95	(Alparone et al., 2003)
22 Mar 2000	SEC	Not visible	300 - 350	125	(Alparone et al., 2003)
19 Mar 2000	SEC	n/a	n/a	115	(Alparone et al., 2003)
14 Mar 2000	SEC	Not visible	200 - 250	125	(Alparone et al., 2003)
12 Mar 2000	SEC	Not visible	80	130	(Alparone et al., 2003)
8 Mar 2000	SEC	3 av	300	145	(Alparone et al., 2003)
4 Mar 2000	SEC	n/a	n/a	120	(Alparone et al., 2003)
28 Feb 2000	SEC	n/a	n/a	100	(Alparone et al., 2003)
27 Feb 2000	SEC	n/a	n/a	165	(Alparone et al., 2003)
23 Feb 2000	SEC	n/a	n/a	105	(Alparone et al., 2003)
20 Feb 2000 pm	SEC	n/a	n/a	90	(Alparone et al., 2003)
20 Feb 2000 am	SEC	n/a	n/a	45	(Alparone et al., 2003)
19 Feb 2000	SEC	n/a	n/a	45	(Alparone et al., 2003)
18 Feb 2000 pm	SEC	n/a	n/a	20	(Alparone et al., 2003)
18 Feb 2000 am	SEC	n/a	n/a	20	(Alparone et al., 2003)
17 Feb 2000 pm	SEC	n/a	n/a	25	(Alparone et al., 2003)
17 Feb 2000 pm	SEC	n/a	n/a	25	(Alparone et al., 2003)
17 Feb 2000 am	SEC	n/a	n/a	25	(Alparone et al., 2003)
16 Feb 2000 pm	SEC	> 3 av	300 - 350	20	(Alparone et al., 2003)
16 Feb 2000 am	SEC	n/a	n/a	25	(Alparone et al., 2003)
15 Feb 2000	SEC	Not visible	>500	40	(Alparone et al., 2003)
14 Feb 2000 pm	SEC	4 av	350 - 400	30	(Alparone et al., 2003)
14 Feb 2000 am	SEC	n/a	n/a	60	(Alparone et al., 2003)
13 Feb 2000	SEC	n/a	n/a	25	(Alparone et al., 2003)
12 Feb 2000 pm	SEC	n/a	n/a	55	(Alparone et al., 2003)
12 Feb 2000 am	SEC	n/a	n/a	75	(Alparone et al., 2003)
12 Feb 2000 am	SEC	Not visible	350 - 400	70	(Alparone et al., 2003)
11 Feb 2000 pm	SEC	Not visible	250 - 300	60	(Alparone et al., 2003)
11 Feb 2000 am	SEC	n/a	n/a	55	(Alparone et al., 2003)
10 Feb 2000	SEC	n/a	n/a	55	(Alparone et al., 2003)
9 Feb 2000 pm	SEC	n/a	n/a	35	(Alparone et al., 2003)
9 Feb 2000 am	SEC	n/a	n/a	65	(Alparone et al., 2003)
8 Feb 2000 pm	SEC	n/a	n/a	70	(Alparone et al., 2003)
8 Feb 2000 am	SEC	n/a	n/a	75	(Alparone et al., 2003)
7 Feb 2000	SEC	3.2 av	200	75	(Alparone et al., 2003)
6 Feb 2000 am	SEC	n/a	n/a	65	(Alparone et al., 2003)
6 Feb 2000 pm	SEC	n/a	n/a	50	(Alparone et al., 2003)
5 Feb 2000	SEC	n/a	n/a	85	(Alparone et al., 2003)
4 Feb 2000 am	SEC	n/a	n/a	70	(Alparone et al., 2003)
4 Feb 2000 pm	SEC	n/a	n/a	50	(Alparone et al., 2003)
3 Feb 2000	SEC	n/a	n/a	85	(Alparone et al., 2003)
2 Feb 2000	SEC	n/a	n/a	65	(Alparone et al., 2003)
1 Feb 2000	SEC	n/a	n/a	100	(Alparone et al., 2003)
29 Jan 2000	SEC	n/a	n/a	95	(Alparone et al., 2003)
26 Jan 2000	SEC	n/a	n/a	565	(Alparone et al., 2003)
4 Nov 1999	BN	n/a	n/a	190	(Cannata et al., 2008)
27 Oct 1999	BN	n/a	n/a	415	(Cannata et al., 2008)

Date	Crater	Plume height ^a (km)	Lava fountain height (m)	Duration (mins)	Reference
21 Oct 1999	BN	n/a	n/a	110	(Cannata et al., 2008)
16 Oct 1999	BN	n/a	n/a	n/a	(Cannata et al., 2008)
14 Oct 1999	BN	n/a	n/a	n/a	(Cannata et al., 2008)
12 Oct 1999	BN	n/a	n/a	n/a	(Cannata et al., 2008)
20 Sep 1999	BN	n/a	n/a	130	(Cannata et al., 2008)
4 Sep 1999	SEC	n/a	n/a	10	(Cannata et al., 2008)
4 Sep 1999	VOR	n/a	1500	65	(Cannata et al., 2008; La Delfa et al., 2001)
4 Feb 1999	SEC	9	n/a	90 25	(Cannata et al., 2008; La Delfa et al., 2001)
23 Jan 1999	SEC	n/a	n/a	45	(Cannata et al., 2008)
20 Jan 1999	SEC	n/a	n/a	35	(Cannata et al., 2008)
18 Jan 1999	SEC	n/a	n/a	30	(Cannata et al., 2008)
16 Jan 1999	SEC	n/a	n/a	25	(Cannata et al., 2008)
13 Jan 1999	SEC	n/a	n/a	50	(Cannata et al., 2008)
10 Jan 1999	SEC	n/a	n/a	40	(Cannata et al., 2008)
5 Jan 1999	SEC	n/a	n/a	60	(Cannata et al., 2008)
11 Oct 1998	SEC	>10	Few 100 m	60	(Dubosclard et al., 1999)
15 Sep 1998	SEC	n/a	n/a	n/a	(Corsaro and Pompilio, 2004)
6 Aug 1998	VOR	n/a	n/a	n/a	(Corsaro and Pompilio, 2004)
22 Jul 1998	VOR	>10	n/a	6	(Andronico et al., 2015; Corsaro and Pompilio, 2004; La Delfa et al., 2001)
27 Mar 1998	NEC	n/a	n/a	120	(Corsaro and Pompilio, 2004; La Delfa et al., 2001)


Table S1 Lava fountains at Mount Etna. Craters: BN (Bocca Nuova); NEC (Northeast Crater); NSEC (New Southeast Crater); SEC (Southeast Crater); VOR (Voragine). n/a = not available. ^a Plume height is above sea level, except av = above vent.

Wind analysis

Summer



Winter



All




Fig. S1 Median wind speed and direction profiles, showing 25th and 75th percentile (error bars), for 2013 for summer (April to September), winter (October to March) and the whole period, produced from TephraProb (Biass et al., 2016; NOAA, 2017). Wind direction is the direction towards which the wind blows, measured in degrees from north.






Fig. S2 Median wind roses for 2013 for summer (April to September), winter (October to March) and the whole period, produced from TephraProb (Biass et al., 2016; NOAA, 2017). Wind direction is the direction towards which the wind blows.

Summer



Winter



All




Fig. S3 Median wind speed and direction profiles, showing 25th and 75th percentile (error bars), for 2006 to 2015 for summer (April to September), winter (October to March) and the whole period, produced from TephraProb (Biass et al., 2016; NOAA, 2017). Wind direction is the direction towards which the wind blows, measured in degrees from north.






Fig. S4 Wind roses for 2006 to 2015 for summer (April to September), winter (October to March) and the whole period, produced from TephraProb (Biass et al., 2016; NOAA, 2017). Wind direction is the direction towards which the wind blows.

Summer



Winter



All




Fig. S5 Median wind speed and direction profiles, showing 25th and 75th percentile (error bars), for 1997 to 2015 for summer (April to September), winter (October to March) and the whole period, produced from TephraProb (Biass et al., 2016; NOAA, 2017). Wind direction is the direction towards which the wind blows, measured in degrees from north.




Fig. S6 Wind roses for 1997 to 2015 for summer (April to September), winter (October to March) and the whole period, produced from TephraProb (Biass et al., 2016; NOAA, 2017). Wind direction is the direction towards which the wind blows.

Sensitivity analysis




Fig. S7 For contours showing the furthest extent of sedimentation of 5 cm particles, impact of varying a) the number of particles used in each simulation, b) the particle density. NSEC = New Southeast Crater.









Fig. S8 Cumulative hazard zone, showing area where probability of impact from a 5 cm clast is > 40 %, 30 – 40 %, 20 – 30 %, 10 – 20 %, 1 – 10 % and < 1 %, for 1000, 2000, 4000 and 8000 simulations.



Probability of impact





Fig. S9 Modelled probability of impact of a 5 cm clast. a) 1000 simulations, b) 2000 simulations, c) 4000 simulations, d) 8000 simulations, e) overlap of maps for 1000, 2000, 4000 and 8000 simulations.



Modelled contours (vent and clast size)

Bocca Nuova 4.5 cm	NSEC 4.5 cm	Voragine 4.5 cm
Bocca Nuova 7 cm	NSEC 7 cm	Voragine 7 cm
NEC 4.5 cm	SEC 4.5 cm	
NEC 7 cm	SEC 7 cm	

Fig. S10 Modelled 4.5 and 7 cm clast size isopleths for 23 November 2013 lava fountain from each of the five summit craters. NEC = Northeast Crater, NSEC = New Southeast Crater, SEC = Southeast Crater.

Hazard analysis




Fig. S11 Probability map showing exposure of infrastructure to impact from a 5 cm clast for the One Eruption Scenario – high mass eruption rate from Voragine. Ski areas: ET-N = Etna Nord, ET-S = Etna Sud. BG = Baita delle Guide, CCN = Top station of the Funivia dell'Etna cable car, PDO = INGV Pizzi Deneri Observatory, RC = Rifugio Citelli.

Pedestrian evacuation analysis




Fig. S12 Evacuation times to reach the safe zone (for One Eruption Scenario – high mass eruption rate from NSEC) based on walking speed of 3.3 km h^{-1} , assuming people start a maximum of 500 m from any path with a) no shelters, b) one shelter and c) two shelters. Hazard zone is the area with probability of impact from 5 cm clast $\geq 1\%$. Safe zone includes area with probability of impact < 1%. NSEC = New Southeast Crater. Ski areas: ET-N = Etna Nord, ET-S = Etna Sud. BG = Baita delle Guide, CCN = Top station of the Funivia dell'Etna cable car, PDO = INGV Pizzi Deneri Observatory, RC = Rifugio Citelli.




Fig. S13 Evacuation times to reach the safe zone (for One Eruption Scenario – high mass eruption rate from NSEC) based on walking speed of 3.3 km h^{-1} , assuming people start a maximum of 300 m from any path, with a) one shelter and b) two shelters. Hazard zone is the area with probability of impact from 5 cm clast $\geq 1\%$. Safe zone includes area with probability of impact $< 1\%$. NSEC = New Southeast Crater. Ski areas: ET-N = Etna Nord, ET-S = Etna Sud. BG = Baita delle Guide, CCN = Top station of the Funivia dell'Etna cable car, PDO = INGV Pizzi Deneri Observatory, RC = Rifugio Citelli.




Fig. S14 Evacuation times to reach the safe zone (for One Eruption Scenario – low mass eruption rate) based on walking speed of 3.3 km h^{-1} , with a) no shelter and b) one shelter. Hazard zone is the area with probability of impact from 5cm clast $\geq 1\%$. Safe zone includes area with probability of impact $< 1\%$. NSEC = New Southeast Crater. BG = Baita delle Guide, CCN = Top station of the Funivia dell'Etna cable car, PDO = INGV Pizzi Deneri Observatory.

Supplementary information references

- Acocella, V., Neri, M., Behncke, B., Bonforte, A., Del Negro, C. and Ganci, G.: Why does a mature volcano need new vents? The case of the New Southeast Crater at Etna, *Front. Earth Sci.*, 4, Art. 67, doi:10.3389/feart.2016.00067, 2016.
- Alparone, S., Andronico, D., Lodato, L. and Sgroi, T.: Relationship between tremor and volcanic activity during the Southeast Crater eruption on Mount Etna in early 2000, *J. Geophys. Res. Solid Earth*, 108(B5), doi:10.1029/2002JB001866, 2003.
- Alparone, S., Andronico, D., Sgroi, T., Ferrari, F., Lodato, L. and Reitano, D.: Alert system to mitigate tephra fallout hazards at Mt. Etna Volcano, Italy, *Nat. Hazards*, 43(3), 333–350, doi:10.1007/s11069-007-9120-7, 2007.
- Andronico, D. and Del Carlo, P.: PM10 measurements in urban settlements after lava fountain episodes at Mt. Etna, Italy: pilot test to assess volcanic ash hazard to human health, *Nat. Hazards Earth Syst. Sci. Discuss.*, (3), 3925–3953, doi:10.5194/nhess-16-29-2016, 2015.
- Andronico, D., Cristaldi, A. and Scollo, S.: The 4–5 September 2007 lava fountain at South-East Crater of Mt Etna, Italy, *J. Volcanol. Geotherm. Res.*, 173(3), 325–328, doi:10.1016/j.jvolgeores.2008.02.004, 2008.
- Andronico, D., Scollo, S., Lo Castro, M. D., Cristaldi, A., Lodato, L. and Taddeucci, J.: Eruption dynamics and tephra dispersal from the 24 November 2006 paroxysm at South-East Crater, Mt Etna, Italy, *J. Volcanol. Geotherm. Res.*, 274, 78–91, doi:10.1016/j.jvolgeores.2014.01.009, 2014a.
- Andronico, D., Scollo, S., Cristaldi, A. and Lo Castro, M. D.: Representivity of incompletely sampled fall deposits in estimating eruption source parameters: a test using the 12–13 January 2011 lava fountain deposit from Mt. Etna volcano, Italy, *Bull. Volcanol.*, 76(10), 861, doi:10.1007/s00445-014-0861-3, 2014b.

- Andronico, D., Scollo, S. and Cristaldi, A.: Unexpected hazards from tephra fallouts at Mt Etna: the 23 November 2013 lava fountain, *J. Volcanol. Geotherm. Res.*, 304, 118–125, doi:10.1016/j.jvolgeores.2015.08.007, 2015.
- De Beni, E., Behncke, B., Branca, S., Nicolosi, I., Carluccio, R., D'Ajello Caracciolo, F. and Chiappini, M.: The continuing story of Etna's New Southeast Crater (2012–2014): evolution and volume calculations based on field surveys and aerophotogrammetry, *J. Volcanol. Geotherm. Res.*, 303, 175–186, doi:10.1016/j.jvolgeores.2015.07.021, 2015.
- Biass, S., Bonadonna, C., Connor, L. J. and Connor, C. B.: TephraProb: a Matlab package for probabilistic hazard assessments of tephra fallout, *J. Appl. Volcanol.*, 5(10), doi:10.1186/s13617-016-0050-5, 2016.
- Bonaccorso, A. and Calvari, S.: A new approach to investigate an eruptive paroxysmal sequence using camera and strainmeter networks: lessons from the 3–5 December 2015 activity at Etna volcano, *Earth Planet. Sci. Lett.*, 475, 231–241, doi:10.1016/J.EPSL.2017.07.020, 2017.
- Bonaccorso, A., Bonforte, A., Calvari, S., Del Negro, C., Di Grazia, G., Ganci, G., Neri, M., Vicari, A. and Boschi, E.: The initial phases of the 2008–2009 Mount Etna eruption: a multidisciplinary approach for hazard assessment, *J. Geophys. Res.*, 116(B3), B03203, doi:10.1029/2010JB007906, 2011.
- Bonaccorso, A., Calvari, S., Linde, A. and Sacks, S.: Eruptive processes leading to the most explosive lava fountain at Etna volcano: the 23 November 2013 episode, *Geophys. Res. Lett.*, 41(14), 4912–4919, doi:10.1002/2014GL060623, 2014.
- Bonaccorso, A., Linde, A., Currenti, G., Sacks, S. and Sicali, A.: The borehole dilatometer network of Mount Etna: a powerful tool to detect and infer volcano dynamics, *J. Geophys. Res. Solid Earth*, 121(6), 4655–4669, doi:10.1002/2016JB012914, 2016.
- Bonforte, A. and Guglielmino, F.: Very shallow dyke intrusion and potential slope failure imaged by ground deformation: the 28 December 2014 eruption on Mount Etna, *Geophys. Res. Lett.*, 42(8), 2727–2733, doi:10.1002/2015GL063462, 2015.
- Calvari, S., Salerno, G. G., Spampinato, L., Gouhier, M., La Spina, A., Pecora, E., Harris, A. J. L., Labazuy, P., Biale, E. and Boschi, E.: An unloading foam model to constrain Etna's 11–13 January 2011 lava fountaining episode, *J. Geophys. Res. Solid Earth*, 116(B11207), doi:10.1029/2011JB008407, 2011.
- Cannata, A., Catania, A., Alparone, S. and Gresta, S.: Volcanic tremor at Mt. Etna: inferences on magma dynamics during effusive and explosive activity, *J. Volcanol. Geotherm. Res.*, 178(1), 19–31, doi:10.1016/j.jvolgeores.2007.11.027, 2008.
- Carbone, D., Zuccarello, L., Messina, A., Scollo, S. and Rymer, H.: Balancing bulk gas accumulation and gas output before and during lava fountaining episodes at Mt. Etna, *Sci. Rep.*, 5, 18049, doi:10.1038/srep18049, 2015.
- Corradini, S., Montopoli, M., Guerrieri, L., Ricci, M., Scollo, S., Merucci, L., Marzano, F., Pugnaghi, S., Prestifilippo, M., Ventress, L., Grainger, R., Carboni, E., Vulpiani, G. and Coltelli, M.: A multi-sensor approach for volcanic ash cloud retrieval and eruption characterization: the 23 November 2013 Etna lava fountain, *Remote Sens.*, 8(1), 58, doi:10.3390/rs8010058, 2016.
- Corsaro, R. A. and Pompilio, M.: Magma dynamics in the shallow plumbing system of Mt. Etna as recorded by compositional variations in volcanics of recent summit activity (1995–1999), *J. Volcanol. Geotherm. Res.*, 137(1–3), 55–71, doi:<https://doi.org/10.1016/j.jvolgeores.2004.05.008>, 2004.
- Corsaro, R. A., Andronico, D., Behncke, B., Branca, S., Caltabiano, T., Ciancitto, F., Cristaldi, A., E. DeBeni, Spina, A. La, Lodato, L., L. Miraglia, Neri, M., Salerno, G., Scollo, S. and Spata, G.: Monitoring the December 2015 summit eruptions of Mt. Etna (Italy): Implications on eruptive dynamics, *J. Volcanol. Geotherm. Res.*, 341, 53–69, doi:10.1016/j.jvolgeores.2017.04.018, 2017.
- La Delfa, S., Patanè, G., Clocchiatti, R., Joron, J.-L. and Tanguy, J.-C.: Activity of Mount Etna preceding the February 1999 fissure eruption: inferred mechanism from seismological and geochemical data, *J. Volcanol. Geotherm. Res.*, 105(1), 121–139, doi:10.1016/S0377-0273(00)00249-3, 2001.
- Donnadieu, F., Freville, P., Hervier, C., Coltelli, M., Scollo, S., Prestifilippo, M., Valade, S., Rivet, S. and Cacault, P.: Near-source Doppler radar monitoring of tephra plumes at Etna, *J. Volcanol. Geotherm. Res.*, 312, 26–39, doi:10.1016/j.jvolgeores.2016.01.009, 2016.

Dubosclard, G., Cordessee, R., Allard, P., Hervier, C., Coltell, M. and Kornprobst, J.: First testing of a volcano Doppler radar (Voldorad) at Mount Etna, Italy, *Geophys. Res. Lett.*, 26(22), 3389–3392, doi:10.1029/1999GL008371, 1999.

Greco, F., Currenti, G., Palano, M., Pepe, A. and Pepe, S.: Evidence of a shallow persistent magmatic reservoir from joint inversion of gravity and ground deformation data: the 25–26 October 2013 Etna lava fountaining event, *Geophys. Res. Lett.*, 43(7), 3246–3253, doi:10.1002/2016GL068426, 2016.

Guerrieri, L., Merucci, L., Corradini, S. and Pugnaghi, S.: Evolution of the 2011 Mt. Etna ash and SO₂ lava fountain episodes using SEVIRI data and VPR retrieval approach, *J. Volcanol. Geotherm. Res.*, 291, 63–71, doi:10.1016/j.jvolgeores.2014.12.016, 2015.

INGV: Attività dell’Etna, [online] Available at: <http://www.ct.ingv.it/it/> (Accessed 12 June 2017), n.d.

NOAA: NCEP reanalysis data, [online] Available at:
<https://www.esrl.noaa.gov/psd/data/gridded/data.ncep.reanalysis.pressure.html>, 2017.

Pompilio, M., Bertagnini, A., Del Carlo, P. and Di Roberto, A.: Magma dynamics within a basaltic conduit revealed by textural and compositional features of erupted ash: the December 2015 Mt. Etna paroxysms, *Sci. Rep.*, 7(1), 4805, doi:10.1038/s41598-017-05065-x, 2017.

Scollo, S., Kahn, R. A., Nelson, D. L., Coltell, M., Diner, D. J., Garay, M. J. and Realmuto, V. J.: MISR observations of Etna volcanic plumes, *J. Geophys. Res. Atmos.*, 117, D06210, doi:10.1029/2011JD016625, 2012.

Scollo, S., Boselli, A., Coltell, M., Leto, G., Pisani, G., Prestifilippo, M., Spinelli, N. and Wang, X.: Volcanic ash concentration during the 12 August 2011 Etna eruption, *Geophys. Res. Lett.*, 42(8), 2634–2641, doi:10.1002/2015GL063027, 2015.

Sellitto, P., di Sarra, A., Corradini, S., Boichu, M., Herbin, H., Dubuisson, P., Sèze, G., Meloni, D., Monteleone, F., Merucci, L., Rusalem, J., Salerno, G., Briole, P. and Legras, B.: Synergistic use of Lagrangian dispersion and radiative transfer modelling with satellite and surface remote sensing measurements for the investigation of volcanic plumes: the Mount Etna eruption of 25–27 October 2013, *Atmos. Chem. Phys.*, 16(11), 6841–6861, doi:10.5194/acp-16-6841-2016, 2016.

Spampinato, L., Calvari, S., Oppenheimer, C. and Lodato, L.: Shallow magma transport for the 2002–3 Mt. Etna eruption inferred from thermal infrared surveys, *J. Volcanol. Geotherm. Res.*, 177(2), 301–312, doi:10.1016/j.jvolgeores.2008.05.013, 2008.

Spampinato, L., Sciutto, M., Cannata, A., Cannavò, F., La Spina, A., Palano, M., Salerno, G. G., Privitera, E. and Caltabiano, T.: Multiparametric study of the February–April 2013 paroxysmal phase of Mt. Etna New South-East crater, *Geochemistry, Geophys. Geosystems*, 16(6), 1932–1949, doi:10.1002/2015GC005795, 2015.

La Spina, A., Burton, M., Allard, P., Alparone, S. and Muré, F.: Open-path FTIR spectroscopy of magma degassing processes during eight lava fountains on Mount Etna, *Earth Planet. Sci. Lett.*, 413, 123–134, doi:10.1016/j.epsl.2014.12.038, 2015.

Viccaro, M., Calcagno, R., Garozzo, I., Giuffrida, M. and Nicotra, E.: Continuous magma recharge at Mt. Etna during the 2011–2013 period controls the style of volcanic activity and compositions of erupted lavas, *Mineral. Petrol.*, 109(1), 67–83, doi:10.1007/s00710-014-0352-4, 2015.

Viccaro, M., Zuccarello, F., Cannata, A., Palano, M. and Gresta, S.: How a complex basaltic volcanic system works: constraints from integrating seismic, geodetic, and petrological data at Mount Etna volcano during the July–August 2014 eruption, *J. Geophys. Res. Solid Earth*, 121(8), 5659–5678, doi:10.1002/2016JB013164, 2016.

Vulpiani, G., Ripepe, M. and Valade, S.: Mass discharge rate retrieval combining weather radar and thermal camera observations, *J. Geophys. Res. Solid Earth*, 121(8), 5679–5695, doi:10.1002/2016JB013191, 2016.