



1 **Storm Tide Amplification and Habitat Changes due to Urbanization of a Lagoonal Estuary**

2

3 Philip M. Orton<sup>1</sup>, Eric W. Sanderson<sup>2</sup>, Stefan A. Talke<sup>3,4</sup>, Mario Giampieri<sup>2,5</sup>, Kytt MacManus<sup>6</sup>

4

5 1 Stevens Institute of Technology, Department of Civil, Environmental and Ocean  
6 Engineering, Davidson Laboratory, Castle Point on Hudson, Hoboken, NJ 07030 USA

7 2 Wildlife Conservation Society, 2300 Southern Blvd., Bronx, NY 10460, USA

8 3 Portland State University, Department of Civil and Environmental Engineering, Post  
9 Office Box 751, Portland, OR 97207, USA

10 4 Now at: California Polytechnic State University, Department of Civil and Environmental  
11 Engineering, San Luis Obispo, CA 93407, USA

12 5 Now at: Massachusetts Institute of Technology, School of Architecture + Planning,  
13 Department of Urban Studies and Planning, 77 Massachusetts Avenue, Cambridge, MA  
14 02139, USA

15 6 Columbia University, Center for International Earth Science Information Networks, PO  
16 Box 1000, 61 Route 9W, Palisades, NY 10964, USA

17

18 Correspondence: Philip Orton ([philip.orton@stevens.edu](mailto:philip.orton@stevens.edu))

19



1 **Abstract**

2 In recent centuries, human activities have greatly modified the geomorphology of coastal  
3 regions. However, studies of historical and possible future changes in coastal flood extremes  
4 typically ignore the influence of geomorphic change. Here, we quantify the influence of 20<sup>th</sup>  
5 Century manmade changes to Jamaica Bay, New York City, on present-day storm tides. We  
6 develop and validate a hydrodynamic model for the 1870s, based on detailed maps of  
7 bathymetry, seabed characteristics, topography, and tide observations, for use alongside a  
8 present-day model. Predominantly through dredging, landfill, and inlet stabilization, the  
9 average water depth of the bay increased from 1.7 to 4.5 m, tidal surface area decreased from  
10 92 to 72 km<sup>2</sup>, and the inlet minimum cross-sectional area expanded from 4800 to 8900 m<sup>2</sup>.  
11 Total (freshwater plus salt) marsh habitat area has declined from 61 to 15 km<sup>2</sup> and intertidal  
12 unvegetated habitat area from 17 to 4.6 km<sup>2</sup>. A probabilistic flood hazard assessment with  
13 simulations of 144 storm events reveals that the landscape changes caused an increase of 0.28  
14 m (12%) in the 100-year storm tide, even larger than the influence of global sea level rise of  
15 about 0.23 m since the 1870s. Specific anthropogenic changes to estuary depth, area and inlet  
16 depth and width are shown through targeted modeling and dynamics-based considerations to  
17 be the most important drivers of increasing storm tides.

18

19 **Keywords:** Estuary; storm surge; geomorphology; habitat; hazard assessment; dredging;  
20 landfill; Jamaica Bay, New York

21

22 **1. Introduction**

23

24 The characteristics of storm tides and the probability of flooding depend on both far-field  
25 forcing (meteorological, tidal) and on local characteristics (bathymetry, bottom roughness,  
26 floodplain size). Therefore, changes to local mean sea level, shipping channel depths, wetland  
27 land cover, and storm intensities, sizes, speeds, and tracks can all potentially alter system  
28 response and flood probabilities. Recent non-stationary, probabilistic hazard assessments have  
29 demonstrated spatially coherent variability in common storm tides (Marcos et al., 2015), as well  
30 as extreme storm tides (Wahl and Chambers, 2016), and have begun revealing the climate  
31 modes (e.g., NAO and ENSO index) that modulate storm tides in some regions. Similarly, long  
32 term cycles in astronomic forcing (e.g., the 18.6-year nodal cycle) affect both nuisance flooding  
33 (Ray and Foster, 2016) and the probability of high impact events (Talke et al., 2018). In some  
34 estuaries, such as Boston Harbor, flood hazard remains statistically stationary after accounting  
35 for sea-level rise and tidal variability (Talke et al., 2018). In others, flood hazard is non-  
36 stationary. For example, a recent study of New York Harbor (NYH) showed an increase in the  
37 10-year storm tide of 0.28 m since the mid-1800s in addition to the local relative sea level rise  
38 of 0.44 m (Talke et al., 2014).

39

40 Climatic and astronomical variability in hydrodynamic forcing coincides with several centuries  
41 of human-induced geomorphic change to estuaries and harbors (e.g., Sanderson, 2009;  
42 Grossinger, 2001; Talke et al., 2018; Jaffe et al., 1998). Wetlands have been reclaimed; in NYH, a




1 typical case, approximately 80% of pre-development wetlands have been lost (USACE, 2009).  
2 Harbors and estuaries have been deepened, with the controlling depth of channels often  
3 doubled or even tripled (Orton et al., 2015; Familikhalili and Talke, 2016; Ralston et al., 2019;  
4 Helaire et al., in press; Chant et al., 2011). Coastal boundaries have been hardened and raised,  
5 preventing overland flooding except in extreme cases. Natural wave breakers have been  
6 destroyed, including oyster reefs that may have once reduced coastal wave energy in New  
7 York's outer harbor by between 30 and 200% (Brandon et al., 2016).

8  
9 The sum effect of changing bathymetry is an altered hydrodynamic regime, with effects on  
10 astronomical tides, storm surges, and morphodynamic feedbacks (e.g., de Jonge et al., 2014;  
11 Chernetsky et al., 2010; Talke and Jay, 2020). A study of the Cape Fear Estuary showed that tide  
12 range had doubled since the 1880s in Wilmington, NC, due to a doubling of the shipping  
13 channel. Moreover, idealized modeling showed that a ~0.5 to 2 m storm surge increase at  
14 Wilmington across a variety of hurricane intensities (Familikhalili and Talke, 2016). Model  
15 simulations of Hurricane Katrina's flooding with present-day versus estimated historical  
16 conditions (ca. 1900) suggest that wetland loss exacerbated flooding well beyond the influence  
17 of sea level rise (Irish et al., 2014). Within the Hudson River estuary, Ralston et al. (2019)  
18 showed that a doubling of channel depth near Albany (NY) more than doubled tide range and  
19 increased the magnitude of storm surge compared to 19<sup>th</sup> century conditions. Within New York  
20 Harbor, deepening of the inlet produced a smaller shift in the lunar semidiurnal tidal  
21 constituent amplitude of 7% at The Battery (Ralston et al., 2019). Within nearby Newark Bay  
22 and the Passaic River, tides have been amplified by ~10% over the past century, reflecting a  
23 change in the controlling channel depth at some locations from ~3 to 15 m (Chant et al., 2011).  
24 In parts of Jamaica Bay, another sub-embayment of New York Harbor, tide range changes are  
25 much larger and have grown by 41%, from 1.16 m in 1899 to 1.64 m in 2007 (Swanson and  
26 Wilson, 2008). Numerical experiments within Jamaica Bay suggest that individual storm tide  
27 events such as Hurricane Sandy are quite sensitive to depth modifications (Orton et al., 2015).  
28 However, the implications of historical channel deepening and land cover changes on flood  
29 hazard have not yet been quantified through a probabilistic assessment.

30  
31 In this contribution, we investigate the influence of extreme changes in bathymetry and  
32 wetland cover on storm tide hazard. Jamaica Bay, New York, was a back-bay lagoonal system  
33 that was converted to a deepwater port (Sanderson, 2016; Swanson and Wilson, 2008; Seavitt  
34 et al., 2015; Swanson et al., 2016). Although the system's morphology was evolving in the 18<sup>th</sup>  
35 and 19<sup>th</sup> centuries and possibly earlier, the most dramatic alterations occurred in the early 20<sup>th</sup>  
36 century (Black, 1981). The Jamaica Bay Improvement Commission (1907) proposed to  
37 reconfigure the bay into a port (**Figs. 1-2**), and The River and Harbor Acts of 1910 and 1925 set  
38 in motion a plan to reconfigure the entrance channel to a depth of at least 9 m and width of  
39 450 m, protected by jetties. Groins were placed along the seaward-side of the Rockaway  
40 Peninsula (labeled in Fig. 1 as "Rockaway Beach") and a jetty constructed at the tip to stabilize  
41 the barrier island (Hess and Harris, 1987). The bay's perimeter channels were extensively  
42 dredged for several decades, and dredged sediments were used for landfill development over  
43 the fringe wetlands surrounding the bay, creating neighborhoods and the Floyd Bennett Field  
44 airport (Black, 1981). At mid-century, additional dredging and landfill occurred at the




1 northeastern end of the bay, for creation of John F. Kennedy (JFK) International Airport, leaving  
2 “borrow” pits that today are up to 15 m deep. As the 20<sup>th</sup> Century progressed, the port was  
3 never realized, and the primary port for the region ended up across New York Harbor in Newark  
4 Bay.  
5  
6 Here we present a quantitative assessment of Jamaica Bay landscape changes and use  
7 retrospective modeling to estimate the impacts on storm tides and flooding. A detailed  
8 hydrodynamic model of the 1870s was developed based on maps of bathymetry and seabed  
9 characteristics, for use alongside an existing present-day model. Modeling of 144 storm tide  
10 events for both the 1870s landscape and the present-day landscape is used to develop a  
11 probabilistic flood hazard assessment. We show that manmade geomorphic changes in Jamaica  
12 Bay have produced an important and heretofore under-appreciated and unquantified increase  
13 in storm tides. Given the environmental and societal value of the Jamaica Bay wildlife refuge,  
14 JFK Airport, the Gateway National Recreation Area, several city and state parks, and the lives of  
15 the hundreds of thousands of people in flood zones around the bay, our results have  
16 implications for the future management of the system.  
17



18  
19  
20 **Figure 1:** An 1888-1889 survey map of Jamaica Bay, in southeast New York City, portraying the  
21 morphology and marsh cover (blue hatching). The map is excerpted from Powell (1891) and the  
22 “x” marks the Holland House pier tide measurement location.



1



2

3

4

**Figure 2:** Plan for converting Jamaica Bay into a port (Jamaica Bay Improvement Commission, 1907)

5

6

7

8

## 2. Methods

9

10

11

12

13

14

15

16

### 2.1 Jamaica Bay landscape reconstructions

17

18

19

20

21

22

23

Although maps and charts of the Jamaica Bay landscape extend back to the 17<sup>th</sup> century (Sanderson, 2016), the first thorough bathymetric and topographic maps were made by the US Coast Survey between the 1840s and 1870s. The first tidal measurements also date from this period (e.g., Talke and Jay, 2013). Because the 1870s time period pre-dates most channel deepening, this period constitutes a good proxy for conditions prior to major 20<sup>th</sup> century anthropogenic modifications.



1 To develop numerical models of the “present-day” and 1870s conditions, we first created  
2 digital elevation models and land cover maps at 30 m resolution. The domain extends eastward  
3 and northward to land up to 6 m navd88 elevation, and extends westward past Coney Island.  
4 The landscape reconstruction from the 1870s forms a way-point between the pre-European  
5 landscape of c. 1609 and modern conditions (Sanderson, 2016). Since no bathymetric data are  
6 available from before the 19<sup>th</sup> century, comparisons between the 1600s and 1800s are  
7 qualitative (See **Sect. 4.3**).

8

#### 9 *2.1.1 Present-day landscape*

10 The present-day digital elevation model is based (by order of preference) on United States  
11 Geological Survey (USGS) bathymetric/topographic data collected by LIDAR in 2013–2014,  
12 slightly older data collected in 2007–2008 by Flood (2011), and older National Oceanic and  
13 Atmospheric Administration bathymetric survey data for a few remaining small areas of the  
14 Bay. The LIDAR data cover dry land, marsh islands, and shallow waters (shallower than  
15 approximately 2 m) and the Flood (2011) data cover the navigation channel and other deep-  
16 water regions. Bare-earth land elevations in populated areas are based on 2010 New York City  
17 LiDAR data. Present-day land cover data for the Jamaica Bay watershed at 30 m resolution are  
18 from the 2011 National Land Cover Dataset (NLCD), as described in Homer et al. (2015).

19

#### 20 *2.1.2 Historical landscape data*


21 Bathymetric and benthic character data for the 1870s model are from a pair of H-sheets from  
22 1877 and 1878 for Jamaica Bay: Maynard (1877) and Moore (1878). The Maynard (1877) survey  
23 was drawn at 1:5,000 scale, while the Moore (1878) survey was drawn at a scale of 1:10,000.  
24 Both show grids of depth surveys, with parallel lines approximately 100 m apart, and with  
25 sounding data approximately every 20 m (**Fig. 3**). Moore (1878) includes depth contour lines  
26 that mark out channels between the marshy islands and other underwater features. While  
27 earlier H-sheets depicted the bathymetry of Rockaway Inlet and Broad Channel, the Maynard  
28 (1877) and Moore (1878) manuscript maps are the first to depict the bathymetry of the entirety  
29 of Jamaica Bay. Approximately 20,000 individual sounding points were digitized to describe the  
30 interior of the bay. Raw data were corrected for tidal stage and reduced to the Mean Low  
31 Water datum, based on local tide gauge measurements. Since we have recovered and digitized  
32 these hand-collected tide records from the US National Archives (see e.g., Talke and Jay, 2017),  
33 we are able to validate our model results for the historical model against contemporary 1870s  
34 data (see **Sect. 2.2**).

35

36 Topographic and land-cover data were digitized and synthesized from T-sheets and other  
37 surveys drawn by Bien and Vermule (1891a), Bache (1882), Bien and Vermule (1891b), Dorr  
38 (1860), Gilbert (1855), Gilbert (1856a), Gilbert (1856b), Gilbert and Sullivan (1857), Jenkins  
39 (1837a, b), Powell (1891), and Wilson (1897). Historic maps and charts were georeferenced  
40 using a first order rectification to the modern city grid with less than 50 m root mean square  
41 error, using control points located at road intersections, buildings, railroads, or other features  
42 that are present historically and can be located today. To reduce to a common datum and  
43 assess temporal evolution, we tracked the datum of each map or chart and the publication  
44 date.



1



2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

**Figure 3:** Detail view of two portions of the 1877 survey dataset (left) at Rockaway Inlet (at bottom left of Figs. 1-2) and (right) a shallow bay area with mud, sand and grass areas (Maynard, 1877). Shown are measured depths (in feet) and bottom characterization notes (e.g. “sft” for soft, “hrd” for hard, “gy” for gray, “S” for sand, “M” for mud, and “Grass” likely for eelgrass beds), with typical spacing of 100-150 m. The mapped area on the right is now covered by fill and a former airport, Floyd Bennett Field.

Because historical surveys usually neglected intertidal areas, we use inferential techniques to approximate the historical elevations within this region, using known plant-cover data. Specifically, the present-day vertical zonation of salt marshes around New York City was used to approximate the historical elevation of marshes. The seaward extent of salt marsh was assumed to represent the mean sea level (the lower edge of the low salt marsh; Edinger, 2014), while the landward edge was assumed to represent the extent of high tide flooding (the upper edge of the high salt marsh; Edinger, 2014). Locations where maps showed a contour between low and high salt marsh were assigned an elevation equal to mean high water.

Vertical datum adjustments were made by relating the topographic zero of each map and chart to the relative sea level reconstruction (RSL) provided by Kemp & Horton (2013). They studied foraminiferal assemblages over the past two centuries from salt marsh sediment in nearby Barnegat Bay, New Jersey. Their results were used to identify RSL in the southern coastal New York City at the time the map or chart represents. To estimate the NAVD88 elevation of the topographic zero for the map, we noted that the Kemp & Horton (2013) study places the 0 level of their RSL reconstruction at 0.10 meter above mean sea level in Barnegat Bay, which was converted to NAVD88 using NOAA Tides & Currents adjustment values for Barnegat Inlet (Station 8533615).

Raster digital elevation models (DEM) were created in ArcGIS 10.3 with the “Topo to Raster” interpolation method to create hydrologically correct DEMs (ESRI, 2016). In addition to contour



1 line and point elevation data, historical stream and pond data were also added. To preserve the  
2 winding characteristics of marsh creeks during the interpolation, creek beds were converted to  
3 point features and their elevation was set at the Mean Low Water datum of the appropriate  
4 date.

5

## 6 **2.2 Flood and tide modeling and validation**

7 A hydrodynamic model was applied to the historical and modern “landscapes” (land surface  
8 elevation and roughness) and used to simulate an ensemble of storm tides following the  
9 methodology of Orton et al. (2016b). The hydrodynamic model sECOM provides validated and  
10 accurate (Georgas et al., 2014; Orton et al., 2012) ensemble 3D storm tide predictions as part of  
11 the NY Harbor Observation and Prediction System (NYHOPS; Georgas and Blumberg, 2010) and  
12 the Stevens Flood Advisory System (Jordi et al., 2018). The Jamaica Bay model grid was a 30 by  
13 30 meter, square-cell grid (Orton et al., 2015). This grid was doubly-nested inside two larger  
14 model domains that represent (1) the regional coastal ocean and estuaries from Maryland to  
15 Cape Cod, and (2) the Atlantic Ocean from Cape Hatteras to Nova Scotia (Orton et al., 2016b).  
16 Storm meteorological forcing for the regional and large-scale grids was spatially and temporally  
17 variable, and is described in Orton et al. (2016b) and the next section.

18

19 Simplifying assumptions are used for the model simulations on the Jamaica Bay grid for  
20 computational efficiency in simulating a large number of storms. While the regional coastal and  
21 estuary modeling used 3D simulations, the model’s two-dimensional (2D) mode was used for  
22 Jamaica Bay (e.g., Orton et al., 2015). This is a common practice in estuary storm tide modeling  
23 (Famikhali and Talke, 2016; Kennedy et al., 2011). While stratification can have a small  
24 influence on storm tides in stratified estuaries (Orton et al., 2012), Jamaica Bay has limited  
25 freshwater input and weak stratification (Marsooli et al., 2018). A wave model is not coupled  
26 with the hydrodynamic model, for computational efficiency and because our focus here is on  
27 storm tides and “still water” elevations. The broad shallow continental shelf at the Apex of New  
28 York Bight leads to relatively small impacts of waves on estuary storm tide temporal maxima  
29 (e.g. due to wave set-up; Marsooli and Lin, 2018; Lin et al., 2012). Lastly, the time-varying  
30 meteorological forcing was assumed spatially constant on the Jamaica Bay grid, because the  
31 bay is only ~10 km wide.

32

33 The gridded land elevation and land cover type datasets for the 1870s and present-day were  
34 interpolated onto the model grid to create land elevation and Mannings- $n$  roughness model  
35 input files. The 30-meter resolution modeling does not resolve fine-scale features such as  
36 elevated seawalls, though they are rare in this area. In 2D tide and storm surge modeling  
37 studies, a common simplified approach (Irish et al., 2014; Mattocks and Forbes, 2008; Szpilka et  
38 al., 2016) to representing the effects of wetlands and other natural features is to treat them as  
39 enhanced landscape roughness features, through a variable called Mannings- $n$ . Reasonable  
40 estimates for Mannings- $n$  values are 0.045 for intertidal wetlands and eelgrass (*Zostera Marina*)  
41 beds, 0.020 for unvegetated continental shelf and estuary substrate, and 0.10 and 0.13 for  
42 medium and high intensity developed land, respectively (Mattocks and Forbes, 2008). This  
43 approach has previously been applied to Jamaica Bay (Orton et al., 2015).

44



1 Depending on purpose, different mean sea-levels were used in the study. To determine habitat  
2 and tidal datum changes, we run tide-only simulations using the mean sea level that existed for  
3 a given landscape year. Storm simulations for both the modern and historic (1870s) period use  
4 2015 mean sea level, to quantify the effect of landscape change on flood hazard and isolate this  
5 process from the effect of sea level change. Mean sea level for the 1870s was -0.28 m (Kemp  
6 and Horton, 2013) and in 2015 was +0.09 (based on smoothed recent trends), both relative to  
7 the 1983-2001 MSL datum at The Battery (NOAA station 8518750). These values are -0.37 and  
8 0.00 m NAVD88, respectively, based on conversions for the Jamaica Bay Inwood tide gauge  
9 (USGS station 01311850). An elevated (or reduced) mean sea level was imposed as a constant  
10 offset to a given simulation's offshore elevation boundary conditions at the edge of the Jamaica  
11 Bay grid. This is a reasonable simplification here because recent work showed virtually no  
12 change to tides at nearby Sandy Hook (NOAA station 8531680) when there is sea level rise  
13 (below a 1% change to tide range per meter of sea level rise Kemp et al., 2017).

14  
15 Tide-only simulations for 1878 were run for a 40-day period that overlapped with water level  
16 observations made from 13 August 1878 through 21 September 1878 at a pier on the north side  
17 of the Rockaway Peninsula (**Fig. 1**). The tide simulation for the present-day covers a 35-day  
18 period from 1 August 2015 through 5 September 2015. Since wind-forcing during the late  
19 summer is typically weak, these tide-only simulations are useful for direct validation of the  
20 model.

21  
22 Model validations were performed for the 1870s era model, and the present-day model was  
23 previously validated (Orton et al., 2015). The prior storm validation of the present-day model  
24 for Hurricane Sandy showed a time series RMSE of 20 cm and high water mark RMSE of 19 cm  
25 (Orton et al. 2015). The tidal validations here use summertime periods without strong wind  
26 influences, and modeled time series were compared to observations for both 1878 and 2015  
27 using RMS error and the Willmott skill (e.g., Warner et al., 2005). The 2015 period included  
28 7920 samples taken at 6-minute intervals over a 33-day period at the Inwood USGS gauge  
29 station. The 1878 period included only daytime measurements, with 2438 samples taken at 10-  
30 minute intervals over a 37-day period at the Holland House pier on the north side of Rockaway  
31 Peninsula. The mean error is subtracted before computing statistics to account for possible  
32 remote sea level anomalies or steric sea level variations, and because the 1878 tide staff datum  
33 is poorly known. The results for the tide modeling time series validation for 1878 were 0.09 m  
34 RMS error and 0.991 skill, while the results for the 2015 period were 0.09 m RMS error and  
35 0.989 skill.

36  
37 Historic and modern tidal datums, tidally wetted area and intertidal zones were assessed by the  
38 following methodology. First, simulated water levels after a 2 day spin-up period were  
39 harmonically analyzed (Pawlowicz et al., 2002) at historic gauge locations. A year-long synthetic  
40 tide time series was then produced, using appropriate nodal corrections, and once and twice-  
41 daily water level minima and maxima were compiled and averaged to compute tidal datums  
42 such as MLLW and MHHW. The tidally-wetted area was then defined as the area wetted at high  
43 tide in Jamaica Bay after MHHW conditions at Rockaway Inlet. The intertidal area is similarly



1 defined as the difference between the tidally-wetted area and the area flooded at the low tide  
2 occurring after a predicted MLLW tide at Rockaway Inlet.

3

#### 4 **2.3 Probabilistic flood hazard assessment**

5 A probabilistic flood hazard assessment was used to quantify the annual probabilities of  
6 exceedance (or inversely, the return periods) for any given storm tide. We applied the storm set  
7 and statistical framework utilized by Orton et al. (2016b), which employed a joint probability  
8 method of flood hazard assessment that is an ensemble simulation of a diverse set of possible  
9 storms (the storm climatology) including both synthetic tropical cyclones (TCs; e.g. hurricanes)  
10 and historical extratropical cyclones (ETCs; e.g. nor'easters). The synthetic TCs spanned all  
11 combinations of a complete range of intensities (6 bins), sizes (3), speeds (3), landfall locations  
12 (5) and angles (3), and each simulated TC had an estimated annual frequency of occurrence  
13 based on an extensive simulation with a statistical-stochastic TC model (Hall and Yonekura,  
14 2013). The wind and pressure meteorological forcing for ETCs was historical reanalysis data  
15 from Oceanweather, Inc., whereas the forcing for TCs came from simplified parametric TC  
16 models. The assessment methods were validated by comparison to historical data at multiple  
17 levels of the study, demonstrating unbiased storm tide simulations and storm tide hazard  
18 estimates (versus return period), relative to historical events (Orton et al., 2016b). Additional  
19 details of the assessment, including historical data, validations, storm climatology development,  
20 statistical analysis and uncertainty quantification are given in Orton et al. (2016b). The storm  
21 tide modeling results from the larger-scale model grids in this prior study were applied as  
22 offshore boundary conditions to the Jamaica Bay domain simulations for the present study.

23

24 Some simplifications of the application of the Orton et al. (2016b) flood hazard assessment to  
25 our Jamaica Bay submodels are noted here. The prior flood hazard assessment included 1516  
26 storm simulations (606 TCs, and 910 ETCs), but we use an abbreviated storm set to reduce the  
27 computational expense. The abbreviated set of 80 ETCs includes all the same storm events, but  
28 fewer random tide permutations for each storm. The abbreviated set of 64 TCs includes a range  
29 of storm tide events from low to high magnitude (1.5 to 6.0 m). Model results for simulated TC  
30 events at a given magnitude are then used as a proxy for all the events at that magnitude. A  
31 statistical comparison of the abbreviated versus full storm set showed minor differences of less  
32 than 5% across 5-year to 500-year storm return periods, validating our approach. The historic  
33 and modern model landscapes are subjected to the same set of storms, and therefore any  
34 differences in storm tide hazard reflect geomorphic changes rather than artifacts of the  
35 simplified hazard assessment.

36

37

### 38 **3. Results**

39

40 Our digitization of the historical landscape shows that changes to Jamaica Bay land cover and  
41 elevation since the 1870s are dramatic, with widespread urbanization of upland areas and  
42 marshlands that once surrounded the bay. Maps of estimated Jamaica Bay area land cover for  
43 the present-day and 1870s periods are shown in **Fig. 4**. The most dramatic land cover change is  
44 from large areas of fringing wetlands (light blue) to urbanized areas (red), but also the center of




1 the bay has shifted from marshes to open waters (dark blue). Mapped land elevations  
2 (topography, bathymetry) and Mannings-n roughness values are shown in **Fig. 5**. Obvious  
3 geomorphic changes include a lengthening of Rockaway Peninsula and reconfiguration of the  
4 inlet (bounded by red lines). The land roughness (Mannings-n) change reflects the widespread  
5 change from marshes (light blue) to urbanized land (red) or open water (dark blue). These  
6 changes in habitat type are quantified in **Sect. 3.1**, below.

7

8 Simulations suggest that the mean water depth in Jamaica Bay has increased by either 2.8 or  
9 3.1 m, with the exact result dependent on how calculations are made. If only wetted regions  
10 are included in the average, water depth in Jamaica Bay increased from 1.7 m to 4.5 m between  
11 the 1870s and 2015; of this change, 0.37 m can be attributed to sea-level rise. If the entire  
12 tidally-wetted bay area is used in an average (with dry grid cells included as zero depth), a  
13 historical and modern mean depth of 1.1 m and 4.2 m is found. Our values are consistent with,  
14 and improve upon, the approximate estimate of a historical change from 1 m to 5 m made by  
15 Swanson et al. (1992). In conclusion, our results show a large historical change in bay-wide  
16 mean depth, but slightly smaller than prior studies have suggested. A detailed analysis of areal  
17 changes to various types of habitat is given in **Sect. 3.2**.


18

19



20

21



1

2

**Figure 4:** Land cover of the Jamaica Bay watershed (top) reconstructed for the 1870s, and  
(bottom) for present-day.

3

4

5

### 3.1 Habitat changes

6

7

The surface areas of many habitat types have changed dramatically since the 1870s, in spite of  
an only 23% reduction in interior bay area wetted by average daily high tides (**Table 1**). The  
reduction in total area is caused by the reclamation of fringing flood-plain and marshlands, but  
is partially offset by a growth of the bay westward due to an increase in inlet length.

10


11

12

Total marsh area has declined by 76%, eelgrass area by 100%, intertidal unvegetated area by  
72%, and total intertidal area by 73%. The deepwater area (>4 m) has increased by 314% (or  
alternatively, the 1870s had 76% less deepwater area than the present). The estimates for  
wetland area and loss are nearly identical to the prior estimate of a loss of 75% from 64 km<sup>2</sup> to  
16 km<sup>2</sup> (NYC-DEP, 2007), but here we provide greater context of changes to other habitat types.  
The habitat type changes are computed within the differing bay interiors for the 1870s and  
present-day, as enclosed by red line inlet boundaries shown in the top panels of **Fig. 5**.

17

18



1  
 2  
 3  
 4  
 5  
 6  
 7  
 8  
 9

**Figure 5:** 1870s and early twenty-first century landscape data used as inputs to the hydrodynamic model. On the **top** are land elevation maps, and on the **bottom** are land-cover roughness (Mannings-n) maps. The **left column** shows the 1870s and the **right column** shows the present-day landscape. Red lines delineate the inlet boundary for defining the interior of the bay and tidal prism.

10 **Table 1:** Estuarine habitat types and their area for the 1870s and present-day

11

Landscape	Total marsh area <sup>a</sup> (km <sup>2</sup> )	Eelgrass area (km <sup>2</sup> )	Intertidal-unvegetated (km <sup>2</sup> ) <sup>b</sup>	Total intertidal area <sup>b</sup> (km <sup>2</sup> )	Deep area (>4 m) (km <sup>2</sup> )	Interior bay area <sup>c</sup> (km <sup>2</sup> )
Basis	map data	map data	map data, tide simulation	tide simulation	map data	map data
1870s	61.3	16.5	17.3	51.5	6.6	92.4
Present-day	14.9	0	4.9	14.0	27.7	71.5
Change	-46.5 (-76%)	-16.5 (-100%)	-12.4 (-72%)	-37.5 (-73%)	20.9 (314%)	-20.9 (-23%)

12  
 13  
 14  
 15  
 16

a: Includes all saline marsh and freshwater marsh within the model domain, some not tidal  
 b: Intertidal area is the difference in area wetted by MHHW and MLLW, based on modeling (Sect. 2.2)  
 c: Interior bay area is the wetted area at MHHW, based on modeling (Sect. 2.2)



1


### 2 **3.2 Storm tide changes**

3 The flood hazard assessment shows similar basic features as found in the prior study of New  
4 York Harbor from which methods and offshore model boundary conditions were taken (Orton  
5 et al., 2016b). The estimated storm tide for return periods below 30 years is determined  
6 predominantly by the relatively frequent extratropical cyclones, and the curve (**Fig. 6**) has a  
7 relatively small slope of storm tide with increasing return period. For return periods above 30  
8 years, tropical cyclones become increasingly important and the slope abruptly increases at  
9 about the 70-year return period.

10

11 The results reveal that storm tides are markedly larger on the present-day landscape than the  
12 historical landscape across a wide range of return periods (**Fig. 6; Table 2**). Holding sea-level  
13 constant at 2015 levels, the modern 10-year and 100-year storm tides of 2.02 and 2.66 m are  
14 larger than historical simulations by 0.20 m and 0.28 m, respectively, at the eastern end of the  
15 bay (Inwood). By contrast, sea-level rise effects are small; when we simulate storms on the  
16 1870s landscape with the 1870s sea level, the 100-year storm tide difference increases by 0.02  
17 m to 0.30 m. The increase in storm-tides is attributable to decreased frictional effects, which  
18 scale as  $1/H$  (e.g., Friedrichs & Aubrey, 1994). Because the  $\sim 3$  m increase in average depth  
19 caused by landscape changes is much larger than the  $\sim 0.37$  m increase in sea-level, landscape  
20 changes dominate long term changes to flood hazard.

21



22

23 **Figure 6:** Storm tide exceedance curves for the 1870s and present-day Jamaica Bay landscapes,  
24 for Inwood. Storm tide is the water level above mean sea level (MSL), and storms for both cases  
25 were simulated with 2015 MSL.



1  
2  
3

**Table 2:** Storm tide elevation and flood area for 1870s versus present-day landscapes<sup>a</sup>

Landscape	10-year Storm tide (m)	100-year Storm tide (m)	10-year Flood area (km <sup>2</sup> )	100-year Flood area (km <sup>2</sup> )
1870s	1.82	2.38	279	284
Present-day	2.02	2.66	226	243
Change	0.20 or 11%	0.28 or 12%	-53 or -19%	-41 or -14%

4  
5  
6

a: These are tallied across the entire model domain

7

8 Storm tides for the 1870s landscape are seen to clearly decrease with distance into the bay,  
9 with the 100-year flood elevation declining from 2.54 m outside the inlet to 2.42 m in the  
10 eastern part of the bay (**Fig. 7**). By contrast, present-day storm tides (and tides) amplify within  
11 the bay, and therefore the 100-year flood hazard increases from 2.56 (outside the inlet) to 2.70  
12 m (eastern bay).

13 Increases in storm tide magnitudes in the bay do not necessarily lead to increases in flooding  
14 extent. While **Fig. 6** shows that storm tides are increased substantially by the landscape  
15 changes from the 1870s to present, **Fig. 7** demonstrates that the flooded area has substantially  
16 decreased for the 100-year flood. **Table 2** shows that the 100-year flood area decrease is 41  
17 km<sup>2</sup> and the 10-year flood area decrease is 53 km<sup>2</sup> across the model domain (both including the  
18 Coney Island and the Jamaica Bay areas). The simple explanation for this is that fringing  
19 marshes across the region that were -0.25-0.50 m NAVD88 elevation in the 1870s were  
20 converted using landfill into elevated neighborhoods and airports at 1.5-3.0 m NAVD88, and  
21 thus are above this extra 0.20-0.28 m of storm tide. Similarly, for the United Kingdom the  
22 frequency of extreme sea level events increased over the last 100 years, yet coastal flooding  
23 hasn't increased (Haigh and Nicholls, 2017) because of improvements in forecasting/warning  
24 and flood defenses.

25 It was previously established that the bay's tide ranges have grown substantially (Swanson and  
26 Wilson, 2008), and we find similar results. Averaging high and low waters for daytime minima  
27 and maxima in 1878 over 37 days gives an observed tide range of 1.35 m, while observations  
28 for the entire year 2015 show a tide range of 1.73 m. This increase of 28% is smaller than the  
29 prior estimate of the tide range change from 1899 to 2000 from Swanson and Wilson (2007),  
30 which was 1.16 m to 1.64 m or 41%. However, the 1878 measurements are for a location at  
31 mid-bay (Holland House), whereas the 1899 measurements are for the easternmost end of the  
32 bay (Inwood or Norton Point), where tide attenuation (e.g. due to narrow, shallow channels  
33 and wetlands) was likely more pronounced.

34



1 **4. Discussion**

2

3 In recent centuries, human activities have greatly modified the geomorphology and ecology of  
4 coastal regions, yet studies of historical and possible future changes in coastal flood extremes  
5 typically ignore the influence of geomorphic change (e.g., Lin et al., 2016; Orton et al., 2019).  
6 Jamaica Bay exemplifies an extreme case of “estuary urbanization” marked by land-fill, diking,  
7 channel deepening, and wetland loss (e.g., Marsooli et al., 2018). The upland changes reflected  
8 in **Figs. 4-5** and **Table 1** include widespread landfill and urbanization of fringe wetlands, the  
9 most visible result of these activities. Our results show that urbanization extends below the  
10 estuary water surface, with deepening of channels for shipping and excavation of borrow pits  
11 for landfill. The primary insight from this study that estuary urbanization amplifies storm tides  
12 likely applies to many urban sub-embayments worldwide, since basin engineering and wetland  
13 landfill for port development is globally a common and ongoing process (e.g., Murray et al.,  
14 2014; Paalvast and van der Velde, 2014; Schoukens, 2017).


15

16 Further analyses described below (**Sect. 4.1**) demonstrate that the specific changes to the bay  
17 that amplify storm tides (channel, inlet depths and widths, landfill) were all directly imposed by  
18 humans. Some contribution of the landscape and storm tide changes, such as the wetland  
19 erosion in the center of the bay, may be influenced by natural erosion or changing sediment  
20 supply (Peteet et al., 2018; Hu et al., 2018; Wang et al., 2017). However, the complex  
21 morphologic study required to separate these human and natural factors is beyond the scope  
22 of the present study. A broader discussion of the influence of the landscape changes on  
23 estuarine conditions and processes is given below (**Sect. 4.2**). Broader discussions of the multi-  
24 century landscape change at Jamaica Bay (**Sect. 4.3**) and the general implications of these  
25 results for dredged harbors and urbanized estuaries (**Sect. 4.4**) are also included herein.

26

27 **4.1 Anthrogeomorphic amplification of storm tides**

28 The 1870s landscape mitigates storm tide elevations (**Fig. 6**) and damps them as they propagate  
29 into the bay (**Fig. 7**) by several potential mechanisms. First, the natural floodplain acts as a  
30 storage reservoir, allowing a given volume of water to spread over a larger area, but rising to a  
31 lesser vertical extent, than a confined (modern) system. Second, as also pointed out in Orton et  
32 al., (2015), the shallower historical channels and larger regions with marsh vegetation produced  
33 a more frictional environment that can damp long-waves such as tides and storm surge. Third,  
34 the shallower and narrower inlet may have altered the impedance of the storm surge into the  
35 estuary.



**Figure 7:** Maps of the 100-year flood for the present-day and 1870s landscapes. In both cases, floods were simulated with a 2016 mean sea level.




1 Simple “leverage experiments” are next used to isolate the effects of specific historical  
2 landscape changes on the simulated water levels during a fast-moving, Category-3 hurricane  
3 that approximates an event from 1821 (Orton et al., 2015). The storm surge from this hurricane  
4 (3.4 +/- 0.4 m) likely exceeded the surge in hurricane Sandy (2.76 m), and produced water levels  
5 of ~3m above 1821 mean sea-level despite occurring near low tide (Orton et al., 2016b).  
6 Meteorological forcing for the simulations was created from parametric models (Orton et al.,  
7 2015). The following experiments were performed using modifications to the modern-day  
8 landscape to mimic the historical landscape’s main features one-by-one:

- 9 • Tapered shallowing of the channel depth from offshore (8 m) into the inlet (5 m) and  
10 into the innermost areas of the bay (1 m depth)
- 11 • Narrowing of the inlet so that its narrowest point is reduced by 50%
- 12 • Bay perimeter floodplain/wetland restoration, including reducing elevation and altering  
13 friction coefficients to represent wetland land cover
- 14 • Wetland restoration in the center of bay to the 1870s footprint
- 15 • Inclusion of additional roughness, to mimic effect of eelgrass and oyster shells
- 16 • Restoration of a shoal off the west end of Rockaway Peninsula
- 17 • Shallowing the deep borrow pit area on the northeast side of the bay
- 18 • Restoration of the landform to the north of the inlet to wetlands
- 19 • Narrowing channels on the interior of the bay

20  
21 Three of the leverage experiments led to large reductions in hurricane storm tide. The tapered  
22 shallowing leads to a change in the peak hurricane storm tide of -56 cm or -23% (**Fig. 8ab**). The  
23 inlet narrowing leads to a change of -19 cm or -8% (**Fig. 8cd**). Bay perimeter floodplain/wetland  
24 restoration results in a change of -13% (**Fig. 8ef**). All the other landscape changes showed  
25 smaller impacts, indicating that they likely play little role in the long-term changes to storm  
26 tides. For example, extensive wetland restoration in the center of the bay only leads to a  
27 change in peak storm tide of only -2%, because deep shipping channels around the wetlands  
28 are the primary conduit for flood waters (Orton et al., 2015). A small rise in Mannings-n to  
29 0.025 (mimicking scattered areas of lost eelgrass or shells) reduced the peak by -3%. The other  
30 changes also had relatively minor effects.

31  
32 Scaling suggests that the conveyance of long waves (e.g. storm surges, tides) through an inlet  
33 into a lagoonal estuary depends on the inlet choking number  $P = \left( \frac{gb^2H^3T^2}{C_dL\eta A_e^2} \right)^{1/2}$ , i.e., on the drag  
34 coefficient ( $C_d$ ), inlet width ( $b$ ), length ( $L$ ), depth ( $H$ ), tide or surge amplitude ( $\eta$ ), the long-wave  
35 period ( $T$ ), and estuary surface area ( $A_e$ ) (e.g., MacMahan et al., 2014; Stigebrandt, 1980). For  
36 decreasing value of  $P$ , the inlet is increasingly “choked”, meaning that long-wave amplitudes  
37 strongly decrease entering the lagoon. For low values of  $P$  (below 5), choking becomes  
38 important, and for high  $P$  (above 10), the inlet geometry is unimportant (Stigebrandt, 1980).  
39 The dependence of  $P$  on  $H^{3/2}$  conveys a strong sensitivity to water depth, and dependencies on  
40  $b$  and  $A_e$  convey modest sensitivities to inlet width and estuary area.

41



1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22

**Figure 8:** Results of “leverage experiments” used to isolate the effects of specific historical landscape changes, testing their influence on the storm tide for a Category-3 hurricane. The left panels (a,c,e) show the imposed changes made to the present-day landscape, where the black line shows the present-day coastline. The right panels (b,d,f) show the resulting modeled storm tide changes. The top row is channel shallowing, middle row inlet narrowing, and bottom row interior floodplain restoration.

Our landscape reconstruction and numerical results suggest that the choking of long waves at Rockaway Inlet has been strongly reduced. For typical tides, we estimate that  $P$  increased from 4.5 in the 1870s to 13 at present. For a large amplitude, short-timescale storm surge such as the 1821 hurricane,  $P$  has changed from 0.69 to 2.0. These changes are driven by a 41% increase in inlet’s average depth (from 6.0 to 8.5 m), and 50% increase in average width (from 1000 to 1500 m), and a 23% reduction in bay area. A lengthening of the inlet (from 6600 to 9900 m) due to the growth of Rockaway Peninsula slightly counteracts these effects on choking number, however. Measured at its minimum along-inlet location, there is an 85% increase in the cross-sectional area of the inlet, from 4800 to 8900 m<sup>2</sup>. Reflection and possibly resonance likely play a role in the amplification of tides in the present-day estuary, whereas the shallow water depths and frictional effects of fringing wetlands would also reduce these effects in the 1870s system.



1 The dependence of the inlet choking number on both geometric properties and long-wave  
2 characteristics helps interpret numerical results. Changes to inlet geometry and channel depth  
3 have most strongly changed the large impact, high amplitude storm surges caused by TCs such  
4 as the 1821 event. Smaller amplitude events caused (e.g. ETCs) are less likely to be affected by  
5 inlet geometry; this is one of the reasons that there is a lesser change in the 5-year storm tide  
6 than the 100-year storm tide (**Fig. 6**). The difference between the 500-year storm tide for 1877  
7 and present-day landscapes is not larger than that of the 100-year storm tide. This may arise  
8 because overtopping of Rockaway Peninsula becomes important, circumventing the inlet and  
9 invalidating the above scaling arguments.

10  
11 Similarly, the tide or surge time-scale (wave period)  $T$  impacts the conveyance of surge or tide  
12 into estuaries and back-bays (Aretxabala et al., 2017; Kennedy et al., 2011), and the damping  
13 that occurs within them (Orton et al., 2015). Slow surge events such as Hurricane Sandy (e.g.,  
14 those building to a peak over more than 18 hours) are less affected by hydrodynamic drag (due  
15 to smaller flow velocity), potentially producing more severe estuarine floods (Famikhali and  
16 Talke, 2016; Orton et al., 2015). These considerations suggest that modeling flood hazard or  
17 designing infrastructure using a representative “storm of record” can produce bias; instead,  
18 using an ensemble approach (such as used here) with both small and large time-scale events  
19 produces better results.

20  
21 The primary reasons for increased storm tides – the floodplain (bay area) reduction, inlet width  
22 and depth increases, and bay channel depth increases – were all imposed by human activities  
23 such as landfilling, dredging, inlet stabilization (e.g. with the jetties) and shoreline hardening.  
24 Therefore, we conclude that the amplification in storm tides is primarily of anthropogenic  
25 origin.

#### 26 27 **4.2 Ecological importance of landscape changes since the 1870s**

28 The present-day landscape of Jamaica Bay supports a highly eutrophic, but in many ways  
29 healthy estuarine ecosystem with oxygen levels slowly rising over recent decades (Walsh et al.,  
30 2018; NYC-DEP, 2018). However, various indicator species, particularly those that depend on  
31 intertidal habitats (e.g. diamondback terrapin) have continued declining in abundance (Walsh  
32 et al., 2018). Here, we note some likely ecological influences of the landscape and habitat  
33 changes summarized in **Figs. 4-5** and **Table 1**.

34  
35 Our landscape reconstruction confirms that the bay’s eelgrass beds have disappeared  
36 completely, and wetland area has declined dramatically since the 1800s. The wetland decline  
37 may be stopped with marsh island restoration/ reconstruction activities which have been  
38 occurring over the past decade (Seavitt et al., 2015). Eelgrass beds provide many similar  
39 ecological services in estuaries, including nursery and refuge for a diverse and dense faunal  
40 community, trapping of sediment, and erosion prevention (Orth et al., 2006). They are known  
41 to decline in eutrophic conditions due to reduced sunlight (Vaudrey et al., 2010; Orth et al.,  
42 2006). Salt marshes are widely-known for their ecological importance, including many of the  
43 same roles as eelgrass beds, but including intertidal habitat. At Jamaica Bay, this habitat serves  
44 diamondback terrapin and birds such as the sharp-tailed sparrow, egrets, herons and geese.



1  
2 Our landscape reconstruction shows that unvegetated intertidal area has decreased by 12.7  
3 km<sup>2</sup>, a loss of 74%. This change is of equal magnitude in km<sup>2</sup> to the loss of eelgrass beds (**Table**  
4 **1**). Mudflats, sandbars, oyster and mussel reefs, and other unvegetated intertidal areas are  
5 forms of “shallows”, and provide important habitat for benthic invertebrates like polychaetes,  
6 snails, clams, crabs, and blue mussels, as well as birds that feed on them such as the  
7 oystercatcher and willet. They are also used by terrapins for feeding and by horseshoe crabs for  
8 reproduction.

9  
10 The center of the bay (inside the channels that circle the bay today) has not only lost marsh  
11 islands, it has had its land elevation drop substantially, most areas by about 1 m since the 1800s  
12 (**Fig. 5**). What were once large expanses of intertidal unvegetated area have shifted to being  
13 subtidal. This drop may reduce the sediment supply to the remaining marsh islands’ substrate  
14 during storms (Wang et al., 2017). Also, an increased depth in front of the marsh can increase  
15 wave energy and promote lateral erosion (Fagherazzi et al., 2006). As a result, the loss of  
16 intertidal zones and associated increased water depths may be detrimental to the sustainability  
17 of the remaining marsh islands and their critical habitat.

18  
19 The increase from 7 to 28 km<sup>2</sup> of deep habitat areas (**Table 1**) may attract more large fish such  
20 as striped bass due to increased swimming space, the reduction in thermal variability caused by  
21 a deep water column, or stratified deep water’s lower temperature in summertime. It is  
22 unknown whether there were more or less striped bass in Jamaica Bay in the 1800s, but their  
23 presence today has the benefit of supporting a small fleet of fishing charter boats. However,  
24 there are several square kilometers of poorly-flushed deepwater regions, predominantly in  
25 Grassy Bay immediately southwest of Kennedy Airport, that are prone to hypoxia and even  
26 anoxia in late summer, providing compromised habitat area for many organisms (NYC-DEP,  
27 2018).

28  
29 Our landscape reconstruction and modeling suggest that the residence time of water within the  
30 bay has more than doubled between the 1870s and today, with potential adverse ecological  
31 implications. The residence time of water in an estuary that receives large wastewater-derived  
32 nutrient inputs like Jamaica Bay is an important control on hypoxia, with longer residence times  
33 often leading to worsened hypoxia (e.g., Sanford et al., 1992). A simple model of the residence  
34 time of a lagoonal-type estuary system is the volume of the bay divided by the tidal flux rate  
35 which is the tide prism (volume of water between mean high water and mean low water) over  
36 the tide period (12.42 hours) (e.g., Sanford et al., 1992). For the 1870s landscape and sea level,  
37 the average modeled tidal prism of the bay was 80 million m<sup>3</sup> and volume was 97 million km<sup>2</sup>,  
38 leading to a residence time of 0.62 days. For the 2015 landscape and sea level, the average  
39 modeled tidal prism of the bay was 102 million m<sup>3</sup> and volume was 290 million m<sup>3</sup>, leading to a  
40 computed residence time of 1.5 days. This simple model was shown for the modern landscape  
41 to underestimate residence times (relative to modeled tracer releases), but nevertheless shows  
42 that the changes in bay morphology lead to a substantial increase in residence time of a factor  
43 of 2-3 mainly due to the much greater volume of the present-day bay. More detailed analyses  
44 of water quality and residence time have been performed in other recent studies, and these



1 results are being reported on in separate papers but generally support this interpretation  
2 (Marsooli et al., 2018; Fischbach et al., 2018).

3

#### 4 **4.3 Earlier Jamaica Bay landscapes: The estimated 1609 landscape**

5 The 1870s landscape of Jamaica Bay was already influenced by humans. Prior to European  
6 colonization, Jamaica Bay was likely more open to the ocean, with an actively migrating inlet  
7 located further to the east, a barrier island system, extensive fringing marshlands, but far fewer  
8 marsh islands than in the 1870s (Black, 1981; Sanderson, 2016). A less well-constrained model  
9 for the pre-European landscape was also produced for this study, and modeling suggests storm  
10 tide reductions (from offshore into the bay) were caused by the landscape of the 17<sup>th</sup> century  
11 (Orton et al., 2016a). The model was based on 17<sup>th</sup> and 18<sup>th</sup> century maps that showed  
12 coastlines and major features, such as an inlet which was in the center of today's Rockaway  
13 Peninsula, and a general absence of marsh islands in the bay, calling the bay "Jamaica Sound".  
14 However, the maps did not show bathymetry measurements, and therefore the actual  
15 hydrodynamic behavior of the system is highly uncertain relative to the 1870s and present-day  
16 landscape (Orton et al., 2016a). Ongoing research is helping improve our understanding of the  
17 landscape of the 1600s and long-term evolution through analyses of sediment cores from the  
18 western-central area and eastern ends of the bay (Peteet et al., 2018). That study showed that  
19 European settlement led to increases of inorganic sediment delivered to the bay, likely due to  
20 forest clearance for agriculture and subsequent erosion, and this may explain the increase in  
21 marsh island area in the 1700s and 1800s. These considerations suggest that on century  
22 timescales, hard to quantify factors such as the anthropogenically mediated sediment supply  
23 may also exert an important influence on long-term system evolution.

24

#### 25 **4.4 Broader context**

26 Remarkably, despite the visions of the Jamaica Bay Improvement Commission (1907) and The  
27 River and Harbor Acts of 1910 and 1925, the present-day commercial shipping activity through  
28 this largely man-made 1 km wide, 8-16 m deep shipping channel (measured at Floyd Bennett  
29 Field, the narrowest part) is limited to an average of 3 one-way trips per day servicing  
30 gravel/sand companies, sewage treatment plants and bulk fuel companies (USACE, 2016). Our  
31 results show that maintaining these shipping channels leads to higher storm tides in the bay,  
32 even though the economic activity that justified their construction is largely absent.

33

34 Globally, common development approaches such as dredging for port development and  
35 landfilling for neighborhood development can have major economic benefits, but can also raise  
36 vulnerability as they did for Jamaica Bay (Talke and Jay, 2020). The movement towards "New-  
37 Panamax" and larger ships is leading major harbors to dredge wider channels and depths of  
38 approximately 16 m (Briggs et al., 2015). Other dredged estuaries have been shown to cause  
39 enhanced inland propagation of storm tides, such as with the Cape Fear estuary (Famalkhalili et  
40 al. 2016). The Mississippi Gulf River Outlet canal was originally created through dredging, and  
41 recently was de-authorized and blocked in part because of a debate over whether it increased  
42 storm surge penetration inland (Shaffer et al., 2009). Within the St Johns River, Florida, channel  
43 deepening to a controlling depth of >14m is continuing, despite model results that showed  
44 increases in tide range and storm surge of 0.1-0.2 m in some locations (USACE, 2014).



1  
2 The results presented here suggest that evaluating changes to flood hazard should be part of  
3 the cost-benefit analysis of any environmental impact study or restoration study, particularly  
4 projects that propose altering inlet geometry or channel depth. Our results can help inform  
5 debates about whether to continue maintaining under-used ports, since allowing inlets and  
6 channel depths to return to pre-development geometry is potentially a way to mitigate against  
7 future sea-level rise effects. Given adequate sediment supply, many systems quickly return  
8 towards pre-development depths; for example, the lower Passaic River in New Jersey has  
9 accumulated as much of 5 m of sediment after maintenance dredging ceased in the early 1980s  
10 (Chant et al., 2011).

11  
12

## 13 5. Conclusions

14

15 This study applied a historical reconstruction approach for a case study of how natural and  
16 urbanized estuary systems modify coastal storm tides. A Jamaica Bay flood model for the 1870s  
17 was developed and simulation results were contrasted with those from a present-day model to  
18 quantify the influences of 20<sup>th</sup> Century changes in bathymetry and habitat on storm tide hazard.  
19 The hydrodynamic model landscape (land elevation and friction) for the 1870s was estimated  
20 from detailed maps of topography, bathymetry and seabed characteristics, and validated using  
21 tide observations. The models were used for tide simulations, supplementing map data with  
22 tidal datums for additional analysis of habitat change (e.g. estuary intertidal area), and for  
23 coastal storm flood modeling and probabilistic hazard assessment.

24

25 Major changes to land elevation and land cover were quantified and translated into habitat  
26 area changes, more precisely constraining previous estimates of mean depth change and  
27 previously-reported estimates of marsh loss. Predominantly through dredging, landfill and inlet  
28 stabilization, the average water depth of the Jamaica Bay has increased from 1.7 to 4.5 m, tidal  
29 surface area diminished from 92 to 72 km<sup>2</sup>, and the inlet cross-sectional area was expanded  
30 from 4800 to 8900 m<sup>2</sup>. Total (freshwater plus salt) marsh habitat area was estimated to decline  
31 by 74%, intertidal area by 73%, and intertidal unvegetated habitat area by 72%, both by about a  
32 factor of four. Deepwater habitat increased by 314%, also about a factor of four. Submerged  
33 grasses (e.g. eelgrass) disappeared completely.

34

35 A probabilistic flood hazard assessment with simulations of 144 storm events revealed that the  
36 landscape changes caused an increase of 0.28 m (12%) in the 100-year storm tide, similar to the  
37 separate effect of a global sea level rise of 0.23 m (Church and White, 2011; Hay et al., 2015)  
38 and local sea level rise of 0.37 m from the 1870s to 2015 (Kemp and Horton, 2013). The 10-year  
39 storm tide increased by 0.20 m (11%). In spite of these rising storm tides, flood area for the 10-  
40 year and 100-year storm tides is smaller than it was in the 1870s, by 19 and 14%, respectively,  
41 due to landfill conversion of fringing wetlands into elevated neighborhoods.

42

43 Specific anthropogenic changes to estuary depth, area and inlet depth and width were shown  
44 through targeted modeling and dynamics-based considerations to be important drivers of these



1 changing storm tides, with depth changes being the strongest factor. The dependence of inlet  
2 choking of a long-wave such as tide or surge depends on estuary area squared, inversely on  
3 inlet width squared, and inversely on inlet/estuary depth cubed. These choking effects are also  
4 enhanced with short-duration sea level anomalies, such that a rapid-pulse storm surge rising in  
5 a matter of a few hours is damped more than a semidiurnal tide or long-duration storm surge  
6 event. Similar scaling shows that damping within the estuary has also decreased.

7  
8 Our study highlights that anthropogenic changes to estuary geomorphology can affect storm  
9 tide hazard to a degree that is comparable to historical sea-level rise. An improved  
10 understanding of historical estuarine landscapes, as well as their hydrodynamic and  
11 sedimentary processes, can help inform nature-based flood and climate mitigation efforts.  
12 Studies such as this one that reconstruct the historical landscape can be used to assess  
13 strategies to minimize floods into the future, as demonstrated on the broader nature-based  
14 adaptation study (Orton et al. 2016) website and flood adaptation mapper tool  
15 (<http://AdaptMap.info>). These results have influenced adaptation considerations after  
16 Hurricane Sandy spurred a strong interest in flood adaptation. Concepts of bay shallowing and  
17 inlet narrowing were considered as options in a stakeholder-driven study of nature-based  
18 options for flood and hypoxia mitigation, with narrowing being one of the more deeply-  
19 evaluated alternatives (Fischbach et al., 2018).

20  
21  
22 *Data availability.* Model DEMs, still-water elevation data, and animations of model simulations  
23 for the 1870s and present-day are available by download from the project's flood mapper  
24 <http://AdaptMap.info/jamaicabay/> (5-year through 1000-year still-water elevation, in GeoTIFF  
25 and CSV formats). Observed tide data for 1877-1878 are available at the US National Archives in  
26 College Park, MD, in Record Group 23, Entry 148, Pl. 105. Tide data used for 2015 are available  
27 from the United States Geological Survey (station 01311850) via <https://waterdata.usgs.gov>.

28  
29 *Author contributions.* Conceptualization, PMO and EWS; Methodology, PMO; Formal Analysis,  
30 PMO; Data Curation, PMO; Writing-Original Draft Preparation, PMO; Writing-Review & Editing,  
31 PMO, EWS and SAT; Visualization, PMO, EWS and MG; Project Administration, PMO; Funding  
32 Acquisition, PMO, EWS, KM and SAT.

33  
34 *Competing interests.* The authors declare that they have no conflict of interest.

35  
36 *Financial support.* PMO was funded by the United States (US) National Science Foundation  
37 (NSF PREEVENTS award 1855037) and National Oceanic and Atmospheric Administration (NOAA  
38 NA16OAR4310157). EWS, MG and KM were funded by NOAA (NA13OAR4310144). SAT was  
39 funded by NSF (Career Award 1455350), the US Army Corps of Engineers (Award W1927N-14-2-  
40 0015) and NSF PREEVENTS (1854946).

41  
42  
43



## 1 References

- 2 Aretxabaleta, A. L., Ganju, N. K., Butman, B., and Signell, R. P.: Observations and a linear model  
3 of water level in an interconnected inlet-bay system, *J. Geophys. Res.*, **122**, 2760-2780, 2017.
- 4 Bache, A. D.: *New York Bay and Harbor*, New York, Coast Chart No. 20, Survey of the Coast of  
5 the United States, Washington D.C. , 1882.
- 6 Bien, J. R., and Vermeule, C. C.: *Jamaica Bay*, Atlas of the Metropolitan District and adjacent  
7 country, Julius Bien & Co, New York, 1891a.
- 8 Bien, J. R., and Vermeule, C. C.: *The Narrows to Jamaica Bay-Coney Island*, north to Brooklyn,  
9 Atlas of the Metropolitan Area and Adjacent Country, Julius Bien & Co, New York, 1891b.
- 10 Black, F. R.: *Jamaica Bay: A History* (Cultural Resource Management Study No. 3), Washington,  
11 D.C., 1981.
- 12 Brandon, C. M., Woodruff, J. D., Orton, P. M., and Donnelly, J. P.: Evidence for Elevated Coastal  
13 Vulnerability Following Large-Scale Historical Oyster Bed Harvesting, *Earth Surface Processes*  
14 *and Landforms*, **41**, 1136-1143, 10.1002/esp.3931, 2016.
- 15 Briggs, M., Kopp, P., Silver, A., and Wiggins, W.: Probabilistic model for predicting deep-draught  
16 channel design: Savannah, GA entrance channel, *Ocean Engin.*, **108**, 276-286, 2015.
- 17 Chant, R. J., Fugate, D., and Garvey, E.: The shaping of an estuarine superfund site: Roles of  
18 evolving dynamics and geomorphology, *Estuar. Coasts*, **34**, 90-105, 2011.
- 19 Chernetsky, A. S., Schuttelaars, H. M., and Talke, S. A.: The effect of tidal asymmetry and  
20 temporal settling lag on sediment trapping in tidal estuaries, *Ocean Dynamics*, **60**, 1219-1241,  
21 2010.
- 22 Church, J. A., and White, N. J.: Sea-level rise from the late 19th to the early 21st century,  
23 *Surveys in Geophysics*, **32**, 585-602, 2011.
- 24 de Jonge, V. N., Schuttelaars, H. M., van Beusekom, J. E., Talke, S. A., and de Swart, H. E.: The  
25 influence of channel deepening on estuarine turbidity levels and dynamics, as exemplified by  
26 the Ems estuary, *Estuar. Coast. Shelf Sci.*, **139**, 46-59, 2014.
- 27 Dorr, F. W.: *Part of Far Rockaway, Long Island* (U.S. Coast Survey T-Sheet 798), U.S. Coast  
28 Survey, Washington, D.C., 1860.
- 29 Edinger, G. J., D.J. Evans, S. Gebauer, T.G. Howard, D.M. Hunt, and A.M. Olivero: *Ecological*  
30 *Communities of New York State: Second Edition*, A Revised and Expanded Edition of Carol  
31 Reschke's *Ecological Communities of New York State*, NYS Department of Environmental  
32 Conservation, Albany, NY, 2014.
- 33 How Topo to Raster works—Help | ArcGIS for Desktop, [http://pro.arcgis.com/en/pro-app/tool-](http://pro.arcgis.com/en/pro-app/tool-reference/3d-analyst/how-topo-to-raster-works.htm)  
34 [reference/3d-analyst/how-topo-to-raster-works.htm](http://pro.arcgis.com/en/pro-app/tool-reference/3d-analyst/how-topo-to-raster-works.htm), accessed June 29, 2016, 2016.
- 35 Fagherazzi, S., Carniello, L., D'Alpaos, L., and Defina, A.: Critical bifurcation of shallow microtidal  
36 landforms in tidal flats and salt marshes, *Proceedings of the National Academy of Sciences*, **103**,  
37 8337-8341, 2006.



- 1 Familikhalili, R., and Talke, S.: The effect of channel deepening on tides and storm surge: A case  
2 study of Wilmington, NC, *Geophys. Res. Lett.*, 2016.
- 3 Familikhalili, R., and Talke, S. A.: The effect of channel deepening on tides and storm surge: A  
4 case study of Wilmington, NC, *Geophys. Res. Lett.*, 43, 9138-9147, 2016.
- 5 Fischbach, J., Knopman, D., Smith, H., Orton, P., Sanderson, E., Fisher, K., Moray, N., Friedberg,  
6 A., and Parris, A.: Building Resilience in a Coastal Environment: Integrated, Science-Based  
7 Planning in Jamaica Bay, New York, RAND Corporation, 118 pp., 2018.
- 8 Flood, R.: High-Resolution bathymetric and backscatter mapping in Jamaica Bay. Final Report to  
9 the National Park Service., 2011.
- 10 Georgas, N., and Blumberg, A. F.: Establishing Confidence in Marine Forecast Systems: The  
11 Design and Skill Assessment of the New York Harbor Observation and Prediction System,  
12 Version 3 (NYHOPS v3), Eleventh International Conference in Estuarine and Coastal Modeling  
13 (ECM11), Seattle, Washington, USA, 2010, 660-685,
- 14 Georgas, N., Orton, P., Blumberg, A., Cohen, L., Zarrilli, D., and Yin, L.: The impact of tidal phase  
15 on Hurricane Sandy's flooding around New York City and Long Island Sound, *Journal of Extreme*  
16 *Events*, 10.1142/S2345737614500067, 2014.
- 17 Gilbert, S. A.: Coney Island and Dead Horse Inlet (U.S. Coast Survey T-Sheet 586), U.S. Coast  
18 Survey, Washington, D.C., 1855.
- 19 Gilbert, S. A.: Gowanus Bay and Vicinity, Long Island (U.S. Coast Survey T-Sheet 597), U.S. Coast  
20 Survey, Washington, D.C., 1856a.
- 21 Gilbert, S. A.: Gowanus Bay and Vicinity, Long Island (U.S. Coast Survey T-Sheet 598), edited by:  
22 Survey, U. S. C., Washington, D.C., 1856b.
- 23 Gilbert, S. A., and Sullivan, J. A.: Gowanus Bay and Vicinity, Long Island (U.S. Coast Survey T-  
24 Sheet 599), U.S. Coast Survey, Washington, D.C., 1857.
- 25 Grossinger, R. M.: Documenting local landscape change: the Bay Area Historical Ecology Project,  
26 in: *The Historical Ecology Handbook: A Restorationist's Guide to Reference Ecosystems*, edited  
27 by: Egan, D., and Howell, E. A., Island Press, Washington D.C., 2001.
- 28 Haigh, I. D., and Nicholls, R. J.: Coastal Flooding. MCCIP Science Review 2017,  
29 doi:10.14465/2017.arc10.009-cof, 2017.
- 30 Hall, T., and Yonekura, E.: North American tropical cyclone landfall and SST: A statistical model  
31 study, *J. Clim.*, 26, 8422-8439, 2013.
- 32 Hay, C. C., Morrow, E., Kopp, R. E., and Mitrovica, J. X.: Probabilistic reanalysis of twentieth-  
33 century sea-level rise, *Nature*, 517, 481, 2015.
- 34 Helaire, L. T., Talke, S. A., Jay, D. A., and Mahedy, D.: Historical changes in Lower Columbia River  
35 and Estuary Floods and Tides, *Journal of Geophysical Research - Atmosphere*, in press.
- 36 Hess, L., and Harris, W. H.: Effect of storm energy and shoreline engineering on the sediment  
37 budget of a barrier beach, Rockaway, New York, *Northeastern Geology*, 9, 110-115, 1987.



- 1 Homer, C. G., Dewitz, J. A., Yang, L., Jin, S., Danielson, P., Xian, G., Coulston, J., Herold, N. D.,  
2 Wickham, J., and Megown, K.: Completion of the 2011 National Land Cover Database for the  
3 conterminous United States-Representing a decade of land cover change information,  
4 *Photogramm. Eng. Remote Sens.*, 81, 345-354, 2015.
- 5 Hu, K., Chen, Q., Wang, H., Hartig, E. K., and Orton, P. M.: Numerical modeling of salt marsh  
6 morphological change induced by Hurricane Sandy, *Coast. Eng.*, 132, 63-81, 2018.
- 7 Irish, J. L., Sleath, A., Cialone, M. A., Knutson, T. R., and Jensen, R. E.: Simulations of Hurricane  
8 Katrina (2005) under sea level and climate conditions for 1900, *Climatic change*, 122, 635-649,  
9 2014.
- 10 Jaffe, B. E., Smith, R. E., and Torresan, L. Z.: Sedimentation and bathymetric change in San Pablo  
11 Bay, 1856-1983, US Geological Survey 2331-1258, 1998.
- 12 Jamaica Bay Improvement Commission: Report of the Jamaica Bay Improvement Commission,  
13 Martin B. Brown Press, New York, 157 pp., 1907.
- 14 Jenkins, T. A.: Map of the Interior of Long Island from Brooklyn to Jamaica, New York (U.S.  
15 Coast Survey T-Sheet 37), Washington, D.C., 1837a.
- 16 Jenkins, T. A.: Map of the Interior of Long Island from Brooklyn to Jamaica, New York (U.S.  
17 Coast Survey T-Sheet 36), U.S. Coast Survey, Washington, D.C., 1837b.
- 18 Jordi, A., Georgas, N., Blumberg, A., Yin, L., Chen, Z., Wang, Y., Schulte, J., Ramaswamy, V.,  
19 Runnels, D., and Saleh, F.: A next generation coastal ocean operational system: probabilistic  
20 flood forecasting at street scale, *Bull. Amer. Meteorol. Soc.*, 10.1175/BAMS-D-17-0309.1 2018.
- 21 Kemp, A. C., and Horton, B. P.: Contribution of relative sea-level rise to historical hurricane  
22 flooding in New York City, *Journal of Quaternary Science*, 28, 537-541, 2013.
- 23 Kemp, A. C., Hill, T. D., Vane, C. H., Cahill, N., Orton, P. M., Talke, S. A., Parnell, A. C., Sanborn,  
24 K., and Hartig, E. K.: Relative sea-level trends in New York City during the past 1500 years, *The  
25 Holocene*, 0959683616683263, 2017.
- 26 Kennedy, A. B., Gravois, U., Zachry, B. C., Westerink, J. J., Hope, M. E., Dietrich, J. C., Powell, M.  
27 D., Cox, A. T., Luettich, R. A., and Dean, R. G.: Origin of the Hurricane Ike forerunner surge,  
28 *Geophys. Res. Lett.*, 38, 2011.
- 29 Lin, N., Emanuel, K., Oppenheimer, M., and Vanmarcke, E.: Physically based assessment of  
30 hurricane surge threat under climate change, *Nature Climate Change*, 2, 462-467, 2012.
- 31 Lin, N., Kopp, R. E., Horton, B. P., and Donnelly, J. P.: Hurricane Sandy's flood frequency  
32 increasing from year 1800 to 2100, *Proceedings of the National Academy of Sciences*, 113,  
33 12071-12075, 2016.
- 34 MacMahan, J., van de Kreeke, J., Reniers, A., Elgar, S., Raubenheimer, B., Thornton, E., Weltmer,  
35 M., Rynne, P., and Brown, J.: Fortnightly tides and subtidal motions in a choked inlet, *Estuar.  
36 Coast. Shelf Sci.*, 150, 325-331, 2014.
- 37 Marcos, M., Calafat, F. M., Berihuete, Á., and Dangendorf, S.: Long-term variations in global sea  
38 level extremes, *J. Geophys. Res.*, 120, 8115-8134, 2015.



- 1 Marsooli, R., and Lin, N.: Numerical modeling of historical storm tides and waves and their  
2 interactions along the US east and Gulf Coasts, *J. Geophys. Res.*, 123, 3844-3874, 2018.
- 3 Marsooli, R., Orton, P. M., Fitzpatrick, J., and Smith, H.: Residence time of a highly urbanized  
4 estuary: Jamaica Bay, New York, *Journal of Marine Science and Engineering*, 6,  
5 10.3390/jmse6020044, 2018.
- 6 Mattocks, C., and Forbes, C.: A real-time, event-triggered storm surge forecasting system for  
7 the state of North Carolina, *Ocean Model.*, 25, 95-119, 2008.
- 8 Maynard, W.: Western Part of Jamaica Bay Including Canarsie Landing (U.S. Coast Survey  
9 H01358), U.S. Coast Survey, Washington, D.C., 1877.
- 10 Moore, W. I.: Jamaica Bay Eastern Part (U.S. Coast Survey H01392), edited by: Survey, U. S. C.,  
11 Washington D.C., 1878.
- 12 Murray, N. J., Clemens, R. S., Phinn, S. R., Possingham, H. P., and Fuller, R. A.: Tracking the rapid  
13 loss of tidal wetlands in the Yellow Sea, *Frontiers in Ecology and the Environment*, 12, 267-272,  
14 2014.
- 15 NYC-DEP: Jamaica Bay Watershed Protection Plan, Volume 1, New York City Department of  
16 Environmental Protection (DEP), New York, NY, USA, 128 pp., 2007.
- 17 NYC-DEP: Jamaica Bay Watershed Protection Plan Update 2018, Bureau of Environmental  
18 Planning and Analysis, New York City Department of Environmental Protection, 60 pp., 2018.
- 19 Orth, R. J., Carruthers, T. J., Dennison, W. C., Duarte, C. M., Fourqurean, J. W., Heck, K. L.,  
20 Hughes, A. R., Kendrick, G. A., Kenworthy, W. J., and Olyarnik, S.: A global crisis for seagrass  
21 ecosystems, *AIBS Bulletin*, 56, 987-996, 2006.
- 22 Orton, P., Georgas, N., Blumberg, A., and Pullen, J.: Detailed modeling of recent severe storm  
23 tides in estuaries of the New York City region, *J. Geophys. Res.*, 117, C09030,  
24 10.1029/2012JC008220, 2012.
- 25 Orton, P., MacManus, K., Sanderson, E., Mills, J., Giampieri, M., Fisher, K., Yetman, G., Doxsey-  
26 Whitfield, E., Wu, Z., Yin, L., Georgas, N., and Blumberg, A.: Project Final Technical Report:  
27 Quantifying the Value and Communicating the Protective Services of Nature-Based Flood  
28 Mitigation using Flood Risk Assessment,  
29 [http://adaptmap.info/jamaicabay/technical\\_report.pdf](http://adaptmap.info/jamaicabay/technical_report.pdf), 2016a.
- 30 Orton, P., Lin, N., Gornitz, V., Colle, B., Booth, J., Feng, K., Buchanan, M., and Oppenheimer, M.:  
31 New York City Panel on Climate Change 2019 Report Chapter 4: Coastal Flooding, *Ann. N. Y.*  
32 *Acad. Sci.*, 1439, 95-114, 10.1111/nyas.14011, 2019.
- 33 Orton, P. M., Talke, S. A., Jay, D. A., Yin, L., Blumberg, A. F., Georgas, N., Zhao, H., Roberts, H. J.,  
34 and MacManus, K.: Channel Shallowing as Mitigation of Coastal Flooding, *Journal of Marine*  
35 *Science and Engineering*, 3, 654-673, 10.3390/jmse3030654, 2015.
- 36 Orton, P. M., Hall, T. M., Talke, S., Blumberg, A. F., Georgas, N., and Vinogradov, S.: A Validated  
37 Tropical-Extratropical Flood Hazard Assessment for New York Harbor, *J. Geophys. Res.*, 121,  
38 10.1002/ 2016JC011679, 2016b.



- 1 Paalvast, P., and van der Velde, G.: Long term anthropogenic changes and ecosystem service  
2 consequences in the northern part of the complex Rhine-Meuse estuarine system, *Ocean &*  
3 *Coastal Management*, 92, 50-64, 2014.
- 4 Pawlowicz, R., Beardsley, B., and Lentz, S.: Classical tidal harmonic analysis including error  
5 estimates in MATLAB using T\_TIDE, *Computers & Geosciences*, 28, 929-937, 2002.
- 6 Peteet, D. M., Nichols, J., Kenna, T., Chang, C., Browne, J., Reza, M., Kovari, S., Liberman, L., and  
7 Stern-Protz, S.: Sediment starvation destroys New York City marshes' resistance to sea level  
8 rise, *Proceedings of the National Academy of Sciences*, 115, 10281-10286, 2018.
- 9 Powell, J. W.: USGS Brooklyn NY Quadrangle, U.S. Geological Survey, Washington, D.C., 1891.
- 10 Ralston, D. K., Talke, S., Geyer, W. R., Al'Zubadaei, H., and Sommerfield, C. K.: Bigger tides, less  
11 flooding: Effects of dredging on barotropic dynamics in a highly modified estuary, *J. Geophys.*  
12 *Res.*, 124, 10.1029/2018JC014313, 2019.
- 13 Sanderson, E. W.: *Mannahatta: A Natural History of New York City*, Abrams, New York, NY,  
14 2009.
- 15 Sanderson, E. W.: Cartographic Evidence for Historical Geomorphological Change and Wetland  
16 Formation in Jamaica Bay, New York, *Northeastern Naturalist*, 23, 277-304, 2016.
- 17 Sanford, L. P., Boicourt, W. C., and Rives, S. R.: Model for estimating tidal flushing of small  
18 embayments, *Journal of Waterway, Port, Coastal, and Ocean Engineering*, 118, 635-654, 1992.
- 19 Schoukens, H.: Proactive Habitat Restoration and the Avoidance of Adverse Effects on  
20 Protected Areas: Development Project Review in Europe After Orleans, *Journal of International*  
21 *Wildlife Law & Policy*, 20, 125-154, 2017.
- 22 Seavitt, C., Alexander, K., Alessi, D., and Sands, E.: *Shifting Sands: Sedimentary Cycles for*  
23 *Jamaica Bay, New York*, in *Structures of Coastal Resilience, Phase 1: Context, Site and*  
24 *Vulnerability Analysis*, Self-published, New York, NY, USA, 218, 2015.
- 25 Shaffer, G. P., Day Jr, J. W., Mack, S., Kemp, G. P., van Heerden, I., Poirrier, M. A., Westphal, K.  
26 A., FitzGerald, D., Milanese, A., and Morris, C. A.: The MRGO Navigation Project: a massive  
27 human-induced environmental, economic, and storm disaster, *J. Coast. Res.*, 206-224, 2009.
- 28 Stigebrandt, A.: Some aspects of tidal interaction with fjord constrictions, *Estuar. Coast. Mar.*  
29 *Sci.*, 11, 151-166, 1980.
- 30 Swanson, L., Dorsch, M., Giampieri, M., Orton, P., Parris, A., and Sanderson, E. W.: Chapter 4:  
31 Dynamics of the biophysical systems of Jamaica Bay, in: *Prospects for Resilience: Insights from*  
32 *New York City's Jamaica Bay*, edited by: Sanderson, E. W., Solecki, W. D., Waldman, J. R., and  
33 Parris, A. S., Island Press, Washington, D.C., 2016.
- 34 Swanson, R., West-Valle, A., and Decker, C.: Recreation vs. waste disposal: The use and  
35 management of Jamaica Bay, *Long Isl. Hist. J.*, 5, 21-41, 1992.
- 36 Swanson, R. L., and Wilson, R. E.: Increased tidal ranges coinciding with Jamaica Bay  
37 development contribute to marsh flooding, *J. Coast. Res.*, 1565-1569, 2008.



- 1 Szpilka, C., Dresback, K., Kolar, R., Feyen, J., and Wang, J.: Improvements for the Western North  
2 Atlantic, Caribbean and Gulf of Mexico ADCIRC Tidal Database (EC2015), *Journal of Marine*  
3 *Science and Engineering*, 4, 72, 2016.
- 4 Talke, S., Orton, P., and Jay, D.: Increasing storm tides at New York City, 1844-2013, *Geophys.*  
5 *Res. Lett.*, 41, 10.1002/2014GL059574, 2014.
- 6 Talke, S., Kemp, A., and Woodruff, J.: Relative Sea Level, Tides, and Extreme Water Levels in  
7 Boston Harbor From 1825 to 2018, *J. Geophys. Res.*, 10.1029/2017JC013645, 2018.
- 8 Talke, S. A., and Jay, D. A.: Nineteenth century North American and Pacific tidal data: Lost or  
9 just forgotten?, *J. Coast. Res.*, 29, 118-127, 2013.
- 10 Talke, S. A., and Jay, D. A.: Archival water-level measurements: Recovering historical data to  
11 help design for the future, *USACE Climate Preparedness and Resilience, CWTS Report 2017-02,*  
12 *49*, 2017.
- 13 Talke, S. A., and Jay, D. A.: Changing tides: The role of natural and anthropogenic factors,  
14 *Annual Review of Marine Science*, 10.1146/annurev-marine-010419-010727, 2020.
- 15 USACE: Hudson-Raritan Estuary Comprehensive Restoration Plan, Volume 1, 155, 2009.
- 16 USACE: Final Integrated General 708 Reevaluation Report II and supplemental Environmental  
17 Impact Statement. Jacksonville Harbor, Duval County, Florida. United States Army Corps of  
18 Engineers, Jacksonville District. Appendix A, Attachment J, p.1623-1646., 2014.
- 19 USACE: Atlantic Coast of New York, East Rockaway Inlet to Rockaway Inlet and Jamaica Bay:  
20 Draft Integrated Hurricane Sandy General Reevaluation Report and Environmental Impact  
21 Statement, United States Army Corps of Engineers, New York District, New York, NY, 270 pp.,  
22 2016.
- 23 Vaudrey, J. M., Kremer, J. N., Branco, B. F., and Short, F. T.: Eelgrass recovery after nutrient  
24 enrichment reversal, *Aquatic Botany*, 93, 237-243, 2010.
- 25 Wahl, T., and Chambers, D. P.: Climate controls multidecadal variability in US extreme sea level  
26 records, *J. Geophys. Res.*, 2016.
- 27 Walsh, B., Costanzo, S., and Taillie, D.: Natural Resource Condition Assessment, Gateway  
28 National Recreation Area, Natural Resource Report NPS/GATE/NRR—2018/1774, Department  
29 of the Interior, National Parks Service, 170 pp., 2018.
- 30 Wang, H., Chen, Q., Hu, K., Snedden, G. A., Hartig, E. K., Couvillion, B. R., Johnson, C. L., and  
31 Orton, P. M.: Numerical modeling of the effects of Hurricane Sandy and potential future  
32 hurricanes on spatial patterns of salt marsh morphology in Jamaica Bay, New York City, US  
33 Geological Survey2331-1258, 2017.
- 34 Warner, J. C., Geyer, W. R., and Lerczak, J. A.: Numerical modeling of an estuary: A  
35 comprehensive skill assessment, *J. Geophys. Res.*, 110, 10.1029/2004jc002691, 2005.
- 36 Wilson, H. M.: Hempstead NY Quadrangle, U.S. Geological Survey, Washington, D.C., 1897.

37