Nat. Hazards Earth Syst. Sci. Discuss., https://doi.org/10.5194/nhess-2019-44-RC1, 2019 © Author(s) 2019. This work is distributed under the Creative Commons Attribution 4.0 License.



Interactive comment on "Bayesian Network Model for Flood Forecasting Based on Atmospheric Ensemble Forecasts" by Leila Goodarzi et al.

Anonymous Referee #1

Received and published: 2 July 2019

The manuscript explores the use of Bayesian Network for flood forecasting using ensemble weather forecasts as input. The performance of the BN is compared against Artificial neural network – ANN and the authors conclude that BN outperform ANN. While exploring new methodologies and approaches for improving flood forecasting is always welcome, I have doubts about the reliability of those approaches compared to traditional methodologies, specifically the use of post-processing ensemble weather forecast as input of a distributed or lumped hydrological model. Usually, hydrological models are calibrated and validated for a long enough time-period, which ensure that they capture a wide range of hydrological conditions, including episodic floods. In this case, on the other hand, they were used 14 flood events to train and verified a BN and an ANN. Considering the large number of parameters those approaches include,

C1

a good performance and accuracy is expected. Under such circumstances, however, the risk of generating overparameterized models is significant. Although I recognize that flood events are statistically rare, it is important to demonstrate that the BN is able to capture a larger number of floods events. Perhaps a suggestion to overcome such limitations is to analyze a longer period of time to incorporate a larger number of flood events, and using observed rainfall instead of ensemble weather forecast (which are difficult to implement) to test whether the BN performs adequately. Finally, I don't know why the forecasting were limited to 24 h. It is well known that atmospheric models have acceptable skill scores for up to 4-5 days. Increasing the lead time will provide an opportunity for testing the use of BN for a larger number of cases.

Interactive comment on Nat. Hazards Earth Syst. Sci. Discuss., https://doi.org/10.5194/nhess-2019-44, 2019.