Nat. Hazards Earth Syst. Sci. Discuss., https://doi.org/10.5194/nhess-2020-105-AC1, 2020 © Author(s) 2020. This work is distributed under the Creative Commons Attribution 4.0 License.



Interactive comment on "Assessment of probability distributions and minimum storage draft-rate analysis in the equatorial region" by Hasrul Hazman Hasan et al.

Hasrul Hazman Hasan et al.

p99749@siswa.ukm.edu.my

Received and published: 24 June 2020

Dear Referee #1,

We would like to thank you for your constructive comments. We agree with most of the suggestions and, therefore, we will modify the manuscript to take on board your comments and recommendations. In the document (supplement to this post), we recall these comments and we reply to each of the comments. The document (supplement to this post) provides full details on how we improve the original manuscript.

Please also note the supplement to this comment:

C1

https://www.nat-hazards-earth-syst-sci-discuss.net/nhess-2020-105/nhess-2020-105-AC1-supplement.pdf

Interactive comment on Nat. Hazards Earth Syst. Sci. Discuss., https://doi.org/10.5194/nhess-2020-105, 2020.




Fig. 1. Figure 1: River basin and streamflow station in Selangor.

СЗ




Fig. 2. Figure 4: Number of drought events.




Fig. 3. Figure 5: The number of drought duration (days).

C5




Fig. 4. Figure 6: The drought deficit for all station.




Fig. 5. Figure 7: Time series of annual maximum deficit (m3/s).

C7




Fig. 6. Figure 8: Minimum storage draft rate with cumulative 50% mean flow (a) S01 (b) S02 (c) S03 (d) S04 (e) S05 (f) S06 (g) S07.