

# Impact of information presentation on interpretability of spatial hazard information: Lessons from a study in avalanche safety

Kathryn C. Fisher<sup>1</sup>, Pascal Haegeli<sup>1</sup>, Patrick Mair<sup>2</sup>

<sup>1</sup>School of Resource and Environmental Management, Simon Fraser University, Burnaby, V5A 1S6, Canada

5 <sup>2</sup>Dept. Psychology, Harvard University, Cambridge, 02138, United States

*Correspondence to:* Pascal Haegeli (pascal\_haegeli@sfu.ca)

**Abstract.** Avalanche warning services publish avalanche condition reports, often called avalanche bulletins, to help backcountry recreationists make informed risk management choices regarding when and where to travel in avalanche terrain. To be successful, these bulletins must be interpreted and applied by users prior to entering avalanche terrain. However, few  
10 avalanche bulletin elements have been empirically tested for their efficacy in communicating hazard information. The objective of this study is to explicitly test the effectiveness of three different graphics representing the aspect and elevation of avalanche problems on users' ability to apply the information.

To address this question, we conducted an online survey in the spring of 2020 that presented participants with one of three graphic renderings of avalanche problem information and asked them to rank a series of route options in order of their exposure  
15 to the described hazard. After the route ranking tasks, users were presented with all three graphics and asked to rate how effective they thought the graphics were. Our analysis dataset included responses from 3,056 backcountry recreationists with a variety of backgrounds and avalanche safety training levels. Using a series of generalized linear mixed effects models, our analysis shows that a graphic format that combines the aspect and elevation information for each avalanche problem is the most effective graphic for helping users understand the avalanche hazard conditions because it resulted in higher success in  
20 picking the correct exposure ranking, faster completion times, and was rated by users to be the most effective. These results are consistent with existing research on the impact of graphics on cognitive load and can be applied by avalanche warning services to improve the communication of avalanche hazard to readers of their avalanche bulletins.

## 1 Introduction

Snow avalanches are a serious threat that destroys property and claims the lives of people in mountainous regions around the  
25 world every year. While catastrophic avalanches hitting mountain villages are responsible for the largest number of fatalities in mountain ranges such as the Himalayas, most avalanche deaths in highly developed countries involve individuals heading into avalanche terrain for recreation. In North America, for example, avalanches claimed the lives of 334 recreationists between 2011 and 2020 (Avalanche Canada, 2019; CAIC, 2020), and even though there are no reliable statistics, it is suspected that many more recreationists are caught in avalanches but manage to escape the most severe outcome. While a small number of

30 affected individuals were guides or ski patrollers professionally engaged in managing the avalanche risk for paying guest or clients, the vast majority were lay people making their own decisions about when and where to recreate in the backcountry. When travelling in the backcountry avalanche risk is ideally managed by carefully assessing the nature and severity of the hazard using weather, snowpack and avalanche observations (e.g., McClung, 2002). This assessment must be combined with additional information about the terrain exposure of an intended backcountry trip to the avalanche hazard to make an informed  
35 decision about whether going ahead with a trip is acceptable to the individual under the observed conditions. Under most circumstances, recreationists are responsible for completing this complex assessment without professional guidance. To assist recreationists with understanding the existing avalanche hazard conditions and making these assessments, most highly developed countries have established avalanche warning services that publish daily condition reports, commonly known as avalanche bulletins, forecasts, warnings, or advisories, that summarize the current snowpack and avalanche situation across  
40 predefined forecast areas. These reports are intended to give recreationists the information needed to make an informed risk assessment of a planned backcountry trip.

While the specific design of avalanche bulletins differs from country to country, most of them present the information in a tiered structure that is referred to as the “information pyramid” (EAWS, 2021). At the top of the pyramid is the avalanche danger rating, the most abstracted tier, which describes the overall severity of the avalanche conditions using the signal words  
45 and colors of the ordinal, 5- level avalanche danger scale. The 5-level scale was introduced in 1993, and while there are subtle differences between the European and North American versions (EAWS, 2018; Statham et al., 2010), it is the cornerstone of public avalanche risk communication around the world. The next level of the information pyramid describes the nature of the avalanche hazard in more detail. Over the last decade, the concept of avalanche problems has established itself as a useful framework for explaining the nature of avalanche hazard in a structured way. Avalanche problems represent actual avalanche  
50 risk management concerns that can be described in terms of their type, location, likelihood and size of avalanches. In North America, the conceptual model of avalanche hazard (Statham et al. 2018a) defines nine different avalanche problem types, and avalanche bulletins describe the nature of up to three active avalanche problems using a combination of iconic graphics and text. European avalanche warning services utilize a smaller list of avalanche problem types (called avalanche problems in Europe) and take a range of approaches to explain the location and nature of the present problems—though overall the  
55 approaches tend to be similar to the conceptual model of avalanche hazard. The next level of the information pyramid provides users with more detailed but still synthesized overviews of existing weather conditions, relevant snowpack structures and avalanche activity observations. Some avalanche warning services also include links to raw data such as weather, snow profile or avalanche observations in their bulletins. These observations are the foundation of the hazard assessment presented in the bulletin and represent the final and least abstracted level of the information pyramid. The intent of the pyramid is to present  
60 information about a complex hazard in an easily accessible and concise way while allowing users with greater information needs and more advanced skills to explore more details.

Avalanche warning services belong to a wider range of warning services and government agencies whose mandate is to communicate information about a complex and spatially variable natural hazard to the public in a meaningful way. Weather

65 forecasters and local governments routinely issue statements to communities faced with fire, flood or storm watches and warnings. In these disciplines, considerable attention has been paid to improving risk communication products by testing which elements of risk communication messages are effective and which may lead to unintended consequences (see, e.g., Cuite et al., 2017; Morss et al., 2016; Rickard et al., 2017). For example, research into storm surge messaging identified that recipients that saw messages about extreme storm surges were more likely to express intentions to evacuate, but also were more likely to rate the information as more overblown and the source less reliable (Morss et al., 2016). Similar efforts to empirically test the effectiveness of warning messages and safety signage are underway in the outdoor recreation field (e.g., Saunders et al., 2019; Weiler et al., 2015) to provide managers with evidence-based guidance on how to communicate with their visitors.

70 Recognizing the crucial importance of the avalanche bulletin for the safety of backcountry recreationists, the avalanche safety community has recently started to examine its effectiveness more systematically. These efforts can be divided into three main research themes. Several recent projects have examined the quality and consistency of the information presented in avalanche bulletins as providing accurate hazard information is crucial for effective risk communication (Lundgren & McMakin, 2018). Example studies of this research theme include Lazar et al. (2016) who presented public avalanche forecasters with a series of avalanche danger scenarios to see whether they interpret them the same, Techel et al. (2018) who examined the spatial consistency and bias of avalanche danger ratings in avalanche bulletins in the European Alps, Statham et al. (2018b), who studied the consistency of avalanche problem assessments among the warning services in the Canadian Rocky Mountains, 80 Clark (2019) who studied the link between avalanche problem assessments and danger ratings in Canadian avalanche bulletins, and Hutter et al. (2021) who investigated the relationship between danger descriptions and avalanche danger rating in Swiss avalanche forecasts. All these studies highlighted considerable challenges and the need to improve the production of avalanche bulletins.

The second and equally important research theme is trying to better understand how backcountry recreationists use and apply the information provided in the avalanche bulletin. The risk communication research community has stressed for a long time that having a good understanding of the target audience is a critical prerequisite for effective risk communication (Lundgren & McMakin, 2018). Traditionally, the avalanche safety community has classified avalanche bulletin users simply according to their preferred activity (e.g., backcountry skiing, mountain snowmobiling, snowshoeing), level of formal avalanche awareness training (none, introductory course, advance level course, or professional level training), and/or basic sociodemographics. Winkler and Techel (2014), for example, used data from two online surveys to determine who uses the Swiss avalanche bulletin and how these users have changed over time. More recently, St. Clair (2019) conducted a qualitative interview study to better understand how winter backcountry recreationists use, understand and apply the avalanche bulletin information in their avalanche risk management process. Her analysis revealed a sequence of five distinct bulletin information use patterns that incorporate increasingly more complex information and are able to manage avalanche risk at higher levels of 90 sophistication. This typology provides a valuable framework for evaluating the effectiveness of risk messages with respect to the types of decisions that the users are intending to make. St. Clair's study was followed up by Finn (2020) who conducted a large-scale online survey to examine whether bulletin users who say they use the avalanche bulletin at a certain level of


sophistication also have the necessary skills to do so effectively. Finn's results offer valuable insight into avalanche bulletin literacy at the different levels of St. Clair's bulletin user typology and highlights user groups that might have misconceptions about their skill levels.

The third theme of avalanche bulletin research is the explicit examination of its effectiveness. Empirically testing how messages resonate with users and whether they result in the desired behavioural response is an important but challenging part of risk communication research. Example of these types of studies in the avalanche field include Burkeljca (2013a, 2013b), who examined the usability of four different avalanche bulletin products (Canada, Catalonia, Tyrol and Utah) using a small sample of 14 that included lay people and experts from Slovenia. Winkler and Techel (2014) examined the results from the same two surveys mentioned previously to shed light on how the complete revision of the Swiss avalanche bulletin in 2014 affected users' perceived quality and usability of the product. Similarly, Engeset et al (2018) conducted an online survey to better understand the effectiveness of the Norwegian avalanche bulletin. This study explicitly asked participants about their preferences for different forms of information presentation (text, symbols, or pictures) and empirically assessed users' comprehension of two hazard situations as a function of the type and amount of information presented. The authors used both the appropriateness of the risk management approaches chosen by participants and their self-reported effectiveness rating to assess the efficacy of the avalanche hazard descriptions.

Since assessing the suitability of backcountry trips requires recreationists to relate the information provided in the bulletin to the terrain characteristics of their intended trips, the description of the spatial distribution of avalanche hazard within a forecast area is a crucial component of the avalanche bulletins. While there is considerable complexity in how avalanche hazard interacts with terrain (see, e.g., Bühler et al., 2013; Bühler et al., 2018), the primary location information included in avalanche bulletins focuses on elevation and aspect. However, current avalanche bulletin products exhibit substantial variability in what the elevation and aspect information refers to and how it is presented. Swiss avalanche bulletins, for example, state a single danger rating for a forecast region and the accompanying aspect and elevation information highlights the core zones where the stated avalanche danger applies the most (SLF, 2020). The French avalanche bulletins use the same approach as the Swiss (MeteoFrance, n.d), whereas the Norwegian bulletins also just publish a single danger rating per forecast region, but aspect and elevation information is used to describe where the identified avalanche problems are most prevalent (Varsom, n.d). The recently launched Euregio avalanche bulletin publishes elevation specific avalanche danger ratings and also provides aspect and elevation information for each of the existing avalanche problems (TAWS, n.d). Most avalanche bulletins in North America publish avalanche danger ratings for different elevations and describe the location of avalanche problems with respect to elevation and aspect. While the elevation descriptions in European avalanche bulletins are generally specific (e.g., above 2200 m) and change daily depending on conditions, North American bulletins use predefined elevation bands (alpine, treeline or near treeline, below treeline) to specify avalanche danger and the location of the avalanche problems.

In addition to these differences in the use of elevation and aspect information, there are also different styles on how this information is presented. While most of the European and Canadian avalanche warning services use separate graphics for communicating aspect and elevation information, the warning services in the United States and New Zealand use so-called

aspect-elevation rose diagrams that show the elevation and aspect information together in a single graphic (NZAA, n.d; USFS, n.d) (Figure 1). Within each of these groups, we can find slight variations in design. The aspect-elevation rose diagrams of the Northwest Avalanche Center and the Colorado Avalanche Information Center are straight octagons with grey shading, the aspect-elevation rose of the New Zealand avalanche warning service has an extra corner in each aspect segment and the shading reflect the danger rating of the elevation band, and the Utah Avalanche Center used a three-dimensional aspect-elevation rose diagram (CAIC, n.d; UAC, n.d.; NWAC, n.d; NZAA, n.d).



140 **Figure 1: Screen shots of examples of aspect and elevation representation of avalanche problems in public avalanche bulletins: a) Utah Avalanche Center (United States): <https://utahavalanchecenter.org>; b) Northwest Avalanche Center (United States): <https://nwac.us>; c) Avalanche Canada (Canada): <https://avalanche.ca>; d) New Zealand Mountain Safety Council (New Zealand): <https://www.avalanche.net.nz>; e) Norwegian Avalanche Warning Service (Norway): <https://www.varsom.no/en/avalanche-bulletins/>; f) Swiss Avalanche Warning Service (Switzerland): <https://www.slf.ch/en/avalanche-bulletin-and-snow-situation.html>; g) Euregio Avalanche Report (Austria/Italy): <https://avalanche.report/bulletin/latest>.**

145

The goal of this study is to contribute to our understanding of the efficacy of avalanche bulletins by empirically testing the effectiveness of individual components. Our starting point is the fact that a multitude of graphics are used by avalanche warning services around the world to communicate avalanche problem characteristics. Several studies have demonstrated that graphics used might not be well understood and users struggle to combine the information when making terrain choices (e.g., Burkeljca, 2013a; Burkeljca, 2013b; Engeset et al., 2018; Finn, 2020). To better advise avalanche warning services on which graphics are most effective with users, we conducted an online survey to experimentally test if altering the presentation format of the location information of avalanche problems can improve users' ability to apply it to hypothetical terrain choices. The results of this study help warning services to improve their avalanche bulletin design so that recreationists can make better informed choices about when and where to travel in the backcountry.

In the spring of 2020, we conducted a large-scale online survey to empirically examine different options for improving the presentation of location information in North American avalanche bulletins. The three main questions that the survey aimed to shed light on were:

- 160 a) How does the presentation format of the avalanche problem location information (i.e., aspect and elevation) affect users' ability to apply this information when assessing the exposure of routes to avalanche hazard?
- b) Can adding an interactive exercise help improve users' ability to apply the avalanche problem location information?
- c) How well do the travel advice statements included in avalanche problem section of North American avalanche bulletins resonate with users?

The focus of this paper is to present the insight we have gained about the first research question: How does the presentation  
165 format of the avalanche problem location information (i.e., aspect and elevation) affect users' ability to apply this information when assessing the exposure of routes to avalanche hazard? The results that relate to the other two research questions are described in Fisher, Haegeli and Mair (submitted, in prep.).


### **2.1 Survey Design**

To systematically test whether the presentation format of the avalanche problem location information affects users' ability to  
170 apply the information, our survey included a series of route ranking task where participants were presented with an avalanche bulletin with two avalanche problems and a custom-built topographic map with three routes (Figure 2). The terrain map depicted a simplified mountainscape with slopes of consistent incline on all aspects and elevation bands. The task of participants was to study the avalanche bulletin information and then rank the three depicted routes according to their exposure to the described avalanche problems. The correct solution for the ranking task could be determined by counting the number of  
175 aspect and elevation segments each route crossed where avalanche problems were present. The more avalanche problem aspect and elevation segments a route crossed, the more exposed it was to avalanche hazard. Whereas examining only the exposure of the shown routes does not fully represent the risk assessment process required for making informed trip planning decisions, our task design allowed us to eliminate any influences of participants' personal perception of the danger scale and their risk propensities in our experiment. In addition, it prevented us from having to quantify which avalanche problems were more or  
180 less hazardous under the same danger rating. All these aspects. would have made it impossible to define objectively correct solutions for the route ranking task and resulted in a much more challenging analysis. Participants were explicitly alerted that overhead hazard and terrain traps should not be included in their assessment.


a) Simple Routes

**Route Ranking Task (1 of 4)**

Consider the avalanche hazard information provided to you below and rank the described backcountry routes according to their exposure to the mentioned avalanche problems. Remember that it is not necessary to consider overhead hazard, assume the worst time of day, and flat terrain is not exposed to avalanche hazard.




- Please rank the three routes presented on the map below according to their exposure to mentioned avalanche problems from least to most exposed. \*  
You must rank all routes, and every rank can only have a single route.




b) Complex Routes

**Route Ranking Task (2 of 4)**

Consider the avalanche hazard information provided to you below and rank the described backcountry routes according to their exposure to the mentioned avalanche problems. Remember that it is not necessary to consider overhead hazard, assume the worst time of day, and flat terrain is not exposed to avalanche hazard.




- Please rank the three routes presented on the map below according to their exposure to mentioned avalanche problems from least to most exposed. \*  
You must rank all routes, and every rank can only have a single route.



185 **Figure 2: Examples of route-ranking exercises with avalanche bulletin scenario and custom-built topographic map with three simple routes (left panel) and three complex routes (right panel).**

In our experiment, the avalanche problem information was presented in one of three graphic formats (Figure 3). The first format had aspect and elevation information separated for each avalanche problem similar to the graphic used in Canadian avalanche bulletins, while the second format had aspect and elevation combined into a single aspect-elevation rose graphic for each avalanche problem like in the US bulletins, and the third format presented the aspect and elevation information for all avalanche problems combined. Throughout the rest of this paper, we will refer to these three presentation formats as *Separate*, *Aspect-Elevation Rose*, and *Combined*. To prevent the specifics of the avalanche bulletin information to affect our results in unintended ways, our experiment included six different avalanche bulletin scenarios (see Appendix), all of which were developed in conjunction with avalanche industry experts to ensure they represent realistic real-world conditions.

195



**Figure 3: Presentation formats for location information of avalanche problems: Separate graphics (left panel), Aspect-Elevation Rose diagram (middle panel), and Combined graphic (right panel)**

Each survey participant was presented with two random avalanche bulletin scenarios using one of the three aspect and elevation information presentations, and they completed two route-ranking exercises for each of the bulletin scenarios. The first ranking exercise for each bulletin scenario included “simple” routes that crossed only one aspect, whereas the second exercise had “complex” routes that crossed multiple aspects (Figure 2). Between the two avalanche bulletin scenarios, participants were presented with a range of different learning interventions to examine how an interactive exercise can affect participants’ ability to apply the avalanche problem information to terrain. These learning interventions included a self-reflection exercise, showing participants the correct route ranking, and providing users with the correct route ranking and explaining it. However, this part of the experiment is not the focus of this manuscript. Interested readers are referred to Fisher, Haegeli and Mair (in prep. a) for a complete description of this part of our study. In summary, the experimental portion of the survey included four route-ranking tasks that were complete in the following sequence:

- 1) Avalanche bulletin scenario 1 – Simple routes
- 2) Avalanche bulletin scenario 1 – Complex routes
- 3) Learning interventions (none, self-reflection, solution, solution with explanation)
- 4) Avalanche bulletin scenario 2 – Simple routes
- 5) Avalanche bulletin scenario 2 – Complex routes

After completion of the route-ranking tasks, participants were shown all three avalanche problem information graphics and asked to rate their effectiveness for communicating the location information of avalanche problems on a scale from 0 (not effective at all) to 100 (extremely effective). In addition, participants were given the opportunity to provide additional comments in a text box.

Our survey included a wide range of background questions to contextualize the results of the route-ranking exercise and the effectiveness ratings. We drew from questions included in Finn’s (2020) survey and asked participants to indicate their primary modes of recreating in the backcountry, which avalanche bulletin region they recreate in, how often they check the bulletin, how many years and days per year of experience they had, what their overall attitude towards avalanches is, the level of avalanche training they had completed, and their bulletin user type as described by St. Clair (2019). Additional questions asked participants to identify how much weight they ascribe to different bulletin sections and rate their confidence in their abilities



to understand the bulletin, recognize hazardous conditions in the field, make safe choices, and read topographic maps. Also  
225 included in the survey was a question explicitly testing users topographic map reading skills, as well as basic sociodemographic  
questions including self-identified gender, age, education level, location of residence, and colorblindness. Interested readers  
are referred to Fisher (2021) for a complete description of our survey including screen shots.

The survey was developed during the early part of the 2019/20 winter season and extensively tested in February and March  
2020 prior to release. Survey testing began with an initial round of testers with moderate to high levels of winter backcountry  
230 recreation experience and avalanche industry experts. A second round of testing included users from novice to expert  
participants. The survey was also reviewed and approved by the Office for Research Ethics of Simon Fraser University (SFU  
ethics approval 2020s0074).

## 2.2 Recruitment and Survey Development

The primary target audience for our survey was North American avalanche bulletin users, which we recruited in a variety of  
235 ways. The foundation of our recruitment were 3047 bulletin users who participated in previous avalanche bulletin surveys  
conducted by our research program and indicated that they were interested in participating in future studies. The survey was  
officially launched on March 23, 2020, by sending invitation emails to 300 individuals from this existing panel of prospective  
participants. This soft launch allowed us to monitor the initial responses and address any survey issues if necessary. However,  
the survey worked as designed and no modifications were required. On March 26, 2020, we sent invitation emails to the rest  
240 of our panel of prospective participants (2747 individuals) and between March 26 and April 1, 2020, the survey was also  
actively promoted by our partnering avalanche warning services (Avalanche Canada, Parks Canada, Colorado Avalanche  
Information Centre, Northwest Avalanche Center). Each of these warning services helped us recruit participants by including  
a banner on their bulletin website and promoting the survey through their social media channels. We also advertised our study  
by posting on various social media sites popular among winter backcountry users, such as *South Coast Touring* and  
245 *Backcountry YYC* on Facebook, and by reaching out to community leaders to distribute the survey among their followers.

To ensure meaningful and even samples for each of the experimental treatments included in our survey (type of location  
information graphic, type of feedback), participants were stratified according to their preferred winter backcountry activity  
and bulletin user type before being assigned to one of the experimental treatments. This guaranteed that all treatment  
combinations had representation from each winter backcountry activity and bulletin user type even if they were relatively  
250 small.

The survey sample for the present analysis was drawn on May 31, 2020, after which no additional surveys were included in  
analysis. At the close of the survey, 6789 individuals had started our survey and 3668 (55.3%) completed it. The vast majority  
of the dropouts (1829, 58.6% of dropouts) did not continue after looking at the first page of the survey that described the  
objective of the study and structure of the survey. The dropout rate for individual survey pages was 1% or less except the page  
255 that introduced the route-ranking task (57, 3.4%). Of the individuals who completed the survey, 1600 (44.6%) were participants  
of previous survey studies of our research group who received an invitation email. Other substantial recruitment sources

included announcements on avalanche bulletin websites (17.5% of participants who completed survey), social media posts by collaborating avalanche warning services (9.2%), and other posts in social media groups (e.g., Facebook, Instagram) focused on winter backcountry recreation (21.5%).

## 260 **2.3 Data Analysis**

We focused on a triad of performance measures to assess the effectiveness of the three different aspect-elevation graphics in a meaningful way:

- The correctness of participants' answers in the route-ranking exercise,
- Participants' completion time of the route-ranking exercise, and
- Participants' perceived effectiveness of the three graphics

265

with an initial hypothesis that a more effective presentation would be associated with a higher percentage of correct answers, quicker completion times and higher perceived effectiveness ratings.

This combination of measures provides a comprehensive perspective on the effectiveness of the different graphics that builds on existing research into the role of cognitive load in the success of different graphic types. Response time and response accuracy of primary and secondary tasks was used by Dindar et al. (2015) to measure the cognitive load of static and animated graphics on students learning English. The authors additionally used self-reported cognitive load as an additional metric to estimate cognitive load. In this study, we replaced the subjective, explicit request to estimate cognitive load with a question asking about perceived effectiveness. We also focused our study on a single type of task because of our interest in directly measuring how the graphic influences application of bulletin information. Our single-task approach is similar to Martin-Michiellot and Mendelsohn (2000) who measured response time and assessment accuracy in relation to different computer manual presentation formats.

270

275

Our analysis approach started with the use of standard descriptive statistics to describe the nature of the analysis dataset and explore the relationships between different variables. The core of our analysis consisted of three generalized linear mixed effects models (GLMM) that explored the three different performance measures outlined above. GLMMs are an extension of generalized linear models that properly account for the correlations that emerges from repeated measure designs or nested data structures (Harrison et al., 2018; Zuur et al., 2009). To accommodate these data structure, GLMMs include both fixed and random effects in the regression equations. The fixed effects, which are equivalent to the intercept and slope estimates in traditional regression models, capture the relationship between the predictor and response variables for the entire dataset. While traditional regression models assign the remaining unexplained variance in the data (i.e., randomness) entirely to the overall error term, mixed-effect models partition the unexplained variance that originates from groupings within the dataset into random effects. Thus, random effects highlight how groups within the dataset deviate from the overall pattern described by the fixed effects included in the model. While there is some judgment involved in deciding what predictors are included in a GLMM as a fixed or random effect, it is generally the grouping variables that are not explicitly of interest that enter the analysis as random effects.

280

285

290 To assess how the graphics influence participants' ability to complete the route-ranking task correctly, their responses were graded as follows. Participants who ordered all three routes correctly received a passing grade whereas all other responses were assigned a failing grade. This means that we ended up with a binary response variable, which we examined with a logistic mixed effects regression model that uses a logit link to model the relationship between a binary response variable and one or more predictors. The random effects included in this model were participant ID and the ranking task avalanche scenario.

295 To examine the effect of the graphics on completion time in seconds, we used a gamma mixed effects regression model, which is suitable for a continuous, positive, potentially right-skewed response variable. Similar to the model for correctness, we included participant ID and ranking task scenario as random effects.

The third and last GLMM included in this analysis explored the relationship between the graphics and participants' ratings of perceived effectiveness. Since these ratings were on a bound scale from 0 to 100, we used a beta mixed effect regression model for this analysis (Cribari-Neto & Zeileis, 2010). Similar to the logistic regression model, a beta regression uses a logit link to relate the response variable to the predictors in a constrained way. Prior to analysis, we divided participants' ratings by 100 to scale them down to 0 to 1 and transformed them with  $y_{trans} = (y_{orig}(n - 1) + 0.5)/n$  ( $n$  represents number of observations) as suggested by Smithson and Verkuilen (2006) to eliminate values that are exactly 0 or 1 since they cannot be handled by the beta regression. In this model, participant ID was the only random effect as each participant rated all three graphics but there were no scenarios.

305 Since assessing the impact of the graphic and how this effect might vary among different levels of avalanche training is the main objective of this study, the initial versions of all three models included the type of aspect-elevation graphic and participants' level of formal avalanche training as predictor variables (both as main and interaction effects). The correctness and completion time models also included the following variable describing the nature of the ranking task: complexity of the route options (simple or complex), whether it was the first or second set of route-ranking tasks, and what type of feedback was provided between the two sets. In addition to these default predictors, the effects of other participant characteristics (e.g., primary winter backcountry activity, whether survey was completed on a smartphone, score on the map reading test) and route-ranking task attributes (e.g., overall number of correctly completed ranking tasks, which graphic was used in ranking tasks) were explored during the model building process. The predictors were only kept in the models if they contributed to the model as determined by a Type II Wald chi-squared test with a p-value smaller than 0.050 and the size of their effects were meaningful. Differences between model variants were assessed with likelihood ratio tests, and BIC (Schwarz, 1978) and model interpretability were used to guide final model selection.


315 We conducted our entire analysis in R (Version 4.0.5; R Core Team, 2021) and used the glmmTMB package (Brooks et al., 2017) to estimate our mixed effects models. The Type II Wald chi-squared tests were calculated using the Anova function of the car package (Fox & Weisberg, 2019). To assess violations in model assumptions, we simulated quantile residuals (Dunn and Smyth, 1996) as implemented in the DHARMA package (Hartig, 2020). Visual inspection of the resulting diagnostic plots (e.g., Q-Q-plot for uniformly distributed residuals) did not suggest any substantial model violations. Due to the logit link function and the presence of both main and interaction effects, the parameter estimates emerging from the regression models

in this study are difficult to interpret directly. To make the results more tangible, we calculated marginal means of the response variables (i.e., correctness, completion time, perceived effectiveness) for the levels of different predictor variables and followed up with post-hoc pairwise comparisons to assess whether these estimates were significantly different from each other. We performed this part of the analysis using the functions included in the emmeans package (Lenth, 2019). To counteract the issue of Type I error inflation from multiple comparisons, we calculated Holm-corrected p-values. The results of these analyses are presented in so-called effects plots, which display the differences between levels of a predictor variable of interest while holding all other predictor variables constant at their base levels. Hence, it is more important to look at the differences between the attribute levels of the predictor variable of interest than the absolute values since these charts simply illustrate the magnitude of the effect of the predictor variable and do not provide an overview of the overall nature of the dataset.

### 3 Results

#### 3.1 Participant Demographics

To ensure meaningful results, we only included participants in our analysis dataset who completed all pages of the survey, whose reported residence was in Canada or the United States, who were over the age of 20, and whose choices for primary activity and avalanche awareness training aligned with the predefined options. In addition, we excluded participants who took less than 10 minutes or more than 2 hours to complete the survey, or who spent longer than 10 minutes completing the route ranking tasks or reading feedback between the tasks. These cut-offs were chosen after a visual inspection of the distribution of page viewing times and are expected to represent participants who either did not engage with the survey or got interrupted. The final analysis dataset consisted of 3,056 participants, which represented 83.3% of the 3668 individuals who completed the survey. The median completion time of the survey was 24.6 minutes with an interquartile range of 18.5 to 32.6 minutes. Of the 3,056 participants, 76.9% self-identified as male (2,328 participants), 36.9% (1,125 participants) were between 25 and 34 years old, and 79.8% had a university-or-higher education (2,426 participants) (Figure 4a, 4b). In terms of avalanche safety training, 46.9% (1,433 participants) had taken an introductory level recreational avalanche safety course, 18.9% (577 participants) an advanced level recreational course, and 16.4% (501 participants) had completed a professional training course (Figure 4d). Backcountry skiers represented the highest proportion of recreationists in the study with 80.1% of the sample (2,448 participants) identifying backcountry skiing as their primary backcountry winter activity (Figure 4c). Additional types of recreationists present in our sample included out-of-bounds skiers (7.4%, 227 participants), snowshoers (5.5%, 168 participants), snowmobilers (5.1%, 156 participants), and less than two percent ice climbers. The largest group of participants (31.3%, 955 participants) were relatively new to their sport, with 2 to 5 years of backcountry experience (Figure 4e). However, the second largest group of participants (24.5%, 750 participants) had over 20 years of experience. Bulletin user types 'D—Distinguish Problem Conditions' and 'E—Extends Analysis' made up 75.6% of participants (2,312) (Figure 4f). Finally, 69.8% (2,134) of responses were from residents of the USA.



355

**Figure 4: Summary of demographic characteristics of participants including a) age categories, b) highest level of education completed (< HS: Less than high school; HS: High school completed; PostSec: Some post-secondary education (not completed); Trades: Trades of non-university certificate od diploma; UGrad: Completed university; Grad: Graduate degree) c) primary backcountry activity (SS: Snow shoeing; IC: Ice climbing; OB: Out-of-bounds skiing; BC: Backcountry skiing; SM: Mountain snowmobiling), d) avalanche awareness training, e) years of backcountry experience, and f) bulletin user type.**

360

### 3.2 Correctness of participants' answers

Overall, our analysis dataset included 12,224 individual route-ranking tasks, of which 74.6% were completed correctly. Our final model for the probability of completing the route-ranking task correctly included seven fixed effects. The main effect for type of feedback as well as the interaction effects between graphic type and participants' level of formal avalanche training and the interaction effects between type of feedback and participants' level of formal avalanche training were eliminated due to p-values larger than 0.05 (Type II Wald chi-square test). The parameter estimates from the regression analysis are presented in Table 1, but the effects plots (Figure 5) show the key results in a more tangible way.

365

The avalanche problem information graphic that a participant saw during the task exercises had a significant main effect on whether a participant completed the tasks correctly (Figure 5, panel a). Comparing the three information formats shows that participants who saw the *Aspect-Elevation Rose* graphic were the most likely to complete the tasks correctly (probability =

370

0.752).<sup>1</sup> Participants who saw the *Combined* graphic had significantly lower probability (0.711, p-value < 0.008)<sup>2</sup> of completing the tasks correctly than those who saw the *Aspect-Elevation Rose*. Similarly, participants seeing the *Separate* graphic were less likely to complete the tasks correctly than those seeing the *Aspect-Elevation Rose* (0.722), but the difference was statistically not significant (p-value = 0.085). Furthermore, there was no statistically significant difference in the performance between participants who were presented with the *Separate* and *Combined* graphic (p-value = 0.775).

The level of avalanche training a participant had completed was also a significant predictor of completing the task correctly (Figure 5, panel b). Participants with professional training had the highest probability of completing the task correctly (0.768) followed by participants with advanced and introductory recreational-level training (0.739 and 0.737). The probability of participants with no training completing the tasks correctly was 0.664. Our examination of the differences between consecutive levels revealed that the difference between participants with no training and introductory level recreational training was significant (odds ratio: 1.42; p-value < 0.001). The increase between recreational and professional level training was not statistically significant (p-value = 0.259).

Additional factors that changed the probability of completing the tasks correctly included route type and task set. Participants were more likely to complete tasks correctly with the simple routes than the complex ones (0.800 versus 0.643, p-value < 0.001), as well as during the second set of tasks rather than the first set (0.745 and 0.712, p-value < 0.001). Participants' probability of completing the tasks correctly was also related to characteristics such as their primary backcountry activity, success on the map reading task, and phone use. Within our sample, individuals who identified snowmobiling as their primary activity were significantly less likely to complete the tasks correctly than backcountry skiers (0.656 versus 0.784, p-value < 0.001). Snowmobile accessed backcountry skiers exhibited a similar pattern to snowmobilers, with a probability of 0.636 of completing the tasks correctly. Participants who passed the map test were more likely to complete the tasks correctly than those who failed it (0.771 versus 0.682, p-value < 0.001). Participants who completed the survey on a phone were less likely to complete the tasks successfully than those who used a desktop (0.711 versus 0.745, p-value = 0.005).


---

<sup>1</sup> All response variable values presented in the model section are calculated for the particular level of the predictor variable of interest while holding all other predictor variables constant at their base levels.

<sup>2</sup> All p-values presented in the model sections are from post-hoc pairwise comparisons. They are Holm-corrected p-values to counteract the issue of Type I error inflation from multiple comparisons.

**Table 1: Parameter estimates of regression model examining the correctness of participants' responses in the route-ranking exercise. Dashes (-) indicate that the level represents the base level of the attribute. (Number of observations = 12,224)**

		Parameter estimate	Standard error	p-value	p-value of Type II Wald Statistic
<b>Main effects</b>					
<i>Predictor</i>	<i>Level</i>				
Graphic type	Separate	-	-	-	0.0082
	Aspect-Elevation Rose	0.1564	0.0736	0.0334	
	Combined	-0.0500	0.0734	0.4961	
Avalanche training	None	-	-	-	<0.0001
	Introductory	0.3475	0.0774	0.0002	
	Advanced	0.3571	0.0942	<0.0001	
	Professional	0.5152	0.0992	<0.0001	
Route type	Simple	-	-	-	<0.0001
	Complex	-0.8008	0.0479	<0.0001	
Set number	First set of two	-	-	-	0.0003
	Second set of two	0.1693	0.0468	0.0003	
Map literacy	Fail	-	-	-	<0.0001
	Pass	0.4488	0.0606	<0.0001	
Primary activity	Snowshoeing	-	-	-	<0.0001
	Ice climbing	0.0432	0.2343	0.8537	
	Out-of-bounds skiing	0.1743	0.1541	0.2579	
	Backcountry skiing	0.2200	0.1230	0.0737	
	Snowmobile-accessed backcountry skiing	-0.5146	0.2309	0.0258	
	Snowmobiling	-0.4262	0.1648	0.0097	
Response via phone	No	-	-	-	0.0047
	Yes	-0.1731	0.0613	0.0047	
Intercept		0.9078	0.3013	0.0026	
<b>Random effects</b>		<b>Number</b>	<b>Variance</b>	<b>Std. Dev</b>	
Individual participant		3056	0.6818	0.8257	
Avalanche problem scenario		6	0.4253	0.6521	



**Figure 5: Effects plots illustrating the main effect for the presentation format and avalanche awareness training levels in the correctness and completion time model. Error bars represent 95% confidence intervals for probability of ranking correctly and completion time calculated from the subsample for the particular parameter level.**

400

### 3.3 Participants' completion time

Participants took a median of 87.0 seconds to complete the route-ranking task exercises and the interquartile range of completion times was from 60.0-134.0 s. Our final model describing completion time of the task exercises included seven main effects, and individual participants and bulletin scenarios were included as random effects (Table 2). As in the correctness model, the interactions effects between graphic type and participants' level of formal avalanche training as well as between type of feedback and participants' level of formal avalanche training were eliminated due to p-values larger than 0.05 (Type II Wald chi-square test).

405



**Table 2: Parameter estimates of regression model examining the participants' completion time of the route-ranking exercise. Dashes (-) indicate that the level represents the base level of the attribute. (Number of observations = 12,196)**

		Parameter	Standard	p-value	p-value of Type II
		Estimate	error		Wald Statistic
<b>Main effects</b>					
<i>Predictor</i>	<i>Level</i>				
Graphic type	Separate	-	-	-	< 0.0001
	Aspect-Elevation Rose	-0.1234	0.0202	< 0.0001	
	Combined	-0.1384	0.0203	< 0.0001	
Type of feedback	None	-	-	-	0.0012
	Self-reflection	0.0642	0.0207	0.0020	
	Solution	-0.0137	0.0205	0.5035	
	Solution & Explanation	0.0164	0.0206	0.4276	
Avalanche training	None	-	-	-	< 0.0001
	Introductory	0.0942	0.0217	< 0.0001	
	Advanced	0.1347	0.0258	< 0.0001	
	Professional	0.1260	0.0268	< 0.0001	
Route type	Simple	-	-	-	< 0.0001
	Complex	0.1178	0.0083	< 0.0001	
Set number	First set of two	-	-	-	< 0.0001
	Second set of two	-0.1861	0.0150	< 0.0001	
Map literacy	Fail	-	-	-	< 0.0001
	Pass	0.1030	0.0172	< 0.0001	
Age category	Linear trend	0.0900	0.0063	< 0.0001	< 0.0001
Intercept		4.2820	0.0695	< 0.0001	
<b>Random effects</b>		<b>Number</b>	<b>Variance</b>	<b>Std. Dev</b>	
Individual participant		3049	0.1337	0.3656	
Avalanche problem scenario		6	0.0229	0.1512	

410

Our analysis revealed that the format of the avalanche problem information graphic had a significant effect on the completion time for route-ranking task (Figure 5, panel c). Based on the estimated model, participants who saw the information with aspect and elevation separate for each avalanche problem (*Separate*) took the longest time to complete the tasks (estimated marginal mean 107.4 s). Participants who saw the *Aspect-Elevation Rose* or *Combined* graphic took significantly less time to complete

415 the tasks. The estimated marginal means for the completion time were 94.9 s (difference: -12.5 s; p-value < 0.001) for the *Aspect-Elevation Rose* and 93.5 s (difference: -13.9 s; p-value < 0.001) for the *Combined* graphics. The difference between the *Aspect-Elevation Rose* and *Combined* graphics did not emerge as significant (1.4 s; p-value = 0.0725).

Our analysis also revealed a significant effect of the type of feedback participants received between the two sets of route ranking exercises. Relative to receiving no feedback, participants who had to articulate their process, took significantly longer  
420 to complete the task (difference: +6.4 s; p-value 0.006), whereas receiving the solutions with or without explanations did not result in a significant difference in completion times (p-values: 0.817 and 0.752).

Avalanche training had a significant effect on completion time (Figure 5, panel d). In general, the more recreational level training participants had completed, the longer they took to complete the task. Based on the model, participants with advanced level recreational training took the longest to complete the route ranking task (103.0 s; 13.0 s longer than participants with no  
425 formal training; p-value < 0.001), closely followed by participants with professional training who completed the tasks in 102.1 s (12.1 s longer than participants with no formal training; p-value < 0.001). Participants with introductory recreational levels training took 98.9 s (difference 8.9 s; p-value < 0.001), and participants without any training 90.0 s. This means that the biggest jump between consecutive categories occurs between no and introductory recreational-level training and effect diminishes with higher levels of training.

430 Other factors that emerged as significant predictors of completion time include the experimental variables route type and the task set, as well as the participants' characteristics map reading test result and age. Participants ranking a scenario with complex routes took 11.6 s longer (p-value < 0.001) than when ranking simple routes. Conversely, participants were quicker at ranking the second set of routes than the first set (89.7 versus 108.0 s; p-value < 0.001). Participants who failed the map reading test also completed the tasks substantially more quickly than participants who passed (93.5 versus 103.6 s; p-value < 0.001).  
435 Completion times increased linearly with the age category of participants with each increasing age class taking approximately 3 s longer (p < 0.001).

### 3.4 Perceived effectiveness rating

Our final regression model for the perceived effectiveness ratings included six main effects and three 2-way interaction effects (Table 3). Across all participants, the highest ratings were given to the *Aspect-Elevation Rose* graphic, with an estimated  
440 marginal mean rating of 78.4 out of 100. This is significantly higher than either the *Separate* (71.7, p-value < 0.001) or *Combined* graphics (71.9, p-value < 0.001). There was no significant difference between the ratings for these two graphics (p-value = 0.973).

In addition to the overall effect of the information presentation format, there was also an interaction effect with a participant's country of residence (Figure 6, panel a). Canadian residents gave nearly identical ratings for the *Separate* graphics (75.0) and  
445 the *Aspect-Elevation Rose* diagram (74.8), with no significant difference between them (p-value = 0.990). Canadian residents rated the *Combined* graphic the lowest of the three formats (71.7), which was significantly lower than the other presentation formats (p-value = 0.012 and 0.017, respectively). In contrast, US residents rated the *Aspect-*

**Table 3: Parameter estimates of regression model examining the participants' perceived effectiveness ratings. Dashes (-) indicate that the level represents the base level of the attribute. (Number of observations = 8,876)**

Fixed Effects		Parameter Estimate	Standard error	p-value	p-value of Type II Wald Statistic
<b>Main Effects</b>					
<i>Predictor</i>	<i>Level</i>				
Graphic Type	Separate	-	-	-	<0.0001
	Aspect-Elevation Rose	-0.5689	0.1205	<0.0001	
	Combined	-0.4881	0.1234	<0.0001	
Country of residence	Canada	-	-	-	0.2989
	USA	-0.3305	0.0500	<0.0001	
Avalanche Training	None	-	-	-	0.2696
	Introductory	-0.0990	0.0652	0.1130	
	Advanced	-0.0717	0.0749	0.3382	
	Professional	-0.0963	0.0783	0.2192	
Used in task exercises	No	-	-	-	<0.0001
	Yes	0.5924	0.0479	<0.0001	
Tasks answered incorrectly	Linear trend	-0.0774	0.0220	0.0004	0.0169
Completed on phone	No	-	-	-	0.0002
	Yes	0.1157	0.0308	0.0002	
Intercept		1.0410	0.0906	<0.0001	
<b>Interaction Effects</b>					
<i>Predictor (levels)</i>	<i>Predictor (levels)</i>				
Graphic Type <sup>a</sup>	Country of residence				<0.0001
	Aspect-Elevation Rose	Canada	-	-	
Combined	USA	0.7328	0.0672	<0.0001	
	Canada	-	-	-	
Graphic Type	USA	0.3478	0.0682	<0.0001	0.0068
	Avalanche Training				
Aspect-Elevation Rose	None	-	-	-	
	Introductory	0.1547	0.0835	0.0638	
	Advanced	0.1461	0.0998	0.1433	
	Professional	0.1977	0.1047	0.0590	
Combined	None	-	-	-	
	Introductory	0.0031	0.0851	0.9704	
	Advanced	-0.0768	0.1020	0.1433	

Graphic Type	Professional	-0.2145	0.1071	0.0452	<0.0001
	Used in task exercises				
Aspect-Elevation Rose	No	-	-	-	<0.0001
	Yes	-0.3103	0.0676	<0.0001	
Combined	No	-	-	-	<0.0001
	Yes	0.0171	0.0683	0.8025	
Graphic Type	Tasks answered incorrectly				<0.0001
Aspect-Elevation Rose	Linear trend	0.1982	0.0294	<0.0001	
	Combined	Linear trend	0.1290	0.0300	<0.0001
<b>Random Effects</b>		<b>Number</b>	<b>Variance</b>	<b>Std. Dev</b>	
Individual Participant		3056	0.132	0.3633	

Overdispersion parameter for beta family: 1.57


<sup>a</sup> Base level is Graphic type = Separate

450

*Elevation Rose* diagram significantly higher (81.6) than either the *Separate* (68.3, p-value < 0.001) or *Combined* (72.1, p-value < 0.001) graphics. Unlike Canadian residents, US residents rated the *Separate* graphic significantly lower than the *Combined* presentation format (p-value = 0.001).

In addition to the interaction effect above, there was also an interaction effect between the format of the avalanche problem graphics and a participant's completed level of avalanche awareness training (Figure 6, panel b). The ratings of the *Aspect-Elevation Rose* tended to increase with increasing levels of training. For participants who completed professional level training, the *Aspect-Elevation Rose* was rated 79.2 versus the *Separate* graphic at 71.1 (significantly different, p-value < 0.001) and for the *Combined* graphic it was 68.3 (significantly different from *Aspect-Elevation Rose* at p-value < 0.001, not significantly different than *Separate* style p-value = 0.18). The difference in rating between the *Aspect-Elevation Rose* and other styles decreased at lower levels of training, showing that at lower levels of training the effect of the *Aspect-Elevation Rose* graphic is not as preferred over other formats. Among participants with no training, the difference between the *Aspect-Elevation Rose* and the *Separate* graphic was the smallest (77.4 versus 73.1; p-value 0.005), and no other differences were significant among this group.

460



465 **Figure 6: Effects plots illustrating the interaction effects with presentation format in the perceived effectiveness rating model. Error bars represent 95% confidence intervals for perceived effectiveness calculated from the subsample for the particular parameter level.**

Another interaction effect was observed between the information presentation and whether a participant used it during the task exercises. Participants rated graphics they used during the task section of the survey higher than graphics they did not use during the survey (Figure 6, panel c). However, the difference in the rating for the graphics between participants who had not and who had used them was lower for the *Aspect-Elevation Rose* than for the *Separate* or *Combined* graphics. This shows that the *Aspect-Elevation Rose* graphic was rated higher than the other two graphics even when participants had no familiarity with the icon from previous use in the survey.

475 There was also an interaction effect between the format of the graphics and how well a participant performed during the task exercises. For the *Aspect-Elevation Rose* and *Combined* graphic, participants' ratings of the graphics tended to increase with the number of tasks they completed correctly. In contrast, ratings of the *Separate* graphic tended to decrease with the number of tasks a participant completed correctly.

Unlike the other models, only one additional explanatory factor contributed to explaining the variation ratings. Participants who used their phone overall rated all of the graphics just slightly more favourably (75.3 versus 73.0, p-value < 0.001).

#### 480 **4 Discussion**

We defined the success of an avalanche problem location information graphic based on whether participants completed the ranking task exercises correctly, how long it took them to complete the task, and how highly they rated the perceived effectiveness of the graphics. The use of regression analysis allowed us to isolate the influence of the graphics on each of these three metrics by controlling for the other influencing factors.

485 We can present an overall picture of the user experience with each graphic by looking at a combination of the three metrics described above. The *Separate* graphic led to lower rates of correct task completion, slower task completion times, and was

given relatively low ratings by all levels of training. Canadian residents rated the *Separate* graphic as about equivalently useful to the *Aspect-Elevation Rose* diagram, but US residents rated it the lowest of all the graphics. The *Separate* graphic received low ratings when compared to the *Aspect-Elevation Rose* regardless of whether it was used in the task exercises or not. These  
490 results indicate that the *Separate* graphic has challenges communicating avalanche problem information and we suspect that its popularity among Canadian residents is likely due to familiarity.

The *Aspect-Elevation Rose* graphic led to the highest rate of correct task completion, fast completion times, and was given the highest rating by all levels of training. It received the highest ratings regardless of whether or not survey participants used it during the task exercises, was rated by far the highest graphic by US residents and was considered equivalent to the *Separate*  
495 graphic by Canadian residents. These results indicate the *Aspect-Elevation Rose* diagram is an effective graphic for communicating avalanche problem information and is likely to be accepted by many users.

The *Combined* graphic led to lower rates of correct task completion, on par with the *Separate* graphic, but fast completion times. The *Combined* graphic received relatively low ratings by both Canadian and US residents, regardless of whether or not it was used in the task. It received low ratings across all training levels, with ratings decreasing as training increased. These  
500 results indicated that the *Combined* graphic is not effective for communicating avalanche problem information, and not likely to be accepted by users.

#### **4.1 Cognitive load perspective on results**

Our results are consistent with existing research on the effect of cognitive load on task performance. According to cognitive load theory, individuals have limited memory resources to apply to processing information, and that cognitive load increases  
505 with an increase in working memory use. Higher levels of cognitive load often lead to poor learning outcomes, lower task success, or trouble applying information (Allen et al., 2014; Dindar et al., 2015; Martin-Michiellot & Mendelsohn, 2000). Sweller et al. (2011) describe how cognitive load is altered by “interactivity”, which refers to the elements that must be processed simultaneously to be understood. Higher levels of interactivity generally lead to higher cognitive load. The authors further highlight that more information can be processed simultaneously when the information is broken down into meaningful  
510 “chunks” known as schema. Cognitive load can also be described as either intrinsic or extrinsic. Intrinsic cognitive load refers to the challenge inherent in understanding information or completing a task, whereas extrinsic cognitive load emerges from how the material is presented (Sweller et al., 2011). These two types of cognitive load are additive, with both competing for working memory capacity. If a task has a high intrinsic cognitive load, it is advised to reduce the extrinsic cognitive load as much as possible, as studies have found that people struggle with making behavioral choices when information is presented in  
515 a cognitively demanding format (Allen et al., 2014). There are multiple strategies for estimating cognitive load that include performance on tasks, efficiency of task completion, and self-reported ratings of cognitive load—often in combination although the relationship between measurements varies under different conditions (Dindar et al., 2015; Sweller et al., 2011). In the avalanche safety context of this study, interpreting the avalanche problem graphics and making the route choice selection both demand cognitive resources from participants. Based on this, we can think of the metrics used to evaluate the problem

520 graphics in this study as reflective of the cognitive load experienced during the task exercises. Completion of the route-ranking exercise is in itself an intrinsically challenging activity but did not vary between treatments, so it is expected that differences in outcome reflect the extrinsic cognitive load of the graphics.

The concept of extrinsic cognitive load helps explain the poor success of the *Separate* and *Combined* presentation formats. The *Separate* graphic is distinguished by a low success rate on the route ranking exercise, slow completion time, and low ratings for the graphic's perceived effectiveness. All of these indicators together suggest that the route-ranking exercise with this presentation format for the avalanche problem location information produced a high cognitive load that led to poor performance. In this presentation format, users had to combine the aspect and elevation information for multiple avalanche problems. Each individual component of the graphic could only be applied to terrain once combined with the others, which means that this presentation format exhibits high element interactivity. We hypothesize that this high element interactivity led participants to focus their cognitive resources on interpreting the graphic and lowering the resources available for actually applying the information to the terrain and ranking the routes. Additionally, to integrate the information, users had to direct their attention to multiple locations in the graphic to make sense of the information. There is evidence that this kind of attention splitting also leads to a higher cognitive load on individuals (Martin-Michiellot & Mendelsohn, 2000; Sweller et al., 2011).

530 With evidence that integrated information should lead to reduced cognitive load, one would expect that the *Combined* graphic would lead to the least cognitive load because it integrates the most information into a single graphic. However, our results show that users also had a high amount of difficulty applying the information from this presentation format to the route-ranking exercise as demonstrated by the low correctness scores despite faster completion times. This result may be due to the high visual complexity of the *Combined* graphic leading to a high extrinsic cognitive load for the graphic. The *Combined* graphic uses multiple colours to represent avalanche problems, and the meaning of the colours must be distinguished and interpreted to understand the information presented in the graphic. Complex visuals have been shown to be difficult to interpret as they increase users' extrinsic cognitive load (Anderson et al., 2011; Harold et al., 2020; Masri et al., 2008). Therefore, we suggest that the extrinsic load from the complex visuals was high enough to reduce performance on the route-ranking exercise. Our results also mirror the result of studies on website complexity and hospital signage showing that visuals with medium levels of complexity perform most successfully with users (Rousek et al., 2011; Wang et al., 2014).

545 From a cognitive load perspective, the finding that the *Aspect-Elevation Rose* diagram performs best is not surprising. This presentation format mitigates the cognitive load required to integrate the avalanche problem aspect and elevation information by combining those elements into a single graphic, thereby lowering element interactivity. However, it keeps the avalanche problems separate. This degree of integrating information may correspond well to users existing schema or mental model about avalanche danger. In North America, the conceptual model of avalanche hazard uses "avalanche problems" as a framework to organize information about avalanche hazard. In the conceptual model, "location" is identified as one of four main characteristics of avalanche problems and, at the bulletin scale, "location" is described by aspect and elevation (Statham et al., 2018). The success of the *Aspect-Elevation-Rose* graphic may be in part because it taps into this existing conceptual framework for thinking about "location" as a single characteristic defining avalanche problems. The *Aspect-Elevation-Rose* graphic is the

only graphic that represents “location” for each avalanche problem, and therefore most closely represents aspect and elevation  
555 as they are included in the conceptual model. In contrast, the *Combined* graphic—with it is combination of avalanche problems  
into a single graphic—aggregates location information at a higher level than is used in the conceptual model of avalanche  
hazard.

#### 4.2 Implications for avalanche warning services

The results of this study offer valuable insights for avalanche warning services seeking to communicate avalanche problem  
560 information to users more effectively. Our findings indicate that the *Aspect-Elevation Rose* diagram leads to the best  
performance in the route-ranking task, indicating that this presentation format may be best suited towards helping recreationists  
use the information as part of the avalanche bulletin. The *Aspect-Elevation Rose* was the most effective across all groups, and  
even users accustomed to the Canadian-style graphic can benefit from the US-style graphic. It is important to remember,  
however, that the location information presented in our survey used predefined elevation bands, and it is unclear whether the  
565 *Aspect-Elevation Rose* graphic is also the preferred presentation format with variable elevation values commonly used by  
European avalanche warning services. Still, the cognitive load perspective indicates that having *Separate* graphics with  
variable elevation values would likely result in higher extrinsic load than *Separate* graphics with static elevation values, and  
we therefore expect that presentation format to be even more challenging and error prone.

Our results show that avalanche warning services interested in changing their information presentation might initially find  
570 resistance from their users as users prefer graphics that they are already familiar with. The interaction between country of  
residence and preference rating for the graphics suggests that users hold favourable perceptions of whichever graphic they are  
most familiar with. However, users may be flexible and willing to accept new graphics after experience with the graphics.  
Comparing the preferences of users on a per-graphic basis, participants who saw the *Combined* graphic during the task  
exercises exhibited the greatest increase in rating compared to those who did not use it. This boost to the preference of the  
575 *Combined* graphics by participants who used it in the tasks suggests that it may take relatively little time for users to become  
accustomed to a change in avalanche problem information graphics. This suggests any resistance to changing graphics used in  
the bulletin may be short lived.

Other results from this study that may be of interest to avalanche warning services is the finding that avalanche education was  
a strong predictor of how successfully people completed the ranking task. We found that participants with recreational level  
580 avalanche awareness training performed similarly to those with professional level training regardless of which graphics they  
used, which indicates that recreational training is successfully helping users interpret avalanche bulletins. This is consistent  
with prior research demonstrating that avalanche education is a significant factor influencing avalanche bulletin literacy (Finn,  
2020). More importantly in the context of the objective of this study, however, our results show that the *Aspect-Elevation Rose*  
is the best presentation format for all training levels. Hence, there is no need to design different sets of graphics for beginners.  
585 Additionally, this study found that participants with different primary backcountry activities performed differently on the task  
exercises even after controlling for avalanche awareness training. However, there was no interaction effect between the type



of avalanche problem graphic used and participants' primary backcountry activity, indicating that the graphic use was not a factor in this variation of performance. Avalanche warning services can use this as evidence that changing avalanche problem graphics will not disadvantage backcountry recreationists of any sport. However, even though the survey was open to all winter  
590 backcountry recreationists, most participants were backcountry skiers, and the routes shown in the ranking tasks were optimized to be realistic for backcountry skiing. This means that the route ranking exercise may have not fully resonated with other activity groups, such as snowmobilers, snowshoers, or ice climbers. Hence the results presented in this study should only be extrapolated to these user groups with caution. To better understand the skills and perspectives of all types of avalanche bulletin users, future studies should seek to create hypothetical terrain scenarios tailored to a wider range of backcountry  
595 activities. Additional research is needed to determine if the effects observed during this desktop exercise can be translated into increased recognition of hazardous aspect and elevation combinations in the field.

Despite the improved performance of participants with the *Aspect-Elevation-Rose* and the positive impact of avalanche awareness education, the fact that overall, only 74.6% of the route ranking tasks were completed correctly highlights that additional interventions might be necessary to help avalanche bulletin users make better use of the presented location  
600 information. Klassen (2012) highlighted that the next frontier of avalanche bulletins is to better assist users linking the hazard information to terrain, and the skitourenguru.ch web platform (Schmudlach & Köhler, 2016) is an example of a decision aid that automatically evaluates the current severity of backcountry ski routes based on the location-specific avalanche hazard information presented in bulletins. While these types of decision aid have great potential for helping backcountry recreationists avoid application mistakes and make better use of the bulletin information, a detailed examination of how users interpret the  
605 severity ratings of the ski routes is critical for better understanding the advantages and disadvantages of the automated avalanche hazard information processing.

The success of combining avalanche problem aspect and elevation into the *Aspect-Elevation-Rose* graphic opens new doors for further improvements to the avalanche bulletin. In addition to aspect and elevation, likelihood and size are two additional avalanche problem characteristics that are presented graphically in North American avalanche bulletins. While likelihood and  
610 size are assessed and presented in a single chart in the conceptual model of avalanche hazard (Statham et al., 2018), the two characteristics are presented in separate graphics in North American bulletins. Since this study has demonstrated that there are benefits to linking conceptually related avalanche hazard information into a single graphic for public use in avalanche bulletins, future research should seek to identify if this principle could also be extended to present likelihood and size in a single graphic or if it would disadvantage users with low graphical literacy.

### 615 **4.3 Limitations**

The participant sample in this study demonstrates trends consistent with previous surveys of backcountry recreation users. A high proportion of university educated, male, backcountry skiers, between 25 and 34 years of age with basic avalanche education engage in online surveys about avalanche safety (Finn, 2020; Haegeli and Strong-Cvetich, 2020; Haegeli et al. 2012). The similarity in sample demographics may be drawn from the similar survey promotion techniques used between this

620 study and Finn (2020). Although this study and Finn (2020) did reach a wider range of users than previous studies, it only captures the behaviour of the demographic that responds to an online survey and may underrepresent non-English speaking participants or other demographics.

Since this study focused primarily on a North American audience and our survey design did not include presentation formats with variable elevation values commonly used in European avalanche bulletins, the recommendations of our study should be applied with caution. Future research in this area should test a wider range of presentation formats including the European location graphics, the direct presentation of hazard locations on maps, and automated route severity ratings.

## 5 Conclusion

To make informed decisions about when and where to travel in the backcountry, winter backcountry recreationists need to manage their risk from avalanches by monitoring the hazard conditions and relating this information to the terrain characteristics of their intended trips. The daily avalanche bulletins published by local avalanche warning services provide critical information about the existing conditions when recreationists are planning their trips from home. We used an online survey to evaluate the impact of avalanche bulletin information graphics on participants ability to apply the information to a route-ranking exercise that simulated the planning process for a backcountry trip. We evaluated the graphics on the correctness and completion times of user responses during the exercise, as well as useability ratings provided by users. Our study identified that combining aspect and elevation information into a single graphic leads to improved success on the route-ranking exercise, quicker completion times, and is favored by users regardless of avalanche training experience or country of origin. These results can be used by avalanche warning services seeking to maximize useability of their bulletins.

This study highlights that simply changing the graphic presentation of the aspect and elevation information can lead to greater success in applying the information to a route-finding task. These research results also provide valuable insight for the presentation of hazard information beyond avalanches by demonstrating that linking graphical hazard information to existing mental models about the hazard can lead to better application of the information. This lesson may help to improve communication of any natural hazard warning information where applying graphic information is necessary to make safe decisions.

645 *Code and data availability.* The data, code, and output for our analysis and the data and code for the figures and tables included in this paper are available at <https://doi.org/10.17605/OSF.IO/MYFP2> (Haegeli et al., 2021).

*Author Contribution.* KF and PH designed and executed the study and prepared the original draft. PM assisted with data analysis and reviewed the draft. All authors reviewed the draft prior to submission.

650

*Competing Interests.* PH is part of the editorial team of NHESS. The other authors declare that they have no conflict of interest.

*Acknowledgements.* The authors thank Avalanche Canada, the Colorado Avalanche Information Center, and the Northwest Avalanche Center for their input during the design of the survey and their promotion of the study among their communities. We also thank Frank Techel and Rune Engeset for their constructive comments during the review process. We are grateful to the Coast Salish peoples including the Tsleil-Waututh (səlilwətaʔ), Kwikwetlem (kʷikwəʔləm), Squamish (Sḵwəwú7mesh Úxwumixw) and Musqueam (xʷməθkʷəy̓əm) Nations, on whose traditional and unceded territories Simon Fraser University and our research program resides. This research was conducted across Canada and the United States, which include the traditional territories of many other Indigenous Peoples.


660

*Financial support:* KF received funding for this project from the Government of Canada Social Sciences and Humanities Research Council via a Joseph Armand Bombardier Canada Graduate Scholarship-Master's (CGS M). Public avalanche safety research at Simon Fraser University Avalanche Research Program is further supported by Avalanche Canada and the Avalanche Canada Foundation.

665

## Appendix A

This appendix includes screen shots of all the bulletin scenarios with the solutions and explanations.







Figure A2: Screen shot of Scenario 2 (ID 5) with avalanche bulletin information, route options, ranking solutions and explanations.



675 Figure A3: Screen shot of Scenario 3 (ID 6) with avalanche bulletin information, route options, ranking solutions and explanations.




Figure A4: Screen shot of Scenario 4 (ID 7) with avalanche bulletin information, route options, ranking solutions and explanations.




Figure A5: Screen shot of Scenario 5 (ID 8) with avalanche bulletin information, route options, ranking solutions and explanations.






Figure A6: Screen shot of Scenario 6 (ID 9) with avalanche bulletin information, route options, ranking solutions and explanations.

## References

- Allen, P.M., Edwards, J.A., Snyder, F.J., Makinson, K.A., and Hamby, D.M: The effect of cognitive load on decision making with graphically displayed uncertainty information. *Risk Anal.*, 34, 1495-1505, 685 <https://doi.org/10.1111/risa.12161>, 2014.
- Anderson, W. E., Potter, K.C., Matzen, L.E., Shepherd, J.F., Preston, G.A. and Silva, C.T: A user study of visualization effectiveness using EEG and cognitive load, *EuroGraphics/EuroVis 2011*, 30(3), <https://doi.org/10.1111/j.1467-8659.2011.01928.x>, 2011.
- Avalanche Canada: Avalanche Canada 2019 Annual Report, [https://issuu.com/avalancheca/docs/ac\\_2019\\_annual\\_reportissuu](https://issuu.com/avalancheca/docs/ac_2019_annual_reportissuu) (last access: 19 September 2021), 2019. 690
- Brooks, M. E., Kristensen, K., van Benthem, K. J., Magnusson, A., Berg, C. W., Niels, A., . . . Bolker, B. M.: glmmTMB Balances Speed and Flexibility Among Packages for Zero-inflated Generalized Linear Mixed Modeling, *R J*, 9, 378-400. <https://doi.org/10.32614/RJ-2017-066>, 2017.
- Bühler, Y., Kumar, S., Veitinger, J., Christen, M., Stoffel, A., and Snehmani: Automated identification of potential snow 695 avalanche release areas based on digital elevation models. *Nat Hazard Earth Sys*, 13, 1321-1335. <https://doi.org/10.5194/nhess-13-1321-2013>, 2013.
- Bühler, Y., von Rickenbach, D., Stoffel, A., Margreth, S., Stoffel, L., and Christen, M.: Automated snow avalanche release area delineation – validation of existing algorithms and proposition of a new object-based approach for large-scale hazard indication mapping. *Nat Hazard Earth Sys*, 18, 3235-3251. <https://doi.org/10.5194/nhess-18-3235-2018>, 2018.
- 700 Burkeljca, J.: A comparison of advisory bulletins. *The Avalanche Review*, 31(4), 28-30, 2013a.
- Burkeljca, J.: Shifting Audience and the Visual Language of Avalanche Risk Communication. In: *Proceedings of 2013 International Snow Science Workshop, Grenoble, France*, 415-422, available at: <https://arc.lib.montana.edu/snow-science/item/1828> (last access: 19 September 2021), 2013b.
- [CAIC] Colorado Avalanche Information Center: <https://avalanche.state.co.us/forecasts/backcountry-avalanche/steamboat-flat-tops/> (last access: 19 September 2021), n.d. 705
- [CAIC] Colorado Avalanche Information Center: National Avalanche Accident Dataset. <https://avalanche.state.co.us/accidents/statistics-and-reporting/> (last access: 19 September 2021), 2020
- Clark, T.: Exploring the link between the conceptual model of avalanche hazard and the North American public avalanche danger scale. M.R.M research project no. 721, 2019-1. School of Resource and Environmental Management. Simon 710 Fraser University, Burnaby, B.C., 2019.
- Cribari-Neto, F., and Zeileis, A.: Beta Regression in R. *J Stat Softw*, 34, 24 pp., available at: <https://www.jstatsoft.org/article/view/v034i02> (last access: 19 September 2021), 2010.
- Cuite, C. L., Shwom, R. L., Hallman, W. K., Morss, R. E., and Demuth, J. L.: Improving coastal storm evacuation messages. *Weather Clim, Soc*, 9, 155-170. <https://doi.org/10.1175/WCAS-D-16-0076.1>, 2017.

- 715 Dindar, M., Yurdakul, K., and Donmez, F.I.: Measuring cognitive load in test items: static graphics versus animated graphics. *J Comput Assist Lear*, 31, 148-161. <https://doi.org/10.1111/jcal.12086>, 2015.
- Dunn, P. K., and Smyth, G. K.: Randomized Quantile Residuals. *J Comput Graph Stat*, 5, 236-244. <https://doi.org/10.1080/10618600.1996.10474708>, 1996.
- Engeset, R. V., Pfuhl, G., Landrø, M., Mannberg, A., and Hetland, A.: Communicating public avalanche warnings – what works? *Nat. Hazards Earth Syst*, 18, 2537-2559. <https://doi.org/10.5194/nhess-2018-183>, 2018.
- 720 [EAWS] European Avalanche Warning Services: Information Pyramid. <https://www.avalanches.org/standards/information-pyramid/> (last access: 19 September 2021), February 2021.
- [EAWS] European Avalanche Warning Services: Avalanche Danger Scale, <https://www.avalanches.org/standards/avalanche-danger-scale> (last access: 19 September 2021), 2018.
- 725 Finn, H.: Examining risk literacy in a complex decision-making environment: A study of public avalanche bulletins. M.R.M. research project no. 745, 2020-04. School of Resource and Environmental Management. Simon Fraser University, Burnaby, B.C., 2020.
- Fisher, K.: How can avalanche bulletins be more useful for recreationists? Exploring three opportunities for improving communication of avalanche hazard information. M.R.M. thesis. School of Resource and Environmental Management.
- 730 Simon Fraser University, Burnaby, B.C., 2021.
- Fisher, K., Haegeli, P., and Mair, P.: Exploring the avalanche bulletin as an avenue for continuing education by including learning interventions. Manuscript submitted on 20 September 2021 for publication in *Journal of Outdoor Recreation and Tourism*, submitted.
- Fisher, K., Haegeli, P., and Mair, P.: Travel and Terrain Advice: Understanding current use practices and modifications for increased useability among backcountry recreationists. Manuscript in preparation for *Natural Hazards and Earth System Sciences*, in preparation.
- 735 Fox, J., and Weisberg, S.: *An R Companion to Applied Regression* (3<sup>rd</sup> ed.). Sage, Thousand Oaks CA, 2019.
- Haegeli, P., Gunn, M., and Haider, W.: Identifying a High-Risk Cohort in a Complex and Dynamic Risk Environment: Out-of-bounds Skiing—An Example from Avalanche Safety. *Prev Sci*, 13, 562-573. <https://doi.org/10.1007/s11121-012-0282-5>, 2012.
- 740 Haegeli, P., and Strong-Cvetich, L.: Using discrete choice experiments to examine the stepwise nature of avalanche risk management decisions—An example from mountain snowmobiling, *J Outdoor Recreation and Tourism*, 32, 100165. <https://doi.org/10.1016/j.jort.2018.01.007>, 2020.
- Haegeli, P., Fisher, K., and Mair, P.: Impact of information presentation on interpretability of spatial hazard information: Lessons from a study in avalanche safety—Data and Code, OSF, <https://doi.org/10.17605/OSF.IO/3WSC4>, 2021.
- 745 Harold, J., Lorenzoni, I., Shipley, T.F. and Coventry, K.R.: Communication of IPCC visuals: IPCC authors' views and assessments of visual complexity. *Climatic Change*, 1, 255-270. <https://doi.org/10.1007/s10584-019-02537-z>, 2020.

- Harrison, X. A., Donaldson, L., Correa-Cano, M. E., Evans, J., Fisher, D. N., Goodwin, C. E. D., . . . Inger, R.: A brief introduction to mixed effects modelling and multi-model inference in ecology. *PeerJ*, 6, e4794. 750 <https://doi.org/10.7717/peerj.4794>, 2018.
- Hartig, F. DHARMA: Residual Diagnostics for Hierarchical (Multi-Level/Mixed) Regression Models. R package version 0.3.2.0, <https://CRAN.R-project.org/package=DHARMA> (last access: 19 September 2021), 2020.
- Hutter, V., Techel, F., and Purves, R. S.: How is avalanche danger described in public avalanche forecasts? Analyzing textual descriptions of avalanche forecasts in Switzerland, *Nat. Hazards Earth Syst. Sci. Discuss.* [preprint], 755 <https://doi.org/10.5194/nhess-2021-160>, in review, 2021.
- Klassen, K.: Incorporating terrain into public avalanche information products, in: Proceedings of 2012 International Snow Science Workshop, Anchorage, AK, 209-213, available at <http://arc.lib.montana.edu/snow-science/item/1582> (last access: 19 September 2021), 2012.
- Lazar, B., Trautman, S., Cooperstein, M., Greene, E., and Birkeland, K. W.: North American Avalanche Danger Scale: Do 760 backcountry forecasters apply is consistently? In: Proceedings of the 2016 International Snow Science Workshop, Breckenridge, CO, 457-465, available at: <http://arc.lib.montana.edu/snow-science/item/2307> (last access: 19 September 2021), 2016.
- Lenth, R.: Estimated Marginal Means, aka Least-Squares Means. R package version 1.4.3.01., <https://CRAN.R-project.org/package=emmeans> (last access: 19 September 2021), 2019.
- 765 Lundgren, R. E., and McMakin, A. H: Risk Communication: A Handbook for Communicating Environmental, Safety, and Health Risks (6th ed.). Wiley, Hoboken, NJ, 2018.
- Martin-Michiellot, S. and Mendelsohn, P.: Cognitive load while learning with a graphical computer interface. *J Comput Assist Learn*, 16, 284-293, <https://doi.org/10.1046/j.1365-2729.2000.00141.x>, 2000
- Masri, K., Parker, D., and Gemino, A.: Using iconic graphics in entity-relationship diagrams: The impact on understanding. *J 770 Database Manage*, 19, 22-41, <https://doi.org/10.4018/jdm.2008070102>, 2008.
- McClung, D. M.: The elements of applied avalanche forecasting - Part I: The human issues. *Nat Hazards*, 25, 111-129. <https://doi.org/10.1023/a:1015665432221>, 2002.
- Meteo France: <https://meteofrance.com/meteo-montagne/alpes-du-nord/risques-avalanche> (last access: 19 September 2021), 2021.
- 775 Morss, R. E., Demuth, J.L., Lazo, J.K., Dickinson, K., Lazrus, H. and Morrow, B.H.: Understanding public hurricane evacuation decisions and responses to forecast and warning messages, *Weather Forecast*, 31, 395-417, <https://doi.org/10.1175/WAF-D-15-0066.1>, 2016.
- [NZAA] New Zealand Avalanche Advisory: <https://www.avalanche.net.nz/> (last access: 19 September 2021), n.d.
- [NWAC] Northwest Avalanche Center: <https://nwac.us/avalanche-forecast/#/west-slopes-north> (last access: 19 September 780 2021), n.d.

- R Core Team: R – A language and environment for statistical computing, R Foundation for Statistical Computing, Vienna, Austria, 2021.
- Rickard, L.N., Schuldt, J.P., Eosco, G.M., Scherer, C.W. and Daziano, R.A: The proof is in the picture: The influence of imagery and experience in perceptions of hurricane messaging. *Weather Clim Soc*, 9, 471-485.  
785 <https://doi.org/10.1175/WCAS-D-16-0048.1>, 2017.
- Rousek, J.B. and Hallbeck, M.S.: Improving and analyzing signage within an healthcare setting. *Applied Ergonomics*, 42, 771-784. <https://doi.org/10.1016/j.apergo.2010.12.004>, 2011.
- Saunders, R., Weiler, B., Scherrer, P., and Zeppel, H.: Best practice principles for communicating safety messages in national parks. *J Outdoor Recreation and Tourism*, 25, 132-142. <https://doi.org/10.1016/j.jort.2018.01.006>, 2019.
- 790 Schmudlach, G., and Köhler, J.: Automated avalanche risk rating of backcountry ski routes, in: Proceedings of 2016 International Snow Science Workshop, Breckenridge, CO, 450-456, available at <https://arc.lib.montana.edu/snow-science/item/2306> (last access: 19 September 2021), 2016.
- Schwarz, G.: Estimating the Dimension of a Model. *Ann Stat*, 6, 461-464, <https://doi.org/10.1214/aos/1176344136>, 1978,  
[SLF] WSL Institute for Snow and Avalanche Research SLF: Avalanche Bulletin, [https://www.slf.ch/en/services-and-](https://www.slf.ch/en/services-and-products/forecasting-and-warning/avalanche-bulletin.html)  
795 [products/forecasting-and-warning/avalanche-bulletin.html](https://www.slf.ch/en/services-and-products/forecasting-and-warning/avalanche-bulletin.html) (last access: 19 September 2021), n.d.
- [SLF] WSL Institute for Snow and Avalanche Research SLF: Avalanche bulletin interpretation guide, <https://www.slf.ch/en/avalanche-bulletin-and-snow-situation/about-the-avalanche-bulletin/interpretation-guide.html> (last  
access: 19 September 2021), 2020.
- Smithson, M., and Verkuilen, J.: A better lemon squeezer? Maximum-likelihood regression with beta-distributed dependent  
800 variables. *Psychol Methods*, 11, 54-71, <https://doi.org/10.1037/1082-989X.11.1.54>, 2006.
- St. Clair, A.: Exploring the Effectiveness of Avalanche Risk Communication: A Qualitative Study of Avalanche Bulletin Use Among Backcountry Recreationists. M.R.M. research project no. 738, 2019-10. School of Resource and Environmental Management. Simon Fraser University, Burnaby, B.C., 2019.
- Statham, G., Haegeli, P., Birkeland, K. W., Greene, E., Israelson, C., Tremper, B., . . . Kelly, J.: The North American public  
805 avalanche danger scale, in: Proceedings of the 2010 International Snow Science Workshop, Lake Tahoe, CA, 117-123, available at: <http://arc.lib.montana.edu/snow-science/item/353> (last access: 19 September 2021), 2010.
- Statham, G., Haegeli, P., Greene, E. Birkeland, K., Israelson, C., Tremper, B., Stethem, C., McMahon, B., White, B. and Kelly, J.: A conceptual model of avalanche hazard. *Nat Hazards*, 90, 663–691. <https://doi.org/10.1007/s11069-017-3070-5>, 2018a.
- 810 Statham, G., Holeczi, S., and Shandro, B.: Consistency and accuracy of public avalanche forecasts in Western Canada, in: Proceedings of the 2018 International Snow Science Workshop, Innsbruck, Austria, 1491–1495, available at: <http://arc.lib.montana.edu/snow-science/item/2806> (last access: 19 September 2021), 2018b.
- Sweller, J., Ayres, P., and Kalyuga, S.: Cognitive load theory, Springer New York, New York, NY, 2011.

- 815 Techel, F., Mitterer, C., Ceaglio, E., Coléou, C., Morin, S., Rastelli, F., and Purves, R. S.: Spatial consistency and bias in  
avalanche forecasts – a case study in the European Alps. *Nat. Hazards Earth Syst*, 18, 2697-2716.  
<https://doi.org/10.5194/nhess-18-2697-2018>, 2018.
- [TAWS] Tyrolean Avalanche Warning Services: Euregio Avalanche Report, <https://avalanche.report/bulletin/latest> (last  
access: 19 September 2021), n.d.
- 820 [USFS] U.S. Forest Service National Avalanche Centre and American Avalanche Association: <https://avalanche.org> (last  
access: 19 September 2021), n.d.
- [UAC] Utah Avalanche Center: <https://utahavalanchecenter.org/forecast/uintas> (last access: 19 September 2021), 2021.
- Wang, Q., Yang, A., Liu, M., Cao, Z., and Ma, Q.: An eye-tracking study of website complexity from cognitive load  
perspective. *Decis Support Syst* 61, 1-10. <https://doi.org/10.1016/j.dss.2014.02.007>, 2014.
- 825 Weiler, B., Zeppel, H., Saunders, R., and Scherrer, P.: A review of safety signage for Queensland Parks and Wildlife Service:  
Report 1 (Literature Review), School of Business and Tourism, Southern Cross University, Coolangatta, QLD,  
[https://researchportal.scu.edu.au/view/delivery/61SCU\\_INST/1267056520002368/  
1367454490002368](https://researchportal.scu.edu.au/view/delivery/61SCU_INST/1267056520002368/1367454490002368) (last access: 19 September 2021), 2015.
- Winkler, K. and Techel, F.: Users' rating of the Swiss avalanche forecast, in: Proceedings of the 2014 International Snow  
Science Workshop, Banff, Alberta, 437-444, available at: <https://arc.lib.montana.edu/snow-science/item/2091> (last access:  
830 19 September 2021), 2014.
- Varsom.: Avalanche Warnings, <https://www.varsom.no/en/avalanche-bulletins/> (last access: 19 September 2021), n.d.
- Zuur, A. F., Ieno, E. N., Walker, N., Saveliev, A. A., and Smith, G. M. (Eds.): *Mixed effects models and extensions in ecology  
with R*. Springer New York, New York, NY, 2009.