

Supplementary material for

**Tsunami hazard related to triggered submarine landslide at northern tip of
Sumatra**

Haekal A. Haridhi^{1,2}, Bor Shouh Huang^{2, *}, Kuo Liang Wen³, Arif Mirza⁴, Syamsul Rizal¹, Syahrul Purnawan¹, Ilham Fajri¹, Frauke Klingelhoefer⁵, Char Shine Liu⁴, Chao Shing Lee⁶, Crispen R. Wilson⁷, Tso-Ren Wu⁸

¹Department of Marine Sciences, Faculty of Marine and Fisheries, Syiah Kuala University, Banda Aceh, Indonesia

²Institute of Earth Science, Academia Sinica, Taipei, Taiwan

³Department of Earth Sciences, National Central University, Taoyuan, Taiwan

⁴Institute of Oceanography, National Taiwan University, Taipei, Taiwan

⁵Ifremer, Department of Marine Geoscience, Plouzané, France

⁶Institute of Geosciences, National Taiwan Ocean University, Keelung, Taiwan

⁷Asian Development Bank, Mandaluyong City, Philippines

⁸Graduate Institute of Hydrological & Oceanic Sciences, National Central University, Taoyuan, Taiwan

*Corresponding author: hwbs@earth.sinica.edu.tw

Supplementary information:

In line with our objectives to evaluate the possibility of the offshore extension of submarine environment of a strike-slip fault could produce a significant tsunami, the low Factor of Safety (FS) value at eastern offshore of Aceh island as it is shown in Fig. 6b, may also be seen as a candidate of a submarine landslide location and evaluate its capability to produce a tsunami. The location of the hypothetical submarine landslide as described in Table 2 and shown in Fig. 6c, are shown below (addition to the scenarios 4 and 7 that already shown in Figs. 8 and 9):

- Submarine Landslide Source Location 1 (Scenario 1)




Figure S.1 Snapshot of tsunami wave from a submarine landslide source at location 1 of Fig. 6c, at propagation times: (a). 2 minutes, (b). 10 minutes, (c). 20 minutes and (d). 40 minutes.




Figure S.2 Maximum tsunami wave amplitude from the corresponding source in Fig. S.1.

- Submarine Landslide Source Location 2 (Scenario 2)




Figure S.3 Snapshot of tsunami wave from a submarine landslide source at location 2 of Fig. 6c, at propagation times: (a). 2 minutes, (b). 10 minutes, (c). 20 minutes and (d). 40 minutes.




Figure S.4 Maximum tsunami wave amplitude from the corresponding source in Fig. S.3.

- Submarine Landslide Source Location 3 (Scenario 3)




Figure S.5 Snapshot of tsunami wave from a submarine landslide source at location 3 of Fig. 6c, at propagation times: (a). 2 minutes, (b). 10 minutes, (c). 20 minutes and (d). 40 minutes.




Figure S.6 Maximum tsunami wave amplitude from the corresponding source in Fig. S.5.

- Submarine Landslide Source Location 4 (Scenario 4)




Figure S.7 Snapshot of tsunami wave from a submarine landslide source at location 4 of Fig. 6c, at propagation times: (a). 2 minutes, (b). 10 minutes, (c). 20 minutes and (d). 40 minutes.




Figure S.8 Maximum tsunami wave amplitude from the corresponding source in Fig. S.7.

- Submarine Landslide Source Location 5 (Scenario 5)




Figure S.9 Snapshot of tsunami wave from a submarine landslide source at location 5 of Fig. 6c, at propagation times: (a). 2 minutes, (b). 10 minutes, (c). 20 minutes and (d). 40 minutes.




Figure S.10 Maximum tsunami wave amplitude from the corresponding source in Fig. S.9.

- Submarine Landslide Source Location 6 (Scenario 6)




Figure S.11 Snapshot of tsunami wave from a submarine landslide source at location 6 of Fig. 6c, at propagation times: (a). 2 minutes, (b). 10 minutes, (c). 20 minutes and (d). 40 minutes.




Figure S.12 Maximum tsunami wave amplitude from the corresponding source in Fig. S.11.

- Submarine Landslide Source Location 7 (Scenario 7)




Figure S.13 Snapshot of tsunami wave from a submarine landslide source at location 7 of Fig. 6c, at propagation times: (a). 2 minutes, (b). 10 minutes, (c). 20 minutes and (d). 40 minutes.




Figure S.14 Maximum tsunami wave amplitude from the corresponding source in Fig. S.13.

- Submarine Landslide Source Location 8 (Scenario 8)




Figure S.15 Snapshot of tsunami wave from a submarine landslide source at location 8 of Fig. 3.6c, at propagation times: (a). 2 minutes, (b). 10 minutes, (c). 20 minutes and (d). 40 minutes.




Figure S.16 Maximum tsunami wave amplitude from the corresponding source in Fig. S.15.