

The grid-level fixed asset model developed for China from 1951 to 2020

Danhua Xin^{1,2,3}, James Edward Daniell^{3,4,5,6}, Zhenguo Zhang^{1,2,3}, Friedemann Wenzel^{4,5}, Shaun Shuxun Wang^{5,6}, Xiaofei Chen^{1,2,3}

¹Department of Earth and Space Sciences, Southern University of Science and Technology, Shenzhen, 518055, China

5 ²Institute of Risk Analysis, Prediction and Management (Risks-X), Academy for Advanced Interdisciplinary Studies, Southern University of Science and Technology, Shenzhen, 518055, China

³[Key Laboratory of Earthquake Forecasting and Risk Assessment, Ministry of Emergency Management, Southern University of Science and Technology, Shenzhen 518055, China](#)

^{3,4}Center for Disaster Management and Risk Reduction Technology (CEDIM), Karlsruhe Institute of Technology (KIT),
10 Karlsruhe, 76344, Germany


^{4,5}Geophysical Institute, Karlsruhe Institute of Technology, Karlsruhe, 76187, Germany

^{5,6}Department of Finance, Southern University of Science and Technology, Shenzhen, 518055, China

Correspondence to: Zhenguo Zhang (zhangzg@sustech.edu.cn)

15 **Abstract.** To better aid the quick and accurate assessment of economic loss after the occurrence of future damaging earthquakes, we develop a grid-level fixed asset model for China covering the period from 1951 to 2020. The modelling process can be divided into two stages: (1) the compilation of provincial-level fixed asset data series using the perpetual inventory method (PIM) and fixed assets-related statistics; (2) the disaggregation of provincial-level fixed assets into grid-level (1 km × 1 km resolution) using different combinations of remote sensing ancillary data (i.e., nighttime light, built-up
20 surface area, population) for different periods, considering their temporal availability. As of 2020, the total estimated value of fixed assets in China reaches 589.31 trillion Chinese yuan (in the 2020 price level). Consistency checks have been performed by comparing our modelled fixed assets with those from other studies and data sources at different administrative levels, and good consistency has been achieved. ~~The modelled grid-level fixed asset maps from 1951 to 2020 will be publicly accessible and can be conveniently extended to more recent years as new statistics on fixed assets become available in the future.~~ An
25 [application to the direct economic loss estimation of the 2023 Ms6.2 Jishishan earthquake that occurred in Gansu province, China, is also presented to demonstrate the potential of the developed fixed asset data for future damaging earthquake loss estimation in China. In the end, the limitations of the developed fixed asset model are discussed to better shed lights on future improvement directions. The modelled grid-level fixed asset maps from 1951 to 2020 can be conveniently extended to more recent years as new statistics on fixed assets become available.](#)

As a country frequently stricken by natural disasters, China has experienced more than 355 damaging earthquakes over the past seven decades, leading to over 345,000 fatalities (Li et al., 2021) and economic losses totalling 1,437.6 billion RMB (Chinese yuan) (calculated in the price level of 2020). Meanwhile, China is also undergoing unprecedented economic, social, and urban development, with its urban population increasing from 57.7 million people in 1949 to 848.4 million people in 2019 (NBSC, 2020). This development process has also greatly-significantly increased the national average GDP per capita, which is around 190 times that of the early 1950s when calculated in constant prices of 2020, as shown in Figure 1. When associating socioeconomic development with natural hazards (such as earthquakes), it is evident that rapid urbanization and economic growth have significantly increased the exposure of people and fixed assets to earthquake threats (Hu et al., 2010; Yang and Kohler, 2008).



40 **Figure 1: The changing trend of China’s national average GDP per capita from 1951 to 2020 (calculated in constant prices of 2020).**

After the occurrence of a damaging earthquake, a rapid and accurate assessment of the severity and scale of seismic fatality and economic loss is vital to assist civil protection authorities in designing post-earthquake emergency actions and allocating the search and rescue teams to the areas most needed. Specifically for seismic loss estimation, which is to translate the physical damage of buildings and structures into total monetary loss using local estimates of repair and reconstruction costs (Erdik et al., 2011), three accuracy levels (Level 1, Level 2, and Level 3) are classified in HAZUS-MH (FEMA, 2019) as differentiated by the data sources and details of exposed buildings and infrastructures integrated into the exposure model. Level 1 is a relatively rough estimation since the input data mainly include demographic data and building-related statistics extracted from the national census. Level 2 refers to a more accurate estimation, in which more detailed information on demographic data, buildings, and infrastructure information at the local level will be involved. In contrast, Level 3 corresponds to the most accurate estimation since detailed engineering inputs and specific conditions of exposed elements will be investigated in detail and employed in the estimation process. For rapid assessment of post-earthquake loss, the estimation at Level 1 is more suitable,

in which the exposure models are derived mainly from demographic data, building-related statistics, and remote sensing techniques (Erdik et al., 2010). Therefore, the fixed asset model to be developed in this paper is also based on the Level 1 data.

55

Besides the exposure model, empirical seismic vulnerability functions (Jaiswal and Wald, 2013) that define the seismic loss ratio as a function of macro-seismic intensity are also needed for post-earthquake rapid loss assessment. The development of empirical seismic vulnerability functions depends on damage-related information from historical earthquakes, which includes (a) macro-seismic intensity maps, (2) recorded losses of damaging earthquakes, and (c) the value of fixed ~~capital-stock~~assets

60

(e.g., buildings, infrastructures, etc.) exposed to each damaging earthquake that occurred in different years. In our previous work, a composite catalog of damaging earthquakes that occurred in mainland China since 1949 (hereafter referred to as MCCDE-CAT) has been compiled (Li et al., 2021), in which the intensity maps and recorded losses have been collected for each of the damaging earthquakes. Therefore, to aid the post-earthquake rapid loss estimation work in China, in this paper, we

65

will construct a grid-level fixed ~~capital-stock~~asset data series from 1951 to 2020 for China considering the availability and completeness of fixed ~~capital-stock~~asset-related statistics, from which the exposed ~~stock-asset~~ value to damaging earthquakes in MCCDE-CAT can be extracted. Such information can be further used for the regression of empirical loss vulnerability curves following the practice in Jaiswal and Wald (2013) and Daniell (2014). The fixed ~~capital-stock~~asset-value (~~or fixed asset value~~) considered in this paper includes buildings, infrastructure, and equipment, also known as the wealth capital stock (WKS).

70

Different from the Gross Domestic Product (GDP) data, which is the standard economic indicator ~~of describing~~ the value added through the production of goods and services in a country during a specific period, the value of the fixed ~~capital~~stockasset provides the benchmark of the maximum potential direct loss of the earthquake (Wu et al., 2014), since natural disaster could cause economic losses much larger than the annual GDP (Bilham, 2010). It is noteworthy that the fixed ~~capital~~stockasset value of the ~~next following~~ year is not simply the sum of the last year's ~~stock-asset~~ value and GDP.

75

A growing number of studies have been conducted in recent years to estimate the ~~capital-stock~~fixed asset value for disaster risk analysis and management at regional (Sarica et al., 2020; Wu et al., 2019), national (Kleist et al., 2006; Ma et al., 2021; Seifert et al., 2010; Thieken et al., 2006; Wu et al., 2018; Xin et al., 2021), or global scales (Daniell et al., 2011; De Bono and Chatenoux, 2015; De Bono and Mora, 2014; Dell'Acqua et al., 2013; Eberenz et al., 2020; Gamba, 2014; Gamba et al., 2012; Gunasekera et al., 2015; Jaiswal et al., 2010). However, these studies only provide the ~~stock-asset~~ value for one specific year

80

(generally the year before the publication year of these works), which cannot meet the requirement for the development of the empirical vulnerability models since ~~capital-stock~~fixed asset values exposed to earthquakes that occurred in different periods are needed. Unfortunately, there is ~~also~~ no officially recorded ~~fixed capital-stock~~asset accumulation data in China. As an alternative, the perpetual inventory method (PIM) is considered, which was first proposed by Goldsmith (1951) and is the most frequently used method by economists to evaluate the spatial and temporal change of the macro economy of a country or

85 region, as summarized in the review of Wu et al. (2014) for such studies conducted in China. To develop the fixed asset data series for each of the 31 provincial-level administrative units in mainland China from 1951 to 2020, the perpetual inventory method (PIM) is used in this paper following the data compilation procedure elaborated in Zhang (2008). Notably, Hong Kong, Macao, and Taiwan are excluded from this study due to their difference in economic and political status from other Chinese provinces and the lack of necessary statistical data.

90 Although the temporal data series of fixed capital stock asset data in China can be constructed following the PIM, if their spatial resolution is limited to the provincial level, which it still cannot meet the need for accurate seismic loss estimation since spatial mismatches always exist between this level of exposure data and the extent of seismic ground shaking maps (Thieken et al., 2006). Therefore, the provincial-level fixed capital stock asset data remains too coarse to support a reliable loss estimation for a damaging earthquake. For example, after the occurrence of the 2008 Ms 8.0 Wenchuan earthquake in Sichuan, China, most of the rescue resources (including but not limited to emergency personnel and equipment, food and medicine, tents, etc.) were sent to the less damaged city of Dujiangyan. At the same time, the Qingchuan County, one of the most severely affected areas, did not receive an appropriate rescue response. The primary reason for this problem was that the exposure data (population, buildings) used to assess seismic loss were based on relatively rough administrative units (Xu et al., 2016). To avoid such problems and improve the spatial resolution of the exposure model in future seismic loss estimation, the provincial-level fixed asset data need to be further disaggregated into a higher resolution (e.g., 1 km × 1 km) by using appropriate ancillary information.

To perform disaggregation analyses, previous studies have employed a series of ancillary datasets derived from remotely sensed images, such as land use and land type data (Aubrecht and León Torres, 2015; Eicher and Brewer, 2001; Elvidge et al., 2007; Hurtt et al., 2011; Liu et al., 2003), population spatial distribution datasets (Balk and Yetman, 2004; Chen et al., 2020; Freire et al., 2016; Gaughan et al., 2013; Klein Goldewijk et al., 2010; Linard et al., 2012), nighttime light data (Aubrecht and León Torres, 2016; Chen and Nordhaus, 2011; Li et al., 2020; Ma et al., 2012; Zhao et al., 2017), and road network data (Koks et al., 2019; Zhang et al., 2015; Zhu et al., 2020), to name just a few. The selection of appropriate ancillary information is considered the most challenging part since such information should be geo-coded, readily available, and highly correlated with the exposure data to be disaggregated (Wu et al., 2018). In previous studies, socioeconomic data (e.g., GDP, capital stock fixed asset, electric power consumption, fossil fuel CO₂ emission, etc.) was spatially disaggregated to each pixel by assuming it is proportional to the digital number (DN) value of nighttime light images (Doll et al., 2006; Ghosh et al., 2010; Oda and Maksyutov, 2011; Zhao et al., 2011, 2012). The logic behind such practice is that a region with brighter lights at night is considered to have more commercial and industrial activities, producing greater GDP, consuming more electricity, and emitting more CO₂. However, the correlation between nighttime light brightness and the amount of CO₂ emission was found

to be exponential rather than linear by Zhao et al. (2015). Therefore, it was inferred in Zhao et al. (2017) that the correlation between the brightness of nighttime lights and the accumulation of GDP should also be exponential rather than linear. Thus, using only nighttime light data to proportionally disaggregate GDP would inevitably lead to over-distribution in suburban areas and under-distribution in urban areas since a certain number of saturated pixels exist in nighttime light products. To solve this problem, Zhao et al. (2017) multiplied nighttime light images with LandScan population data to produce the lit-population (hereafter referred to as “lit-pop”) images. They used the lit-pop value as the weight indicator to disaggregate China's administrative-level GDP datasets. On the one hand, this is because the correlation between the DN value of nighttime light and population is also exponential. On the other hand, integrating population data into the disaggregation process can help overcome the saturation problem of nighttime light data since the range of DN values is limited to 0 - 63. For suburban areas where the DN values are relatively small, the population density also increases slowly, and saturation is not a problem; however, with progressively higher DN values, the increase in population density will also grow rapidly and finally lead to a [huge considerable](#) population density in urban core areas with a DN value of 63. The rapidly increased asset value in such areas can thus be better represented by lit-pop than by nighttime DN value or population alone (Zhao et al., 2017).

As emphasized ~~by~~ Zhao et al. (2017), the lit-pop indicator they produced has no measurement unit. It represents neither people count nor nighttime light brightness in real life, but rather the economically weighted population. Compared with using nighttime light or population data alone, the use of lit-pop as the economic indicator can better reflect the spatial heterogeneity of the economy. This is because, when two regions have the same population but different DN values of nighttime light, the region with [a](#) higher DN value has [a](#) larger lit-pop and consequently has [a](#) larger distributed GDP than the one with dimmer nighttime light. Based on the lit-pop approach in Zhao et al. (2017), Eberenz et al. (2020) generated a globally consistent grid-level asset exposure dataset for 224 countries, in which the unwanted artifacts (including blooming, saturation, and lack of detail) are mitigated by using a combination of nightlight and population data. The GDP comparison for 14 countries ~~in~~ [by](#) Eberenz et al. (2020) also showed that the disaggregation effect using nighttime lights or population data alone is not as good as using their combination. Inspired by the work of Zhao et al. (2017) and Eberenz et al. (2020), in this study, the provincial-level fixed ~~capital-stock~~[asset](#) data will be further disaggregated into grid level based on the combined use of nighttime light, population, and other available supplementary data (e.g., built-up surface area data), to generate the final grid-level fixed ~~capital-stock~~[asset](#) data series for 31 provinces in mainland China during 1951-2020.

The main structure of the following sections in this paper will be organized as follows. Section 2 will ~~introduce in~~ detail the data and methods used to compile the provincial-level fixed assets and explain how to disaggregate them into [the](#) grid-level ~~fixed-assets~~. In Section 3, the modelled fixed assets at the provincial level [during 1951-2020](#) will be presented, and the grid-level fixed asset map for 2020 will also be demonstrated. Furthermore, the temporal change and spatial distribution

characteristics of grid-level fixed assets in China's three largest urban agglomerations will be demonstrated and compared.

150 Section 4 will examine the consistency between disaggregation indexes used in different periods. The consistency of our modelled fixed asset data with those developed by other studies will also be evaluated at different administrative levels.

[Limitations of the current study will be discussed as well to better outline future improvement directions.](#)

2 Data and Methods

The data and methods will be introduced separately for the two parts of contents involved in this paper: (1) the compilation of provincial-level fixed [capital-stock-asset](#) data for 31 provinces in China from 1951 to 2020, and (2) the disaggregation of the provincial-level fixed [capital-stock-asset](#) data into 1 km × 1 km grids using different weighting indicators for different periods.

155 The flow chart to be followed in the modelling process is shown in [Figure 2](#). The datasets to be used are summarized in [Table 1](#). A detailed introduction of the data inputs and the modelling steps will be given in the following sections.

160




Figure 2: The flow chart followed to develop the [grid-level](#) fixed asset model in this paper.

Table 1: A summary of datasets to be used in this paper.

Usage	Data type	Year range	Spatial resolution	Description
For provincial-level fixed asset modelling in China	Accumulated Fixed capital-stock-asset value in the base year	1951	Provincial-level	Section 2.1.1
	Annual investment in fixed capital-stock-asset	1952-2020		Section 2.1.2

	Implicit deflator	1952-2020		Section 2.1.3
	Depreciation rate (fixed as 5%)	1951-2020		Section 2.1.4
For grid-level fixed asset modelling in China	Harmonized nighttime light data from DMSP/OLS and VIIRS	1992-2020	1km×1km	Section 2.2.1
	Built-up surface data	1975-2020 (in 5-year intervals)		Section 2.2.2
	Population density data	1975-2020 (in 5-year intervals)		Section 2.2.2
	Population growth rate data	1951-2020	Provincial-level	Section 2.2.3

165

2.1 Construction of the provincial-level fixed [capital stock](#) data by using the perpetual inventory method (PIM)

To construct China's provincial-level fixed [capital stock](#) data during 1951-2020 using the PIM, four types of information need to be determined, namely (1) the value of the accumulated [capital stock](#) in the base year, (2) the annual fixed [capital stock](#) investment in each province, (3) the implicit deflator of fixed [capital stock](#), and (4) the depreciation rate or service life of the fixed [capital stock](#). Assuming the efficiency of the fixed [capital stock](#) follows a geometric diminishing model (Wu et al., 2014; Zhang, 2008), for each province, the accumulated fixed [capital stock](#) value at year t (namely K_t) is defined as follows:

$$K_t = K_{t-1}(1 - \delta_t) + I_t, \quad t \in [1952 \text{ } 2020] \quad (1)$$

Where δ_t is the depreciation rate of fixed [capital stock](#), and I_t is the total investment in fixed assets (TIFA) at year t .

2.1.1 Determination of the accumulated fixed [capital stock](#) value of the base year 1951

Since the foundation of the People's Republic of China in 1949, the currency was then uniformly switched to the Chinese yuan (CNY) and 1949 could be set as the base year. However, due to the lack of large-scale surveys or census on TIFA in 1949 and 1950 for many of the 31 provinces, 1951 is selected as the base year [in this paper](#). As adopted by previous studies, one method to estimate the accumulated fixed [capital stock](#) value in the base year is by referring to the capital-output ratio method (e.g., Zhang, 1991; Chow, 1993; Perkins, 1988; He et al., 2003), in which the value of the accumulated [capital stock](#) is set to be around three times of the GDP in the base year. Another way to roughly approximate the accumulated [capital stock](#) value is by dividing the fixed capital formation (FCF) of the base year by the sum of the long-run growth rate of investment (e.g., the constant-price FCF) and the depreciation rate (Hall and Jones, 1999; Wu et al., 2014; Zhang, 2008). In this paper, following the practice in several previous studies (e.g., Zhang, 1991; Chow, 1993; He et al., 2003), each province's accumulated [capital stock](#) value in 1951 is determined by multiplying their TIFA in 1951 by 50 times. The estimated overall value of [the](#) accumulated [capital stock](#) of the base year in China is around 94.9 billion Chinese yuan (in the

185

price level of 1951), which corresponds to 2343.5 billion Chinese yuan when adjusted to the 2020 price level. We are fully aware that the determination process of the initially accumulated ~~capital stock~~~~fixed asset~~ value for the base year is involved with inevitable uncertainty. ~~Luckily~~~~Fortunately~~, previous studies (Shan, 2008; Wu et al., 2014; Zhang et al., 2004) have demonstrated that the effect of ~~the~~ initially determined ~~capital stock~~~~fixed asset~~ value ~~for of~~ the base year on the ~~stock asset~~ estimation ~~of for~~ the following years will decline given sufficiently long time series. For example, the sensitivity test performed ~~in by~~ Wu et al. (2014) indicated that a doubling of the initial ~~capital stock~~~~asset value~~ in 1978 only resulted in less than ~~a~~ 0.6% change ~~for in~~ the stock estimation in 2012.

2.1.2 Collection of annual investment data in fixed ~~asset~~~~capital stock~~

To get a complete data series of the annual total investment in fixed assets (TIFA) for each province during 1951-2020 (namely I_t in Eq. (1)), we first refer to the book *China Compendium of Statistics 1949-2008* compiled by Department of Comprehensive Statistics of National Bureau of Statistics (DCSNBS, 2009), in which the annual investment data in fixed ~~asset~~~~capital stock~~ at both national level and provincial level were given in the price level of each year up to 2008. It is worth notifying that the TIFA data in 1951 for Hainan and Tibet are not available in the reference mentioned above. Instead, we assign it to be 0.01 and 0.0002 billion RMB (in 1951 price level), around 50% of the TIFA in 1952 for Hainan and Tibet, respectively. To complement this data series for years after 2008, we further refer to the use of the TIFA data records in the yearly statistical books of China from 2009 to 2020.

2.1.3 Compilation of the implicit deflator of ~~the fixed~~ ~~capital investment~~~~asset~~

To calibrate the deflation of TIFA with time, we convert the TIFA values given in the price level of each year to the constant price of the reference year by using the “price index of fixed asset ~~investment~~”, which is also called the implicit deflator of the fixed asset. Theoretically, the calculation of ~~this the~~ implicit deflator should be based on the weighted average of the price indexes for each of the three components of fixed assets investment (namely investment on construction and installation, purchases of equipment and instruments, and others), with their weight determined by the ~~asset~~ percentage of each component for each province during 1951-2020. However, due to the lack of related statistics, we refer to using the provincial-level investment data to derive the price index of each province ~~directly~~. According to Wu et al. (2014) and Zhang (2008), the formula to derive the implicit deflator (namely Ide_t) can be expressed as follows:

$$Ide_t = \frac{FCF_t}{FCF_{t-1} \times FCF_index_t}, \quad t \in [1952 \ 2004] \quad (2)$$

The detailed derivation process of this formula was given in Zhang (2008). Ideally, FCF_t , FCF_{t-1} should be the fixed capital formation (FCF) in year t and $t - 1$, respectively. However, at the provincial level, the FCF data before 1978 are not publicly accessible. Therefore, we use TIFA to replace FCF when calculating Ide_t . On the one hand, TIFA is more often used and

investigated in China; on the other hand, FCF and TIFA have similar dynamic changing trends (Qin et al., 2006). FCF_index_t refers to the gross fixed capital formation growth rate in year t calculated in constant price (previous year = 1). The FCF_index_t data for the years 1952-2004 can be found in the book *Data of Gross Domestic Product of China 1952-2004* compiled by the Department of National Accounts of National Bureau of Statistics of China (DNANBSC, 2007). For years after 2004, the implicit deflator (Ide_t) can be replaced by the price index of the fixed ~~capital-stock~~asset comprehensively compiled from the book *China Compendium of Statistics 1949-2008* (DCSNBS, 2009) for years 2005-2008, from the official website of the National Bureau of Statistics (<https://data.stats.gov.cn>) for years 2009-2019, and from Tables 5-7 of *China Statistics Yearbook 2021* for the year 2020. Notably, in some provinces the FCF_index_t data are incomplete. In this case, FCF_index_t data from neighboring provinces are used to compensate for the missing information. For example, the FCF growth rate data of Chongqing for the years 1952-1997 are taken from the data of Sichuan province since Chongqing belonged to Sichuan before 1997 and was set as a municipality directly under the reign of the central government of China afterward. The missing growth rates of FCF during 1952-1977 of Guangdong province are taken from the data of Guangxi province since they are geographically close. For the same reason, the missing data of Tibet from 1952 to 1992 are supplemented by the average of the FCF growth rate data of Qinghai and Xinjiang provinces. Since Hainan was not a province until 1997, the FCF_index_t data during 1952-1996 of Hainan are taken from its neighboring Guangdong province.

2.1.4 Determination of the depreciation rate of ~~the fixed~~ ~~capital-stock~~asset

The consideration of depreciation of ~~the fixed~~ ~~capital-stock~~asset is necessary when estimating the asset value of accumulated capital stock in previous years, which will diminish over time. In earlier studies, the depreciation rate was usually set as a fixed value within the range of 5%~10% (e.g., Perkins, 1988; Hall and Jones, 1999; Wang and Yao, 1999). In Zhang (2008), the depreciation rate of fixed ~~capital-stock~~asset was determined by considering the service life (T) of different ~~capital-stock~~fixed ~~asset~~ types (including construction and installation, equipment and instrument, and others) and their residual value (d_T) when the capital goods are retired. The calculation formula of the depreciation rate (κ) is defined as follows:

$$d_T = (1 - \kappa)^T \quad (3)$$

In Zhang (2008), the service life (T) of construction and installation, equipment and instruments, and other types of fixed ~~stock~~asset in China was set as 45 years, 20 years, and 25 years, respectively. Their residual value (d_T) was uniformly set as 4%. The depreciation rates of these three ~~capital-stock~~fixed ~~asset~~ types were calculated to be 6.9%, 14.9%, and 12.1%, respectively. Ideally, the relative weights of each of the three ~~fixed asset~~~~capital-stock~~ types should also be considered to determine a comprehensive depreciation rate of the fixed ~~capital-stock~~asset. However, due to a lack of such data at the provincial level, the weight at the national level was used in Zhang (2008), which is 63% for completion of construction and formation, 29% for purchases of equipment and instruments, and 8% for other investments. Finally, under the assumption of geometric diminishing

of the relative efficiency, the comprehensive depreciation rate of the fixed ~~capital stock~~asset was determined to be 9.6% for the whole nation. Following the method in Zhang (2008), Wu et al. (2014) calculated the depreciation rate range for each of the 31 provinces in mainland China based on newly released composition data of TIFA for each province and by setting the residual value of the ~~capital stock~~fixed asset to be 3%~5% of their original value. Their provincial-level depreciation rate of ~~the~~ fixed ~~capital stock~~asset is within the range of 7.95%~10.05%. The comparison analysis of Li (2011) indicates that the change of 1% in depreciation rate will lead to a 10% change in accumulated ~~fixed asset~~~~capital stock~~ 25 years later. Li (2011) also suggested that the depreciation rate should be within the range of 5%~10%. In this paper, since the development of provincial-level fixed ~~capital stock~~asset data is to be used for ~~the development of empirical loss models for~~ rapid emergency response after the occurrence of damaging earthquakes in China, the replacement values of different types of fixed ~~capital stock~~asset in earthquake-affected areas are generally higher than their residual values even they have lasted for a much longer time than their service lives; therefore, a conservative depreciation rate of 5% is chosen for all provinces to get the final accumulated fixed asset data series from 1951 to 2020. ~~As of now~~Currently, all the data inputs required for estimation ~~of~~ing accumulated fixed ~~stock~~asset values are ready. The provincial-level fixed ~~capital stock~~asset data from 1951 to 2020 can be constructed following Eq. (1). ~~And~~†This dataset will be demonstrated and evaluated in the Results and Discussion section. Next, we will introduce the disaggregation method used in this paper to distribute the provincial-level fixed assets into the grid level.

2.2 Disaggregation of ~~the~~ provincial-level fixed ~~capital stock~~asset into 1km_x1km grids

Given the exponential relation between population/nighttime light and socioeconomic data (as explained in detail in ~~the~~ Introduction section), to disaggregate the provincial-level fixed assets into 1 km × 1 km grids, nighttime light (available since 1992) and population density data (available since 1975) will be combined to generate the lit-pop index. For years before 1990, the lack of nighttime light data will be compensated by built-up surface area data (available since 1975) to create the area-pop index. For years before 1975, the spatial distribution of population density data will be derived from the population density map in 1975 and the annual growth rate data for each province dating back to 1951. Then, the population density ~~data~~ alone will be used to create the pop-pop index ~~during 1951-1970~~. More information on these datasets and the creation process of the disaggregation indexes will be introduced in the following sections.

2.2.1 The nighttime light data

The nighttime light data from 1992 to 20~~20~~90 with a spatial resolution of 30 arc-seconds (around 1000m at the Equator) and DN values ranging from 0 to 63 are compiled by Li et al. (2020). In Li et al. (2020), an integrated and consistent nighttime light dataset at the global scale was compiled by harmonizing the intercalibrated nighttime light observations acquired by the US Air Force Defense Meteorological Satellite Program (DMSP) Operational Linescan System (OLS) (hereafter referred to as the DMSP/OLS data) during 1992-2013 and the simulated DMSP/OLS-like nighttime light observations from the Visible

Infrared Imaging Radiometer Suite instrument (hereafter referred as the VIIRS data) during 2014-2020. The original DMSP/OLS data were recorded by six different satellites during 1992-2013 with a spatial resolution of 30 arc-seconds and a near-global coverage of 180°W to 180°E in longitude and 65°S to 75°N in latitude (Zhao et al., 2019). Inconsistency exists between these original DMSP/OLS data due to the lack of onboard calibration, satellite shift, varied atmospheric conditions, sensor degradation, etc. Therefore, a stepwise calibration approach was performed by Li et al. (2020) before harmonizing the DMSP/OLS data with VIIRS data. Unlike the annual DMSP/OLS data, the VIIRS data have been available since 2013. They are recorded monthly with an improved radiometric resolution and a spatial resolution of 15 arc-seconds across the latitudinal zone of 65°S-75°N (Miller et al., 2012). In the monthly recorded VIIRS data, errors due to bio-geophysical processes (e.g., seasonal dynamics of vegetation and snow) were corrected, and observations affected by stray light were excluded. These monthly records were further pre-processed and combined into annual time series data using the weighting average approach and finally converted into DMSP/OLS-like nighttime light observations using a sigmoid function initially proposed by Zhao et al. (2020) in Southeast Asia. The DMSP/OLS-like nighttime light converted from the original VIIRS data has been available and updated since 2014 by Li et al. (2020).

2.2.2 The population density and built-up surface data

The population datasets used in this paper are provided by the Global Human Settlement Layer (GHSL) project of the Joint Research Centre, European Commission (Freire et al., 2016; Schiavina et al., 2022b), which have been available in 5-year intervals since 1975 (hereafter referred to as GHS-POP). The number of people per grid (with resolutions ranging from 2m to 1km) is given in each GHS-POP raster file, which was disaggregated from the raw global census data harmonized for the Gridded Population of the World (GPW) by CIESIN (Freire et al., 2015) and the proxy used in this disaggregation process was the built-up density mapped in the GHSL global layers per corresponding epoch (Maffenini et al., 2023). Compared with its previous version, major improvements of the datasets are the following: use of built-up volume maps (abbreviated as GHS-BUILT-V R2022A); use of more recent and detailed population estimates derived from GPWv4.11 integrating both *UN World Population Prospects 2022* country population data (Gaigbe-Togbe et al., 2022) and *World Urbanisation Prospects 2018* data (UNDESA, 2018) on cities; revision of GPWv4.11 population growth rates by convergence to upper administrative level growth rates; systematic improvement of census coastlines; systematic revision of census units declared as unpopulated; integration of non-residential built-up volume information (abbreviated as GHS-BUILT-V_NRES R2023A); spatial resolution of 100m Mollweide and 3 arcseconds in WGS84 projection system; projections to 2030.

The built-up surface data used to allocate the GHSL population information are also provided in 5-year intervals between 1975 and 2030 (hereafter referred to as GHS-BUILT-S). They are generated by spatial-temporal interpolation of five observed collections of multiple-sensor, multiple-platform satellite imageries, namely the Landsat (MSS, TM, ETM sensor) supporting

1975, 1990, 2000, and 2014 epochs, and the Sentinel-2 (S2) composite (GHS-composite-S2 R2020A) supporting the 2018 epoch (Pesaresi and Politis, 2022; Schiavina et al., 2022a). In addition, the research findings of the world settlement footprint suite launched by the German Aerospace Centre (DLR) in collaboration with the European Space Agency (ESA) and the Google Earth Engine team (Marconcini et al., 2021) are also integrated into the development process of the GHS-BUILT-S dataset.

2.2.3 The lit-pop, area-pop, and pop-pop index series

Following the practice in Eberenz et al. (2020), the lit-pop index is created from the combination of nighttime light and population data, with its definition given in the following Eq. (4):

$$Lit^n Pop_{grid}^m = (NL_{grid} + \delta)^n \cdot Pop_{grid}^m \quad (4)$$

In each grid, the value of the disaggregation index ($Lit^n Pop_{grid}^m$) is the product between the DN value of the nighttime light image (NL_{grid}) ranging from 0 to 63 and the number of population (Pop_{grid}). When $Pop_{grid} > 0$, the value of δ is set as 1 to ensure that the lit-pop value of non-illuminated but populated grids will not get zero (Eberenz et al., 2020). In cases when $Pop_{grid} = 0$, δ is set as 0, and nighttime light data alone are used to represent the fixed asset share. To evaluate the performance of this disaggregation methodology, Eberenz et al. (2020) conducted the performance evaluation tests by applying 10 different combinations of m and n . Their tests showed that the disaggregation performance would be the best when m and n were set as 1. Therefore, in this paper the values of m and n in Eq. (4) are also ~~both~~ set as 1.

The nighttime light data are only available from 1992. Assuming the nighttime light will not change too much between 1991 and 1992, while for years before 1991, new ancillary information needs to be employed to create the quasi-lit-pop index. The built-up surface data developed by the GHSL project of the Joint Research Centre, European Commission (hereafter referred to as the GHS-BUILT-S data) are chosen for this purpose. The GHS-BUILT-S data are combined with the GHS-POP data to generate the area-pop index, which is defined in the following Eq. (5):

$$Area^n Pop_{grid}^m = (Area_{grid} + \delta)^n \cdot Pop_{grid}^m \quad (5)$$

Where $Area_{grid}$ represents the built-up area in each grid, and the definitions of Pop_{grid} , δ , m , and n are same as those in Eq. (4).

~~Unluckily~~Unfortunately, the GHS-BUILT-S and GHS-POP data are available only after 1975 in 5-year intervals. It is further assumed that the built-up surface area in China ~~have~~ remained unchanged from 1971 to 1975 since economic activities almost ceased during this period ~~in China~~ due to the Cultural Revolution. For years before 1971, the GHS-POP data in 1975 and the provincial-level population growth rates compiled from statistical yearbooks are used to derive the grid-level population

dataset from 1951 to 1970. Then, the derived grid-level population data alone are used to generate the pop-pop index, with its definition being given in the following Eq. (6):

$$Pop^n Pop_{grid}^m = (Pop_{grid} + \delta)^n \cdot Pop_{grid}^m \quad (6)$$

340 Where the definitions of Pop_{grid} , δ , m , and n are the same as those in Eq. (4).

It is worth noting that since the grid-level population [density](#) datasets provided by GHSL from 1975 are also given in 5-year intervals, the population density maps for the intervening years are derived from the compiled growth rate data and the reference year population density map. For example, the 1 km \times 1 km population maps for 1971-1974 are derived from the
345 GHSL-issued population density map in 1975 and ~~our~~[the](#) compiled provincial-level population growth rate data for 1971-1974.

3 Results

In the Data and Methods section, the data inputs and the methods used to construct the provincial-level fixed asset data during
350 1951-2020 and the disaggregation process of the provincial-level fixed asset data into grid level have been described in detail using different ancillary information with varying temporal availability. To summarize, the nighttime light data and GHS-POP data are used to generate the lit-pop disaggregation indexes from 1991 to 2020, the GHS-BUILT-S data and GHS-POP data are used to construct area-pop disaggregation indexes from 1971 to 1990, and the population density data (~~generated from the GHS POP density map in 1975 and provincial level population growth rates~~) are used to derive the pop-pop disaggregation
355 indexes from 1951 to 1970. In this section, we will first demonstrate the modelled fixed asset data for 31 provinces from 1951 to 2020. Then, the spatial-temporal characteristics of the grid-level fixed asset model in 2020 and for China's three largest urban agglomerations will be demonstrated and analyzed.

3.1 Modelled provincial-level fixed assets from 1951 to 2020

Based on the estimation of the accumulated value of fixed ~~capital stock~~[asset](#) in the base year of 1951, the compilation of the
360 annual total investment in fixed assets (TIFA) data, the depreciation rate, and the derivation of implicit deflator data series in section 2.1, the accumulated fixed asset model can be obtained for all 31 provincial-level administrative units in [mainland](#) China from 1951 to 2020 ([Figure 3](#)). By 2020, the total estimated value of fixed assets in China reaches 589.31 trillion Chinese yuan (in the 2020 price level). Shandong and Jiangsu have the highest accumulation of fixed assets, amounting to 50.12 and 49.36 trillion Chinese yuan, respectively. Tibet and Ningxia have the lowest ~~amount of~~ accumulated fixed assets, with 1.51
365 and 3.01 trillion Chinese yuan, respectively. In comparison, the provincial GDP ranking in 2020 issued by the Chinese

government shows that Guangdong and Jiangsu have the highest GDP of 11.12 and 10.28 trillion Chinese yuan, respectively. The GDPs of Tibet and Qinghai are the lowest, at 0.19 and 0.30 trillion Chinese yuan, respectively. When further calculating the ratios between the accumulated fixed assets and GDP, as illustrated in [Figure 4](#), ~~it shows that~~ their ratios differ among provinces and change across temporal periods. Therefore, it may introduce ~~large-significant~~ uncertainties in seismic loss estimation if the accumulated fixed assets are derived by multiplying the GDP by a stationary exposure correction factor, as done in some previous studies (Chen et al., 1997; Jaiswal and Wald, 2013; Sarica and Pan, 2022; Wang et al., 2009), although this method is quite convenient.

It is also noteworthy that in [Figure 4](#), there are two abnormally high fixed asset/GDP ratios in the 1960s, which are 26 for Anhui province in 1962 and 120 for Ningxia province in 1963. For Anhui province, this is related to its exceptionally high fixed assets in 1962, as indicated ~~from-in~~ [Figure 3](#). For Ningxia province, this is related to its abnormally low GDP in 1963, which is only 0.01 billion Chinese yuan (in the price level of 1963) and around 1/40 of its neighbouring years, as recorded in Table 31-4 of DCSNBS (2009). For some provinces (Tibet, Guizhou, etc.), ~~as shown~~ in [Figure 4](#), fixed asset/GDP ratios are lower than ~~1-one~~ before the 1980s. This can be explained by the rough estimation made in the determination process of the initially accumulated fixed assets as well as the lack of an official and standard method in [the](#) compilation of economic indicators in the early periods after 1949, which also leads to the irregularly intertwined asset-changing trends modelled for different provinces in [Figure 3](#).




Figure 3: The accumulated fixed asset data modelled for 31 provincial-level administrative units in [mainland](#) China during 1951-2020. It is worth noting that the asset value is calculated in the constant price level of 2020.




Figure 4: The ratio between accumulated fixed assets and GDP for each province and China as a whole from 1952 to 2020.

By using different ancillary datasets to generate the disaggregation indexes, the provincial-level fixed asset data shown in [Figure 3](#) can be further downscaled into $1 \text{ km} \times 1 \text{ km}$ asset maps. The spatial distribution map of the grid-level fixed assets in 2020 is shown in [Figure 5](#). The locations of the capital cities of China's 31 provincial-level administrative units considered in this paper are also shown. In [Figure 5](#), it is not surprising to observe that all 31 capital cities are in clusters of highly accumulated fixed assets, which indicates their attractiveness to personnel and capital from their neighboring regions. As divided by the "Hu Huanyong" line (Hu, 1935), China is divided into East China and West China according to their differences in population, geography, social development, and ecological environment. As expected, the fixed assets are highly agglomerated in East China, accounting for 86% of the total asset value, which further indicates significant disparity and spatial heterogeneity in economic development within China. Compared with exposure models given by administrative units, the grid-level fixed asset model can better help improve the accuracy of seismic loss assessment when further combined with hazard maps at varying resolutions, thus better serving the allocation needs of emergency response and risk mitigation resources.




Figure 5: The spatial distribution of our modelled grid-level fixed asset map for mainland China in 2020. The unit of the asset value is the Chinese yuan. The locations of the capital cities of 31 provincial-level administrative units are also shown. The “Hu Huanyong” line divides China into East China and West China.

3.2 Spatial-temporal characteristics of fixed assets in China’s three largest urban agglomerations

As shown in [Figure 5](#), most fixed assets are clustered in East China, especially within the three largest national urban agglomerations of China (with their locations outlined in [Figure 6](#)), namely the Beijing-Tianjin-Hebei Urban Agglomeration (BTH-UA), the Yangtze River Delta Urban Agglomeration (YRD-UA), and the Pearl River Delta Urban Agglomeration (PRD-UA). The BTH-UA is composed of 13 cities, including Beijing, Tianjin, and 11 cities in Hebei province (Baoding, Cangzhou, Chengde, Handan, Hengshui, Langfang, Qinhuangdao, Shijiazhuang, Tangshan, Xingtai, and Zhangjiakou). The YRD-UA is composed of 27 cities, including Shanghai, 8 cities in Anhui province (Anqing, Chizhou, Chuzhou, Hefei, Ma’anshan, Tongling, Wuhu, and Xuancheng), 9 cities in Jiangsu province (Changzhou, Nanjing, Nantong, Suzhou, Taizhou, Wuxi, Yancheng, Yangzhou, and Zhenjiang), and 9 cities in Zhejiang province (Hangzhou, Huzhou, Jiaxing, Jinhua, Ningbo, Shaoxing, Taizhou, Wenzhou, and Zhoushan). In contrast, the PRD-UA comprises only 9 cities in Guangdong province, including Guangzhou, Shenzhen, Dongguan, Foshan, Huizhou, Jiangmen, Zhaoqing, Zhongshan, and Zhuhai. In terms of land area, the BTH-UA, the YRD-UA, and the PRD-UA are 218.0, 211.7, and 42.2 thousand square kilometers, accounting for 2.27%, 2.21%, and 0.44% of the total land area of China, respectively.




Figure 6: The spatial locations of China's three largest urban agglomerations.

As summarized in [Table 2](#), the accumulated fixed assets in each agglomeration have increased over the years. ~~Still, but~~ their changing trends of fixed asset share relative to the whole country ~~is~~ are quite different. The fixed asset share of the BTH-UA has remained almost unchanged over the past seven decades, ranging from 9.05% in 1951 to 8.7% in 2020. Meanwhile, the fixed asset share of the YRD-UA has increased from 7.64% in 1951 to 15.33% in 2020. The increase in the fixed asset share of the PRD-UA is the largest, rising from 0.98% in 1951 to 4.01% in 2020, reflecting this region's strong economic vitality.


Table 2: The fixed assets in China's three largest urban agglomerations. BTH-UA, YRD-UA, and PRD-UA are the abbreviations of the Beijing-Tianjin-Hebei Urban Agglomeration, the Yangtze River Delta Urban Agglomeration, and the Pearl River Delta Urban Agglomeration, respectively. Note that the fixed asset is calculated in the price level of each corresponding year.

Year	Fixed assets (in billion Chinese yuan)				Fixed asset ratio relative to the whole country		
	BTH-UA	YRD-UA	PRD-UA	the whole China	BTH-UA	YRD-UA	PRD-UA
2020	51273.595.13E+13	90348.199.03E+13	23659.062.37E+13	589314.935.89E+14	8.70%	15.33%	4.01%
2010	13099.281.31E+13	24146.342.41E+13	6432.496.43E+12	132783.601.33E+14	9.87%	18.18%	4.84%
2000	2507.672.51E+12	4277.894.28E+12	1421.021.42E+12	21793.972.18E+13	11.51%	19.63%	6.52%
1990	327.313.27E+11	497.834.98E+11	103.421.03E+11	3592.583.59E+12	9.11%	13.86%	2.88%
1980	76.007.60E+10	85.558.55E+10	13.941.39E+10	772.637.73E+11	9.84%	11.07%	1.80%
1970	27.522.75E+10	26.472.65E+10	3.273.27E+09	309.693.10E+11	8.89%	8.55%	1.06%
1960	34.443.44E+10	39.643.96E+10	5.565.56E+09	345.833.46E+11	9.96%	11.46%	1.61%
1951	8.558.55E+09	7.227.22E+09	0.939.27E+08	94.429.44E+10	9.05%	7.64%	0.98%

To better visualize the spatial changes in fixed assets, the grid-level fixed asset maps for the years 1951, 1960, 1970, 1980, 1990, 2000, 2010, and 2020 are shown in [Figure 7](#), [Figure 8](#), and [Figure 9](#) for BTH-UA, YRD-UA, and PRD-UA, respectively. It is noteworthy that the fixed assets shown in [Figure 7](#) - [Figure 9](#) have been adjusted to the 2020 constant price level using the implicit deflator series at the national level compiled in Section 2.1.3, thus avoiding the effect of price changes on the evolution


of the spatial distribution characteristics of fixed assets. To better reveal the increase of fixed assets in space over time, the legends within each panel of [Figure 7](#) - [Figure 9](#) are the same, as separately determined by the value ranges of accumulated fixed assets in 1980 for these three agglomerations. [For better visualization effect, the upper and lower thresholds in each legend refer to the 98%-quantile and 2%-quantile of the asset values in corresponding map.](#)

The spatial distribution characteristics of fixed assets over the past seven decades can be divided into two periods: before the 1980s and after the 1980s. Before the 1980s, the fixed assets were mainly clustered in the big cities of each agglomeration, namely Beijing and Tianjin in the BTH-UA ([Figure 7](#)), Shanghai in the YRD-UA ([Figure 8](#)), and Guangzhou in the PRD-UA ([Figure 9](#)). The increase in clustered fixed assets before the 1980s can also be observed in other cities, but it is sparse in space and slow in speed. In contrast, fixed assets experienced a rapid and extensive increase after the 1980s, closely related to the national policy “Reform and Opening-up” issued in 1978, after which the focus of the Communist Party and the state shifted to economic development. When calculated in the 2020 constant price level, the values of accumulated fixed assets in 2020 are 76, 119, and 192 times the 1980 fixed asset values in BTH-UA, YRD-UA, and PRD-UA, respectively. ~~When e~~ Compared with the situation in 1951, the values of fixed assets in 2020 are 243, 506, [and](#) 1035 times the 1951 fixed asset values in BTH-UA, YRD-UA, and PRD-UA, respectively. This not only indicates the overall rapid accumulation speed of fixed assets in these three agglomerations after the 1980s, but also reflects the even faster growth rate in the PRB-UA compared to the BTH-UA and the YRD-UA. This comparison further reveals the extraordinarily high economic dynamism in the PRD-UA.




455

Figure 7: The spatial distribution maps of grid-level fixed assets (adjusted to 2020 constant price level) modelled for the Beijing-Tianjin-Hebei Urban Agglomeration (BTH-UA) in 1951, 1960, 1970, 1980, 1990, 2000, 2010, and 2020. The legend is generated based on the value range of fixed assets in 1980 and is uniformly applied to the [asset](#) maps of other years for better visualization effects.



460

Figure 8: The spatial distribution maps of grid-level fixed assets (adjusted to 2020 constant price level) modelled for the Yangtze River Delta Urban Agglomeration (YRD-UA) in 1951, 1960, 1970, 1980, 1990, 2000, 2010, and 2020. The legend is generated based on the value range of fixed assets in 1980 and is uniformly applied to the [asset](#) maps of other years for better visualization effects.



465

Figure 9: The spatial distribution maps of grid-level fixed assets (adjusted to 2020 constant price level) for the Pearl River Delta Urban Agglomeration (PRD-UA) in 1951, 1960, 1970, 1980, 1990, 2000, 2010, and 2020. The legend is generated based on the value range of fixed assets in 1980 and is uniformly applied to the [asset](#) maps of other years for better visualization effects.

4 Discussion

470


4.1 The consistency check of disaggregation indexes

475

As introduced in Section 2.2, different combinations of nighttime light, population, and built-up surface area data are employed to generate corresponding disaggregation indexes (lit-pop, area-pop, and pop-pop), considering the difference in temporal availability of these ancillary data. To evaluate the consistency of disaggregated grid-level fixed assets for three periods (namely 1991-2020, 1971-1990, and 1951-1970) by using different disaggregation indexes, it is necessary to test the correlation between these disaggregation index pairs. Therefore, by taking 2010 as the test year, three types of disaggregation index images are generated, and the correlation analyses for every two indexes of lit-pop, area-pop, and pop-pop are performed for 344 prefectures in China, as plotted in [Figure 10](#). In this figure, the ratio between the prefectural sum and the provincial sum of

each disaggregation index [value](#) is calculated for each prefecture. The high correlation between area-pop and lit-pop (with $R^2 = 0.98$, as shown in panel (a) of [Figure 10](#)) indicates that it is reasonable to use the combination of built-up surface area and population data to disaggregate the province-level fixed assets for years before 1990 when nighttime light data are not available. The correlation between area-pop and pop-pop is the same as that between lit-pop and pop-pop (with $R^2=0.92$ for both), indicating the acceptability of using the squared population to disaggregate the province-level fixed assets for years before 1970 when both nighttime light and built-up surface data are unavailable.

480



485 **Figure 10: The correlation between [ratios of](#) (a) area-pop and lit-pop [ratios](#), (b) area-pop and pop-pop, and (c) lit-pop and pop-pop for 344 prefectures in China. Note that for prefectures within each provincial-level administrative unit, the index (lit-pop_ or area-pop_ pop-pop) ratio is derived by dividing the sum of the index value of each prefecture by the sum of the index value of the corresponding province.**

4.2 Performance evaluation of modelled fixed assets at different scales

490 Due to the lack of officially issued statistics on annually accumulated fixed assets, it is important to compare our modelled fixed asset data with that of other studies. Wu et al. (2014) conducted a benchmark estimation of wealth capital stock in 344 prefectures of China from 1978 to 2012 using the PIM, providing both prefecture-level and provincial-level fixed asset values for 2012. Therefore, we first compare our modelled asset values with those provided [by](#) Wu et al. (2014) for 2012 at the provincial level, as listed in [Table 3](#). The ratio between our modelled fixed assets and those in Wu et al. (2014) is [within the](#)

495 [range of between](#) 0.95 to 1.93, with the largest deviation occurring in the estimation for Anhui province. According to the

comparison analysis ~~by~~ Li (2011), a 1% change in the depreciation rate will lead to a 10% change in accumulated ~~capital~~ ~~stock~~fixed asset 25 years later. Therefore, the deviation in estimated fixed asset for Anhui province might be ~~partly~~ due to the difference in the depreciation rate used, which is 5% in this paper and 9.75% in Wu et al. (2014). Additionally, differences in the compiled implicit deflator series used to calibrate the deflation of TIFA over time may also contribute to the deviation. We also compare our modelled fixed assets for 344 prefectures in China with those by Wu et al. (2014) for 2012. As shown in [Figure 11](#), the correlation coefficient of these two datasets at the prefecture level is ~~quite~~relatively high (with $R^2 = 0.95$), indicating their good consistency. Similar to the reason explained for the discrepancy in [Table 3](#), the consistently high fixed assets at the prefecture level estimated in this paper are probably due to the relatively low depreciation rate~~is~~ used, which is uniformly set at 5%, while in Wu et al. (2014), the depreciation ratio ranges from 7.95% to 10.05% for different provinces ~~(as~~ summarized in their [Table 2](#)).

In our previous work, a grid-level residential building stock model for mainland China was developed based on urbanity-level (urban, township, and rural) population and building-related statistics [in each province](#) extracted from the records in the tabulation of the 2010 population census of China (Xin et al., 2021). Therefore, we also conduct a correlation analysis between the modelled residential building replacement values in Xin et al. (2021) (without considering depreciation) and the fixed assets modelled in this paper (including residential and non-residential buildings, infrastructures, instruments, etc., with depreciation over time considered) for all 344 prefectures. [Figure 12](#) shows ~~that~~their correlation is also relatively high (with $R^2 = 0.91$). The two obvious deviation points in [Figure 12](#) correspond to Shanghai and Beijing. The reasons for such deviations are complex and related ~~to a combination of~~multiple factors, including whether depreciation is considered and discrepancies in the unit construction prices chosen for different residential buildings in Xin et al. (2021) compared with the price levels used for fixed assets in this paper, as they are determined through quite different price compilation channels.

Table 3: Comparison of the estimated values of accumulated fixed assets (in [billion](#) Chinese yuan) in 2012 for 31 provinces of [mainland](#) China in this paper and ~~in~~ Wu et al. (2014).

Province	This study	Wu et al. (2014)	Ratio
Beijing	4649.234.64923E+12	3849.163.84916E+12	1.21
Tianjin	3946.973.94697E+12	3883.613.88361E+12	1.02
Hebei	10092.731.00927E+13	6822.056.82205E+12	1.48
Shanxi	4380.544.38054E+12	3269.853.26985E+12	1.34
Inner Mongolia	5871.685.87168E+12	5387.495.38749E+12	1.09
Liaoning	10633.951.06339E+13	6820.136.82013E+12	1.56
Jilin	4841.464.84146E+12	4516.334.51633E+12	1.07
Heilongjiang	4776.974.77697E+12	3194.813.19481E+12	1.50
Shanghai	5124.195.12419E+12	4568.204.5682E+12	1.12
Jiangsu	16962.451.69624E+13	12728.771.27288E+13	1.33
Zhejiang	10902.161.09022E+13	7797.987.79798E+12	1.40
Anhui	7436.097.43609E+12	3856.293.85629E+12	1.93
Fujian	5813.265.81326E+12	4730.334.73033E+12	1.23
Jiangxi	5444.775.44477E+12	2931.792.93179E+12	1.86
Shandong	17724.371.77244E+13	13174.731.31747E+13	1.35
Henan	10954.131.09541E+13	9302.429.30242E+12	1.18

Hubei	7482.44748244E+12	5440.21544021E+12	1.38
Hunan	6971.73697173E+12	5221.56522156E+12	1.34
Guangdong	12272.68122727E+13	10655.79106558E+13	1.15
Guangxi	4479.82447982E+12	4738.49473849E+12	0.95
Hainan	998.95998949E+11	785.94785937E+11	1.27
Chongqing	4546.95454695E+12	2981.25298125E+12	1.53
Sichuan	8854.82885482E+12	5767.49576749E+12	1.54
Guizhou	2475.02247502E+12	2078.73207873E+12	1.19
Yunnan	3963.58396358E+12	3272.57327257E+12	1.21
Xizang	383.77383768E+11	337.04337042E+11	1.14
Shaanxi	5563.17556317E+12	4253.29425329E+12	1.31
Gansu	2268.29226829E+12	1560.18156018E+12	1.45
Qinghai	849.86849857E+11	626.12626119E+11	1.36
Ningxia	1028.43102843E+12	853.45885345E+11	1.21
Xinjiang	2955.6029556E+12	2189.56218956E+12	1.35
SUM	164749.28164749E+14	147595.58147596E+14	1.12




Figure 11: The correlation analysis between the estimated fixed assets for 344 prefectures of [mainland](#) China in this paper and those given in Wu et al. (2014) for 2012.




Figure 12: The correlation analysis between the estimated fixed assets for 344 prefectures of China in this paper and the estimated residential building replacement values in Xin et al. (2021) for 2015.

4.3 Application of the fixed asset data to seismic loss estimation of damaging earthquakes

Since the development of the fixed asset data is targeted for seismic loss estimation after the occurrence of a damaging earthquake in China, which is of vital reference importance for government officials to reasonably allocate emergency response personnel and goods as well as for insurance and reinsurance companies to quickly estimate the potential compensation amount. Taking the seismic loss estimation for the Ms6.2 Jishishan earthquake that occurred on December 18, 2023, in Gansu province, China, as an example, we overlap the modelled grid level fixed asset data of year 2020 in the earthquake-stricken area with the officially issued macro-seismic intensity map by China Earthquake Administration, as shown in Figure 13. The sum of exposed fixed asset value within each intensity extent can be calculated by using open-source software QGIS. Then, the mean loss ratio within each intensity to be used for loss calculation is determined from the empirically regressed loss estimation model for the Qinghai-Tibetan region of China (a broader region that covers the study area in Figure 13) in our previous work (Li et al., 2023), in which the provincial-level fixed asset data developed in this paper, the digitalized macro-seismic intensity maps and loss records of damaging earthquakes occurred in the past seven decades in China compiled by (Li et al., (2021)(Xia et al., 2023; Zheng et al., 2023), and the LandScan population density data (Bhaduri et al., 2007) are comprehensively used to regress the empirical economic loss models for different sub-regions in China (Li et al., 2023). By multiplying the mean loss ratio for each intensity with its accumulated fixed asset value, the direct economic loss of the Jishishan earthquake is estimated to be 10.69 billion Chinese yuan. Such a rough estimation (since no building or infrastructure attribute information is used and the newly added investment in fixed asset during 2021-2023 is not considered) is quite comparable to the officially issued total loss of 14.6 billion Chinese yuan, which is calculated based on a detailed post-earthquake investigation of damaged buildings and infrastructures due to the earthquake (ONDP-MRC, 2024). The difference between these two loss numbers is within two times, which indicates that our estimated loss can be considered a reasonable loss estimation result. This application to seismic loss estimation also verifies that the fixed asset data developed in this paper is promising to be used for rapid economic loss estimation for future damaging earthquakes in China.




Figure 13: Overlap the modelled fixed asset data for the year 2020 at grid level in the earthquake-stricken area with the seismic intensity map of the 2023.12.18 Ms6.2 earthquake that occurred in Gansu province, China. The text “k, m, b” in the legend of the fixed asset refers to thousand, million, and billion, respectively. The active fault traces are from (Wu et al., (2024) and the basemap is from the “USGC Topo Mohit” map provided by the plug-in of “QuickMapServices” in QGIS.

Like seismic risk analysis, different risk assessment scales require different methods and data inputs. It is also worthwhile to discuss the applicability of the developed fixed asset data to risk analysis of other natural hazards (e.g., flood, wind, etc.). In this paper, the fixed asset model is developed based on the Level 1 data, which mainly include demographic data and fixed asset investment related statistics extracted from the national census and yearbooks but no structure characteristics. Therefore, the disaggregated fixed asset model based on this level of information is relatively rough. Previous studies (Röthlisberger et al., 2018; Wouters et al., 2021; Wu et al., 2019) suggest that to get reasonable flood risk assessment results, detailed building attributes (floor area, height) should be gained to better assess building vulnerability to flood. As further verified by the comparison of different exposure models for flood risk analysis in Röthlisberger et al. (2018), the estimation of exposed building values should be based on individual buildings rather than on areas of land use types. However, from the fixed asset data developed in this paper, we cannot directly derive the floor area or height information even at the administrative scale due to the lack of more details, let alone for individual buildings. Even at the grid level, flood loss estimation results are more sensitive to changes in exposure resolution than seismic loss estimation results. For example, the test by Dabbeek et al. (2021) revealed that when changing the resolution of the exposure model from 1km to 8km, the change in final overall loss is less than 5%. In contrast, Bouwer et al. (2009) found that using a 100-m grid instead of a 25-m grid for the same case study area resulted in increased flood damage estimates up to 50% higher. In the case of wind risk analysis, studies published in recent years also tend to use building level or even component level exposure data to assess wind risk (Pandolfi et al., 2022). Such component level building attributes cannot be derived from our current fixed asset model either. Therefore, we consider the

fixed asset data developed in this paper is more suitable for rapid seismic loss estimation after the occurrence of damaging earthquakes in China and should be used with caution when applying it to the risk analysis of other types of natural hazards.

4.4 Limitations of the modelled fixed asset data

Inevitable assumptions and simplifications have been made during the modelling process of the fixed asset data. For example, a fixed depreciation rate of 5% is uniformly applied to all provinces and periods regardless of their potential temporal and spatial differences in the depreciation rates of fixed asset types. This simplified approach may lead to skewed asset values, particularly in provinces with unique economic trajectories or asset compositions. For instance, in industrialized regions (such as the old industrial canners of Heilongjiang, Liaoning, and Jilin provinces in China), assets may have a shorter service life than in less industrialized provinces, affecting the accuracy of economic loss projections. Therefore, it is quite necessary to integrate the temporal and spatial changes in depreciation rates when modelling the net value of depreciated fixed assets, should the statistics data required to differentiate such rates be accessible for the period 1951-2020 considered in this paper. As a matter of fact, in the prefecture-level fixed asset modelling work of Wu et al. (2014) for China during 1978-2012, they did develop varying depreciation rates for different provinces (see their Table 2). To get these depreciation rates, the residual value of the capital stock was uniformly set to be 4% of their original value, and the service lives of three different fixed asset types (construction and installation, equipment and instruments, and others) in all provinces were uniformly set as 45 years, 20 years, and 25 years, respectively. Then, following the expression like Eq. (3) in this paper, the national-average depreciation rate was determined accordingly by Wu et al. (2014), which was 6.9%, 14.9%, and 12.1%, respectively. Considering the composition of fixed asset may vary across provinces, to better reflect their impact on spatial differences in depreciation rates among provinces, Wu et al. (2014) further multiplied the relative share of each fixed asset type in each province (such data are available from 1983) with its depreciate rate derived above. Then, the average depreciation rate can be determined for each province. For cross-check convenience, these provincial-level depreciation rates developed by Wu et al. (2014) are also provided in Table 4 of this paper.

Table 4: The provincial-level depreciation rates developed by Wu et al. (2014).

Province	Depreciation rate (%)
Beijing	9.76
Tianjin	9.56
Hebei	9.83
Shanxi	9.53
Inner Mongolia	9.22
Liaoning	9.49
Jilin	9.43
Heilongjiang	9.28
Shanghai	10.05
Jiangsu	9.62
Zhejiang	9.53
Anhui	9.75
Fujian	9.44
Jiangxi	9.68
Shandong	9.49
Henan	9.45

Hubei	9.58
Hunan	9.20
Guangdong	9.35
Guangxi	9.44
Hainan	9.35
Chongqing	9.21
Sichuan	9.27
Guizhou	9.35
Yunnan	9.03
Tibet	7.95
Shaanxi	9.87
Gansu	9.30
Qinghai	8.74
Ningxia	9.32
Xinjiang	9.08
Average rate	9.39

Note: the “Average rate” of 9.39% in the last row of this table is simply the averaged value of all these 31 provincial level depreciation rates.

However, although the regional difference in fixed asset composition is considered when developing the averaged depreciation rate for each province, the depreciation rates listed in Table 4 for most provinces are around 9%, ranging from 7.95% to 10.05%. This means the spatial difference in depreciation rate among provinces is basically within $\pm 1\%$, which is smaller than being imaged. And 1% change in depreciation rate would lead to no more than 10% change in accumulated fixed asset 25 years later, as revealed by Li (2011). They also suggested that the depreciation rate should be within the range of 5%~10%. When we further apply the depreciation rates in Table 4 to model the fixed assets at the provincial level following the process in Section 2.1, the ratios between these newly modelled fixed assets and those modelled by using a uniform dereplication rate of 5% are plotted in Figure 14.




Figure 14: The ratio between fixed assets modelled by using the changing depreciation rates in Table 4 and using a uniform dereplication rate of 5% for 31 provinces and mainland China as a whole.

Figure 14 indicates that the changing trend in fixed asset ratio with time varies across provinces. But a general trend for most provinces is that the fixed asset ratio keeps decreasing before 1970 and turns to increase after 1970. The decreasing trend

610 before 1970 is considered mainly dominant by using larger depreciation rates than the fixed rate of 5%. The increasing trend in fixed asset ratio after 1970 is related to the increase in annual investment in fixed capital stock, which overturns the decreasing trend caused by using larger depreciation rates. The changing trends of fixed asset ratios in Figure 14 also imply that the modelling of accumulated fixed asset is affected by a combination of multiple factors with varying significance with time. Considering the fixed asset data modelled in this paper is mainly served for seismic loss estimation and rapid emergency response after the occurrence of damaging earthquakes in China, and the values of different types of fixed asset in earthquake-affected areas are generally higher than their residual values even they have lasted for a much longer time than their service lives; therefore, a conservative depreciation rate of 5% is preferred for all provinces to get the final accumulated fixed asset data series from 1951 to 2020.

620 It is also noteworthy that in the fixed asset data modelled in this paper, there is no further differentiation of structural specificity, which limits the model's utility for applications that require asset type differentiation, such as insurance underwriting or infrastructure resilience planning. It could lead to misaligned resource allocations during emergency responses under certain circumstances. For studies devoted to modelling the fixed asset values for specific years (e.g., Gunasekera et al., 2015; Wu et al., 2018; Xin et al., 2021), it is possible to use more detailed census records or even in-site investigation data to estimate the value of different asset types. However, when accumulated fixed asset data series for an extended period dating back to 1951 are needed, as in this paper, detailed statistics to differentiate the building types (residential/industrial/commercial) or even the quota of different fixed asset types (buildings, infrastructures, instruments) exposed to past years are typically missing. In this case, the fixed asset model can only be developed from the Level 1 data (as explained in the Introduction section). Considering the completeness and availability of statistical data during 1951-2020, the perpetual inventory method (PIM) is a more appropriate choice to develop the provincial level fixed asset data series. Although there is no differentiation of building types in the fixed asset data developed in this paper, when compared the modelled asset value with the estimated replacement value of residential buildings (including 17 building sub-types) in our previous work for China (Xin et al., 2021), as shown in Figure 12, we find the correlation at prefecture level between these two models remains relatively high (with $R^2=0.91$). In the future, to better aid the earthquake emergency response needs, more efforts should be made to integrate more detailed building and infrastructure related statistics to refine the latest fixed asset model.

635

5 Code and data availability

The modelled provincial-level fixed asset dataset for 31 provincial administrative units in China from 1951 to 2020 has been uploaded to Zenodo (<https://doi.org/10.5281/zenodo.12706096>) (Xin et al., 2024). The grid-level fixed asset data will be shar

640 ~~ed later when the review process is finished due to the ongoing preparation of another closely related research based on this d~~
~~ataset.~~ The nighttime light data from 1992 to 2000 with a spatial resolution of 30 arc-seconds compiled by Li et al. (2020) are
available from Figshare ([https://figshare.com/articles/dataset/Harmonization of DMSP and VIIRS nighttime light data f](https://figshare.com/articles/dataset/Harmonization_of_DMSP_and_VIIRS_nighttime_light_data_from_1992-2018_at_the_global_scale/9828827)
rom 1992-2018 at the global scale/9828827). The population and built-up surface datasets used in this paper are provided
by the Global Human Settlement Layer (GHSL) project of the Joint Research Centre, European Commission ([https://human-](https://human-settlement.emergency.copernicus.eu/datasets.php)
645 [settlement.emergency.copernicus.eu/datasets.php](https://human-settlement.emergency.copernicus.eu/datasets.php)).

6 Conclusions

This paper develops grid-level fixed asset data for China from 1951 to 2020 based on the perpetual inventory method (PIM)
and disaggregation techniques, aiming to improve the accuracy of seismic loss estimation for damaging earthquakes in China.
Consistency checks have demonstrated the model's reasonableness and reliability. However, the fixed asset values are
650 ~~primarily~~ derived from investment related data recorded in statistical yearbooks, and detailed information on building
structures and infrastructures is not included in the modelling process. Therefore, the datasets are primarily intended to
facilitate rapid estimation of ~~empirical~~ seismic losses, serving as a crucial reference for the government in formulating
emergency response plans and allocating rescue personnel and resources shortly following after the occurrence of damaging
earthquakes. ~~The grid-level fixed asset model developed in this paper can also be used to analyze the spatial and temporal~~
655 ~~changes of exposed assets in different seismic active zones and reveal the relationship between their changes and the changes~~
~~in regional economic development, which will further aid the government to optimize seismic risk mitigation policies. To~~
~~demonstrate the application of the developed fixed asset data in seismic loss estimation, the estimated loss in this paper for the~~
~~2023 Ms6.2 Jishishan earthquake is compared with the officially issued loss. Their consistency further verifies the applicability~~
~~potential of the developed fixed asset data to seismic loss estimation for future damaging earthquakes in China.~~ The modelled
660 fixed asset data from 1951 to 2020 ~~will be openly accessible and can~~ be conveniently ~~be~~ extended to more recent years
conveniently as new fixed asset-related statistics become available.

Author Contributions

DX designed the approach, collected the data, performed the analys~~is~~^{es}, and prepared the draft manuscript. JD and FW gave
quite constructive suggestions when ~~revising-preparing~~ the manuscript. ZZ guided the project and provided the financial
665 support. ZZ, SW, and XF proposed very inspiring comments and valuable application suggestions. All authors contributed to
the revision of the manuscript.

Competing interests

The authors declare that there are no competing interests.

Financial support

- 670 This work is supported by the National Natural Science Foundation of China (Grant Number 42204054, 42174057) and the Shenzhen Stable Support Plan Program for Higher Education Institutions (Grant Number 20220815084720001).

References

- Aubrecht, C. and León Torres, J.: Evaluating Multi-Sensor Nighttime Earth Observation Data for Identification of Mixed vs. Residential Use in Urban Areas, *Remote Sensing*, 8, 114, <https://doi.org/10.3390/rs8020114>, 2016.
- 675 Aubrecht, C. and León Torres, J. A.: Top-down identification of mixed vs. residential use in urban areas: Evaluation of remotely sensed nighttime lights for a case study in Cuenca City, Ecuador, 1st International Electronic Conference on Remote Sensing, online (sciforum.net), 2015.
- Balk, D. and Yetman, G.: The global distribution of population: evaluating the gains in resolution refinement, Center for International Earth Science Information Network, Columbia University, Palisades, New York, USA, 2004.
- 680 Bhaduri, B., Bright, E., Coleman, P., and Urban, M. L.: LandScan USA: a high-resolution geospatial and temporal modeling approach for population distribution and dynamics, *GeoJournal*, 69, 103–117, <https://doi.org/10.1007/s10708-007-9105-9>, 2007.
- Bilham, R.: Lessons from the Haiti earthquake, *Nature*, 463, 878, 2010.
- Bouwer, L. M., Bubeck, P., Wagtendonk, A. J., and Aerts, J. C. J. H.: Inundation scenarios for flood damage evaluation in polder areas, *Nat. Hazards Earth Syst. Sci.*, 9, 1995–2007, <https://doi.org/10.5194/nhess-9-1995-2009>, 2009.
- 685 Chen, Q.-F., Chen, Y., Liu, J. I. E., and Chen, L.: Quick and approximate estimation of earthquake loss based on macroscopic index of exposure and population distribution, *Natural Hazards*, 15, 215–229, 1997.
- Chen, X. and Nordhaus, W. D.: Using luminosity data as a proxy for economic statistics, *Proceedings of the National Academy of Sciences*, 108, 8589–8594, <https://doi.org/10.1073/pnas.1017031108>, 2011.
- 690 Chen, Y., Guo, F., Wang, J., Cai, W., Wang, C., and Wang, K.: Provincial and gridded population projection for China under shared socioeconomic pathways from 2010 to 2100, *Scientific Data*, 7, 83, <https://doi.org/10.1038/s41597-020-0421-y>, 2020.
- Chow, G. C.: Capital formation and economic growth in China, *The Quarterly Journal of Economics*, 108, 809–842, 1993.
- Dabbeek, J., Crowley, H., Silva, V., Weatherill, G., Paul, N., and Nievas, C. I.: Impact of exposure spatial resolution on seismic

- 695 loss estimates in regional portfolios, *Bull Earthquake Eng*, <https://doi.org/10.1007/s10518-021-01194-x>, 2021.
- Daniell, J.: Development of socio-economic fragility functions for use in worldwide rapid earthquake loss estimation procedures, Ph.D. Thesis, Karlsruhe Institute of Technology, Karlsruhe, Germany, 530 pp., 2014.
- Daniell, J., Wenzel, F., Khazai, B., and Vervaeck, A.: A Country-by-Country Building Inventory and Vulnerability Index for Earthquakes in comparison to historical CATDAT Damaging Earthquakes Database losses, Australian Earthquake Engineering Society 2011 Conference, Barossa Valley, SA, Australia, 22, 2011.
- 700 DCSNBS: China Compendium of Statistics 1949-2008, China Statistics Press, Beijing, China, 229 pp., 2009.
- De Bono, A. and Chatenoux, B.: A global exposure model for GAR 2015, United Nations International Strategy for Disaster Reduction, Geneva, Switzerland, 2015.
- De Bono, A. and Mora, M. G.: A global exposure model for disaster risk assessment, *International Journal of Disaster Risk Reduction*, 10, 442–451, <https://doi.org/10.1016/j.ijdrr.2014.05.008>, 2014.
- 705 Dell’Acqua, F., Gamba, P., and Jaiswal, K.: Spatial aspects of building and population exposure data and their implications for global earthquake exposure modeling, *Natural hazards*, 68, 1291–1309, 2013.
- DNANBSC: Data of Gross Domestic Product of China, China Statistics Press, Beijing, China, 455 pp., 2007.
- Doll, C. N. H., Muller, J.-P., and Morley, J. G.: Mapping regional economic activity from night-time light satellite imagery, *Ecological Economics*, 57, 75–92, <https://doi.org/10.1016/j.ecolecon.2005.03.007>, 2006.
- 710 Eberenz, S., Stocker, D., Rösli, T., and Bresch, D. N.: Asset exposure data for global physical risk assessment, *Earth Syst. Sci. Data*, 12, 817–833, <https://doi.org/10.5194/essd-12-817-2020>, 2020.
- Eicher, C. L. and Brewer, C. A.: Dasymetric Mapping and Areal Interpolation: Implementation and Evaluation, *Cartography and Geographic Information Science*, 28, 125–138, <https://doi.org/10.1559/152304001782173727>, 2001.
- 715 Elvidge, C. D., Tuttle, B. T., Sutton, P. C., Baugh, K. E., Howard, A. T., Milesi, C., Bhaduri, B., and Nemani, R.: Global distribution and density of constructed impervious surfaces, *Sensors*, 7, 1962–1979, 2007.
- Erdik, M., Sesetyan, K., Demircioglu, M. B., Hancilar, U., and Zulfikar, C.: Rapid Earthquake Loss Assessment After Damaging Earthquakes, in: *Earthquake Engineering in Europe*, vol. 17, edited by: Garevski, M. and Ansal, A., Springer Netherlands, Dordrecht, 523–547, https://doi.org/10.1007/978-90-481-9544-2_21, 2010.
- 720 Erdik, M., Şeşetyan, K., Demircioğlu, M. B., Hancılar, U., and Zülfikar, C.: Rapid earthquake loss assessment after damaging earthquakes, *Soil Dynamics and Earthquake Engineering*, 31, 247–266, <https://doi.org/10.1016/j.soildyn.2010.03.009>, 2011.
- FEMA: Federal Emergency Management Agency: HAZUS User & Technical Manuals, 2019.
- Freire, S., Kemper, T., Pesaresi, M., Florczyk, A. J., and Syrris, V.: Combining GHSL and GPW to Improve Global Population Mapping, 2015 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), 2541–2543, <https://doi.org/10.1109/IGARSS.2015.7326329>, 2015.
- 725

- Freire, S., MacManus, K., Pesaresi, M., Doxsey-Whitfield, E., and Mills, J.: Development of new open and free multi-temporal global population grids at 250 m resolution, *Population*, 250, 2016.
- Gaigbe-Togbe, V., Bassarsky, L., Gu, D., Spoorenberg, T., and Zeifman, L.: World population prospects 2022, Department of Economic and Social Affairs, Population Division: New York, NY, USA, 2022.
- Gamba, P.: Global Exposure Database: Scientific Features, Global Earthquake Model (GEM) Foundation, Pavia, Italy, 2014.
- Gamba, P., Cavalca, D., Jaiswal, K. S., Huyck, C., and Crowley, H.: The GED4GEM project: development of a Global Exposure Database for the Global Earthquake Model initiative, The 15th World Conference on Earthquake Engineering, Lisbon, Portugal, 2012.
- Gaughan, A. E., Stevens, F. R., Linard, C., Jia, P., and Tatem, A. J.: High Resolution Population Distribution Maps for Southeast Asia in 2010 and 2015, *PLoS ONE*, 8, e55882, <https://doi.org/10.1371/journal.pone.0055882>, 2013.
- Ghosh, T., L Powell, R., D Elvidge, C., E Baugh, K., C Sutton, P., and Anderson, S.: Shedding light on the global distribution of economic activity, *The Open Geography Journal*, 3, 2010.
- Gunasekera, R., Ishizawa, O., Aubrecht, C., Blankespoor, B., Murray, S., Pomonis, A., and Daniell, J.: Developing an adaptive global exposure model to support the generation of country disaster risk profiles, *Earth-Science Reviews*, 150, 594–608, 2015.
- Hall, R. E. and Jones, C. I.: Why do some countries produce so much more output per worker than others?, *The quarterly journal of economics*, 114, 83–116, 1999.
- He, F., Chen, R., and He, L.: The Estimation and Correlation Analysis on Our Country's Cumulative Amount of Capital, *Economist*, 5, 29–35, 2003.
- Hu, H.: The population distribution in China, *Acta Geographica Sinica*, 02, 33–74, 1935.
- Hu, M., Bergsdal, H., Voet, E. van der, Huppel, G., and Müller, D. B.: Dynamics of urban and rural housing stocks in China, *Building Research & Information*, 38, 301–317, <https://doi.org/10.1080/09613211003729988>, 2010.
- Hurt, G. C., Chini, L. P., Frolking, S., Betts, R. A., Feddema, J., Fischer, G., Fisk, J. P., Hibbard, K., Houghton, R. A., Janetos, A., Jones, C. D., Kindermann, G., Kinoshita, T., Klein Goldewijk, K., Riahi, K., Shevliakova, E., Smith, S., Stehfest, E., Thomson, A., Thornton, P., van Vuuren, D. P., and Wang, Y. P.: Harmonization of land-use scenarios for the period 1500–2100: 600 years of global gridded annual land-use transitions, wood harvest, and resulting secondary lands, *Climatic Change*, 109, 117–161, <https://doi.org/10.1007/s10584-011-0153-2>, 2011.
- Jaiswal, K. and Wald, D. J.: Estimating economic losses from earthquakes using an empirical approach, *Earthquake Spectra*, 29, 309–324, 2013.
- Jaiswal, K., Wald, D., and Porter, K.: A global building inventory for earthquake loss estimation and risk management, *Earthquake Spectra*, 26, 731–748, 2010.
- Klein Goldewijk, K., Beusen, A., and Janssen, P.: Long-term dynamic modeling of global population and built-up area in a

spatially explicit way: HYDE 3.1, *The Holocene*, 20, 565–573, <https://doi.org/10.1177/0959683609356587>, 2010.

- 760 Kleist, L., Thieken, A. H., K O Hler, P., M U Ller, M., Seifert, I., Borst, D., and Werner, U.: Estimation of the regional stock
of residential buildings as a basis for a comparative risk assessment in Germany, *Natural Hazards and Earth System
Sciences*, 6, 541–552, 2006.
- Koks, E. E., Rozenberg, J., Zorn, C., Tariverdi, M., Vousdoukas, M., Fraser, S. A., Hall, J. W., and Hallegatte, S.: A global
multi-hazard risk analysis of road and railway infrastructure assets, *Nat Commun*, 10, 2677,
765 <https://doi.org/10.1038/s41467-019-10442-3>, 2019.
- Li, B.: Comparative Analysis of Estimates on Capital Stock of China, *Journal of Quantitative and Technological Economics*,
21–54, <https://doi.org/10.13653/j.cnki.jqte.2011.12.006>, 2011.
- Li, X., Zhou, Y., Zhao, M., and Zhao, X.: A harmonized global nighttime light dataset 1992–2018, *Sci Data*, 7, 168,
<https://doi.org/10.1038/s41597-020-0510-y>, 2020.
- 770 Li, Y., Zhang, Z., and Xin, D.: A Composite Catalog of Damaging Earthquakes for Mainland China, *Seismological Research
Letters*, 92, 3767–3777, <https://doi.org/10.1785/0220210090>, 2021.
- Li, Y., Xin, D., and Zhang, Z.: Estimating the economic loss caused by earthquake in Mainland China, *International Journal of
Disaster Risk Reduction*, 95, 103708, <https://doi.org/10.1016/j.ijdr.2023.103708>, 2023.
- Linard, C., Gilbert, M., Snow, R. W., Noor, A. M., and Tatem, A. J.: Population distribution, settlement patterns and
775 accessibility across Africa in 2010, *PloS one*, 7, e31743, 2012.
- Liu, J., Liu, M., Zhuang, D., Zhang, Z., and Deng, X.: Study on spatial pattern of land-use change in China during, *SCIENCE
IN CHINA (Series D)*, 46, 373–384, 2003.
- Ma, J., Rao, A., Silva, V., Liu, K., and Wang, M.: A township-level exposure model of residential buildings for mainland China,
Nat Hazards, <https://doi.org/10.1007/s11069-021-04689-7>, 2021.
- 780 Ma, T., Zhou, C., Pei, T., Haynie, S., and Fan, J.: Quantitative estimation of urbanization dynamics using time series of
DMSP/OLS nighttime light data: A comparative case study from China’s cities, *Remote Sensing of Environment*, 124,
99–107, <https://doi.org/10.1016/j.rse.2012.04.018>, 2012.
- Maffenini, L., Schiavina, M., Carneiro Freire, S., Melchiorri, M., Pesaresi, M. ., and Kemper, T.: GHS-POP2G user guide:
population to grid tool user guide : version 3, Publications Office, LU, 2023.
- 785 Marconcini, M., Metz-Marconcini, A., Esch, T., and Gorelick, N.: Understanding Current Trends in Global Urbanisation - The
World Settlement Footprint Suite, *gforum*, 1, 33–38, https://doi.org/10.1553/giscience2021_01_s33, 2021.
- Miller, S. D., Mills, S. P., Elvidge, C. D., Lindsey, D. T., Lee, T. F., and Hawkins, J. D.: Suomi satellite brings to light a unique
frontier of nighttime environmental sensing capabilities, *Proc. Natl. Acad. Sci. U.S.A.*, 109, 15706–15711,
<https://doi.org/10.1073/pnas.1207034109>, 2012.
- 790 NBSC: China Statistical Yearbook 2020, China Statistics Press, Beijing, China, 981 pp., 2020.

- Oda, T. and Maksyutov, S.: A very high-resolution (1 km×1 km) global fossil fuel CO₂ emission inventory derived using a point source database and satellite observations of nighttime lights, *Atmos. Chem. Phys.*, 11, 543–556, <https://doi.org/10.5194/acp-11-543-2011>, 2011.
- ONDP-MRC: The Ministry of Emergency Management released the basic situation of natural disasters across the country in 2023, Office of the National Disaster Prevention, Mitigation and Relief Committee, Beijing, China, 2024.
- Pandolfi, F., Baltzopoulos, G., and Iervolino, I.: ERMESS: extreme wind risk assessment for building portfolios, *Nat Hazards*, <https://doi.org/10.1007/s11069-022-05740-x>, 2022.
- Perkins, D. H.: Reforming China’s economic system, *Journal of Economic Literature*, 26, 601–645, 1988.
- Pesaresi, M. and Politis, P.: GHS-BUILT-S R2022A - GHS built-up surface grid, derived from Sentinel-2 composite and Landsat, multitemporal (1975-2030). European Commission, Joint Research Centre (JRC), <https://doi.org/10.2905/D07D81B4-7680-4D28-B896-583745C27085>, 2022.
- Qin, D., Cagas, M. A., Quising, P., and He, X.-H.: How much does investment drive economic growth in China?, *Journal of Policy Modeling*, 28, 751–774, 2006.
- Röthlisberger, V., Zischg, A. P., and Keiler, M.: A comparison of building value models for flood risk analysis, *Nat. Hazards Earth Syst. Sci.*, 18, 2431–2453, <https://doi.org/10.5194/nhess-18-2431-2018>, 2018.
- Sarica, G. M. and Pan, T.-C.: Seismic loss dynamics in three Asian megacities using a macro-level approach based on socioeconomic exposure indicators, *Commun Earth Environ*, 3, 101, <https://doi.org/10.1038/s43247-022-00430-9>, 2022.
- Sarica, G. M., Zhu, T., and Pan, T.-C.: Spatio-temporal dynamics in seismic exposure of Asian megacities: past, present and future, *Environ. Res. Lett.*, 15, 094092, <https://doi.org/10.1088/1748-9326/ababc7>, 2020.
- Schiavina, M., Melchiorri, M., Pesaresi, M., Politis, P., Freire, S., Maffenini, L., Florio, P., Ehrlich, D., Goch, K., and Tommasi, P.: GHSL data package 2022, Publications Office of the European Union: Luxembourg, 2022a.
- Schiavina, M., Freire, S., and MacManus, K.: GHS-POP R2022A—GHS Population Grid Multitemporal (1975–2030), European Commission, Joint Research Centre, <https://doi.org/10.2905/D6D86A90-4351-4508-99C1-CB074B022C4A>, 2022b.
- Seifert, I., Thieken, A. H., Merz, M., Borst, D., and Werner, U.: Estimation of industrial and commercial asset values for hazard risk assessment, *Natural Hazards*, 52, 453–479, <https://doi.org/10.1007/s11069-009-9389-9>, 2010.
- Shan, H. J.: Reestimating the capital stock of China: 1952–2006, *The Journal of Quantitative & Technical Economics*, 10, 17–31, 2008.
- Thieken, A. H., Müller, M., Kleist, L., Seifert, I., Borst, D., and Werner, U.: Regionalisation of asset values for risk analyses, *Natural Hazards and Earth System Sciences*, 6, 167–178, <https://doi.org/10.5194/nhess-6-167-2006>, 2006.
- UNDESA: World Urbanization Prospects: The 2018 Revision, United Nations, Department of Economic and Social Affairs, Population Division, New York, United States, 2018.

- Wang, X., Ding, X., Wang, L., and Wang, Y.: Fast assessment of earthquake loss and its application to the 2008 MS8.0 Wenchuan earthquake, *Earthq Sci*, 22, 129–133, <https://doi.org/10.1007/s11589-009-0129-8>, 2009.
- 825 Wang, Y. and Yao, Y.: Sources of China’s economic growth, 1952–99: incorporating human capital accumulation, The World Bank, 1999.
- Wouters, L., Couasnon, A., de Ruiter, M. C., van den Homberg, M. J. C., Teklesadik, A., and de Moel, H.: Improving flood damage assessments in data-scarce areas by retrieval of building characteristics through UAV image segmentation and machine learning – a case study of the 2019 floods in southern Malawi, *Nat. Hazards Earth Syst. Sci.*, 21, 3199–3218, <https://doi.org/10.5194/nhess-21-3199-2021>, 2021.
- 830 Wu, J., Li, N., and SHI, P.: Benchmark wealth capital stock estimations across China’s 344 prefectures: 1978 to 2012, *China Economic Review*, 31, 288–302, <https://doi.org/10.1016/j.chieco.2014.10.008>, 2014.
- Wu, J., Li, Y., Li, N., and Shi, P.: Development of an asset value map for disaster risk assessment in China by spatial disaggregation using ancillary remote sensing data, *Risk analysis*, 38, 17–30, 2018.
- 835 Wu, J., Ye, M., Wang, X., and Koks, E.: Building Asset Value Mapping in Support of Flood Risk Assessments: A Case Study of Shanghai, China, *Sustainability*, 11, 971, <https://doi.org/10.3390/su11040971>, 2019.
- Wu, X., Xu, X., Yu, G., Ren, J., Yang, X., Chen, G., Xu, C., Du, K., Huang, X., Yang, H., Li, K., and Hao, H.: The China Active Faults Database (CAFD) and its web system, *Earth Syst. Sci. Data*, 16, 3391–3417, <https://doi.org/10.5194/essd-16-3391-2024>, 2024.
- 840 Xin, D., Daniell, J. E., Tsang, H.-H., and Wenzel, F.: Residential building stock modelling for mainland China targeted for seismic risk assessment, *Nat. Hazards Earth Syst. Sci.*, 21, 3031–3056, <https://doi.org/10.5194/nhess-21-3031-2021>, 2021.
- Xin, D., Daniell, J. E., Zhang, Z., Wenzel, F., Wang, S. S., and Chen, X.: The Grid-level Fixed Asset Model Developed for China from 1951 to 2020, <https://doi.org/10.5281/zenodo.12706096>, 2024.
- 845 Xu, J., An, J., and Nie, G.: A quick earthquake disaster loss assessment method supported by dasymetric data for emergency response in China, *Natural Hazards and Earth System Sciences*, 16, 885–899, <https://doi.org/10.5194/nhess-16-885-2016>, 2016.
- Yang, W. and Kohler, N.: Simulation of the evolution of the Chinese building and infrastructure stock, *Building Research & Information*, 36, 1–19, <https://doi.org/10.1080/09613210701702883>, 2008.
- 850 Zhang, J.: Systemic Analysis of Economic Efficiency during the 5 th Five Year Plan, *Journal of Economic Research*, 4, 8–17, 1991.
- Zhang, J.: Estimation of China’s provincial capital stock (1952–2004) with applications, *Journal of Chinese Economic and Business Studies*, 6, 177–196, <https://doi.org/10.1080/14765280802028302>, 2008.
- Zhang, J., Wu, G., and Zhang, J.: The Estimation of China’s Provincial Capital Stock: 1952-2000, *Economic Research Journal*,

855 35–44, 2004.

Zhang, Y., Li, X., Wang, A., Bao, T., and Tian, S.: Density and diversity of OpenStreetMap road networks in China, *Journal of Urban Management*, 4, 135–146, <https://doi.org/10.1016/j.jum.2015.10.001>, 2015.

Zhao, Zhou, Li, Cao, He, Yu, Li, Elvidge, Cheng, and Zhou: Applications of Satellite Remote Sensing of Nighttime Light Observations: Advances, Challenges, and Perspectives, *Remote Sensing*, 11, 1971, <https://doi.org/10.3390/rs11171971>,

860 2019.

Zhao, M., Zhou, Y., Li, X., Zhou, C., Cheng, W., Li, M., and Huang, K.: Building a Series of Consistent Night-Time Light Data (1992–2018) in Southeast Asia by Integrating DMSP-OLS and NPP-VIIRS, *IEEE Trans. Geosci. Remote Sensing*, 58, 1843–1856, <https://doi.org/10.1109/TGRS.2019.2949797>, 2020.

Zhao, N., Currit, N., and Samson, E.: Net primary production and gross domestic product in China derived from satellite imagery, *Ecological Economics*, 70, 921–928, <https://doi.org/10.1016/j.ecolecon.2010.12.023>, 2011.

865

Zhao, N., Ghosh, T., and Samson, E. L.: Mapping spatio-temporal changes of Chinese electric power consumption using nighttime imagery, *International Journal of Remote Sensing*, 33, 6304–6320, <https://doi.org/10.1080/01431161.2012.684076>, 2012.

Zhao, N., Samson, E. L., and Currit, N. A.: Nighttime-Lights-Derived Fossil Fuel Carbon Dioxide Emission Maps and Their Limitations, *Photogram Engng Rem Sens*, 81, 935–943, <https://doi.org/10.14358/PERS.81.12.935>, 2015.

870

Zhao, N., Liu, Y., Cao, G., Samson, E. L., and Zhang, J.: Forecasting China’s GDP at the pixel level using nighttime lights time series and population images, *GIScience & Remote Sensing*, 54, 407–425, <https://doi.org/10.1080/15481603.2016.1276705>, 2017.

Zhu, W., Liu, K., Wang, M., and Koks, E. E.: Seismic Risk Assessment of the Railway Network of China’s Mainland, *Int J Disaster Risk Sci*, <https://doi.org/10.1007/s13753-020-00292-9>, 2020.

875