# indicators - a review and recommendations for development and implementation Christopher J. White<sup>1</sup>; Mohammed Sarfaraz Gani Adnan<sup>2</sup>; Marcello Arosio<sup>3</sup>; Stephanie Buller<sup>4</sup>; YoungHwa Cha<sup>1</sup>; Roxana Ciurean<sup>5</sup>; Julia M. Crummy<sup>6</sup>; Melanie Duncan<sup>6</sup>; Joel Gill<sup>4</sup>; Claire Kennedy<sup>1</sup>; Elisa Nobile<sup>3</sup>; Lara Smale<sup>6</sup> and Philip J. Ward<sup>7,8</sup> <sup>1</sup> Department of Civil and Environmental Engineering, University of Strathclyde, Glasgow, G1 1XJ, UK <sup>2</sup> Department of Civil and Environmental Engineering, Brunel University of London, Uxbridge, UB8 3PH, UK <sup>3</sup> Department of Science, Technology and Society, Istituto Universitario di Studi Superiori di Pavia (IUSS), Pavia, <sup>4</sup> School of Earth and Environmental Sciences, Cardiff University, Cardiff, CF10 3AT, UK <sup>5</sup> British Geological Survey, Nicker Hill, Keyworth, Nottingham, NG12 5GG, UK <sup>6</sup> British Geological Survey, The Lyell Centre, Research Avenue South, Edinburgh, EH14 4AP, UK <sup>7</sup> Department of Water and Climate Risk, VU Amsterdam, 1081 HV Amsterdam, The Netherlands <sup>8</sup> Deltares, Delft, 2629 HV Delft, The Netherlands Correspondence to: Dr Christopher J. White (chris.white@strath.ac.uk)

Department of Civil and Environmental Engineering, University of Strathclyde, James Weir Building, 75

Montrose Street, Glasgow, G1 1XJ, UK

Review article: Towards multi-hazard and multi-risk

#### Abstract

36

50

37 The development of indicators in disaster risk management has only recently started to explicitly include a multi-38 hazard and multi-risk approach. However, undertaking a natural hazard or risk assessment from a single hazard 39 approach can be considered incomplete where the interactions between, and impacts from, multiple hazards and 40 risks are not considered. Indicators contain observable and measurable characteristics to simplify information to 41 understand the state of a concept or phenomenon, and/or to monitor it over time. To understand how indicators 42 are being used in this context, using a systematic review, we identified 192 publications that mention indicators 43 within either multi-hazard or multi-risk contexts, including hazards, vulnerability, and risk/impact. We found that 44 most studies exploring indicators focused on multi-layer single hazards and risks, where multiple single hazards 45 or risks within a given location were analysed individually and their outcomes presented in an overlaid format. The results also demonstrate a predominance of studies on hazard indicators (88%) versus risk indicators, with a 46 47 dominance of hydrometeorological indicators. Only 20% of the studies integrated hazard, vulnerability and 48 risk/impact. Based on the findings, we propose <u>a set of actionable</u> recommendations to enable the <u>development</u> 49 and uptake of multi-hazard and multi-risk indicators

**Deleted:** Undertaking a natural hazard or risk assessment from a single hazard approach can be considered incomplete where the interactions between, and impacts from, multiple hazards and risks are not considered. However, the development of indicators in disaster risk management has only recently started to explicitly include a multi-hazard and multi-risk approach.

**Deleted:** To date, there have been limited efforts to understand how indicators are being used in this context. Using a systematic review, 1942 publications were identified that mention indicators, covering hazards, vulnerability, and risk/impact. We find found that the majority ofmost studies exploring indicators are focused on multi-layer single hazards and risks, where multiple single hazards or risks within a given location were analysed individually and their outcomes presented in an overlaid format; in other words, they did not include the interactions between hazards.

Deleted: -

Deleted: 12

**Deleted:**, from advancing research into multi-hazard and multi-risk indicator frameworks, to enabling partnerships to ensure the inclusion of stakeholder needs in indicator development...

Deleted:

#### 1. Introduction

75

76 77

78 79

80 81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

101

102

103

104

105

106

107

108

109

110

111

112

Natural hazard events have the potential to impact areas over diverse temporal and spatial scales as well as influence each other (Gill and Malamud, 2014). These events also impact environments where there may be overlapping dynamic vulnerabilities and exposure from the socio-economic conditions of affected areas (Johnson et al., 2016). Undertaking a natural hazard or risk assessment using a single hazard approach can be considered incomplete as these approaches do not consider the possible interactions and impacts from multiple hazards on a specific location (Gill and Malamud, 2016; Sekhri et al., 2020). Despite this, natural hazards and their associated risks have largely been investigated from a single hazard perspective. However, in recent years there has been an increased focus on both multi-hazard and multi-risk approaches (e.g., Kappes et al., 2012; Duncan et al., 2016; Ward et al., 2022). Here multi-hazards are defined as "(1) the selection of multiple major hazards that the country faces, and (2) the specific contexts where hazardous events may occur simultaneously, cascadingly, or cumulatively over time, and taking into account the potential interrelated effects" (UNDRR, 2017a).

United Nations Agenda 21 where pre-disaster planning and settlement planning recommended the inclusion of "...complete multi-hazard research into risk and vulnerability" (United Nations, 1992). This was followed by the specification of "an integrated, multi-hazard, inclusive approach to address vulnerability, risk assessment and disaster management" (United Nations, 2002) from the World Summit on Sustainable Development. In 2005, the Hyogo Framework for Action with the aim of reducing disaster losses by 2015 was adopted at the World Conference on Disaster Reduction. This framework called for the implementation of a multi-hazard approach to disaster risk reduction (UNISDR, 2005) and its incorporation into policies and planning for sustainable development. The Sendai Framework for Action (successor to the Hyogo Framework) inspires a multi-hazard

approach to disaster risk reduction (DRR) practices (United Nations, 2015).

The international shift from single to multi-hazard and multi-risk thinking began in the 1990s, initially with the

Aligned with the development and expansion of international DRR approaches, many indicators have been introduced to help assess the level of risk, monitor progress, and guide policies and interventions aimed at reducing disaster risk. Indicators are "...observable and measurable characteristics that can be used to simplify information to help understand the state of a concept or phenomenon, and/or to monitor it over time to show changes or progress towards achieving a specific change" (Gill et al., 2022 adapted from; Ivčević et al., 2019); see Box I<sub>v</sub> They can be used as a standard, to assist with making decisions and for communications, and are capable of capturing a broad range of physical, social, and economic parameters. Indicators are used as a tool to define a baseline and track changes for monitoring and evaluation, allowing for the simplification of information, a situation, or an event, allowing them to be better understood, replicated, and monitored over time. Indicators have been used in a wide range of ways and applications, including as single variables representing an environmental or climatic parameter. For example, a precipitation indicator, such as the Standardized Precipitation Index (SPI) may be used to represent meteorological drought (AghaKouchak et al., 2023), while cumulative rainfall thresholds or intense rainfall events (e.g., daily precipitation exceeding the 90th percentile) may be used as indicators of flood occurrence (Papagiannaki et al., 2022), Other studies use indices that integrate a combination of indicators to account for a relationship between them, such as the Multivariate Standardized Drought Index that uses a combination of precipitation and soil moisture (AghaKouchak et al., 2023).

Deleted:

Deleted:

Deleted: (containing Fig. 1)

Deleted:

Deleted:

**Deleted:** may be used to represent flood occurrence or as an indicator of a meteorological drought

Deleted: (Papagiannaki et al., 2022)

# Box. 1: From single to multi-hazard and multi-risk indicators,

Indicators use empirically derived variables to quantify and measure the state, trends and evolution of a system over time. Derived from observational data and modelling, indicators serve as diagnostic tools for detecting, monitoring, and attributing shifts in hazard frequency, intensity, duration, and spatial distribution, forming essential tools for scientists, policymakers, and the public to understand and respond to climate- and hazard-related risks. Within the context of climate change and natural hazard monitoring, adaptation and disaster risk management, indicators provide a reliable basis for tracking the progress of change and evaluating the effectiveness of mitigation and adaptation efforts. Crucially, they support evidence-based decision-making and are instrumental in communicating complex scientific information in accessible formats. Indicators are also fundamental to the development of national risk-informed adaptation strategies and early warning systems, often forming part of national and international climate assessments, such as those produced by the Intergovernmental Panel on Climate Change (IPCC) and national meteorological and hazard agencies, extending across climate services, infrastructure risk assessments, and intergovernmental policy instruments.

To date, indicators are primarily single variate, covering key environmental parameters such as temperature, precipitation, sea level, ocean heat content, and atmospheric composition. The Sendai Framework for Disaster Risk Reduction (2015–2030), however, highlights the necessity of moving from single hazard and risk approaches to multi-hazards and multi-risks, encouraging countries to adopt indicators that account for the interactions between different hazards and risks. A more recent initiative for achieving the goals outlined in the Sendai Framework (specifically, Target G) is Early Warnings for All (EW4All), launched in 2022 and co-led by the WMO and UNDRR towards the development of Multi-Hazard Early Warning Systems (MHEWS) (UNDRR and WMO, 2023). However, the development of multi-hazard and multi-risk indicators—and the indices unpinning them—has not kept pace with these initiatives. Their development is challenging, requiring distinct methods and datasets. As such, to date, examples are limited and those that do exist have not been applied consistently. For example, Vitolo et al. (2019) use the Fire Weather Index (FWI) and the Universal Thermal Climate Index (UTCI) to assess the combination of extreme heat and wildfire, while Páscoa et al. (2022) apply the Standardized Precipitation Evapotranspiration Index (SPEI), Number of Hot Days (NHD), and Number of Hot Nights (NHN). For compounding flood events, Jalili Pirani and Najafi (2022) developed a Compound Hazard Ratio Index to characterise the interactions between different drivers of flooding (i.e., extreme precipitation, river flows and storm tides) and their effects on return level estimates of compound events, while Ganguli and Merz (2019) analysed spatio-temporal trends in compound flood events caused by the co-occurrence of fluvial floods and extreme coastal water levels using a Compound Hazard Ratio Index that links fluvial discharge with coastal water levels to understand historical trends in compound flooding.

The successful development of multi-hazard and multi-risk indicators will require consistency and the adoption of inherently interdisciplinary approaches and datasets involving a range of hazard types, their interactions, as well information on exposure, vulnerability, and risk/impact.

**Deleted:** Indicators and the Sendai Framework for DRR: from single to multi-hazards

Deleted: The Sendai Framework for Disaster Risk Reduction (2015-2030) highlights the necessity of multihazard risk assessments and encourages countries to adopt indicators that account for the interactions between different hazards. One tool developed by the UNDRR to help cities assess their resilience to disasters in line with the goals of the Sendai Framework is the Disaster Resilience Scorecard for Cities (<a href="https://mcr2030.undrr.org">https://mcr2030.undrr.org</a>). The Scorecard is based on the Framework's four key priorities and provides specific indicators for a range of assessmer levels. There are 47 indicators used for the preliminary level and 117 indicator criteria for a detailed assessment. While the Scorecard highlights the importance of identifying and understanding how multiple hazards "might combine, and how repeated small scale disaster events might accumulate in their impact over time", there are no clear metrics associated with interacting multi-hazards. Instead, the emphasis is on cascading impacts between city infrastructure systems under different scenarios.

Formatted: Font:

**Formatted:** Indent: Left: 0.51 cm, Right: 0.51 cm, Space Before: 2 pt, After: 9 pt, Line spacing: 1.5 lines

## Deleted:

A more recent initiative for achieving the goals outlined in the Sendai Framework (specifically, Target G) is Early Warnings for All (EW4All), launched in 2022 and co-led by the WMO and UNDRR. As of 2023, 101 countries reported having Multi-Hazard Early Warning Systems (MHEWS), double the number of countries reported in 2015. Progress reporting is through a set of custom indicators that are divided into four areas: disaster risk knowledge; detection, monitoring, analysis and forecasting of the hazards and possible consequences; warning dissemination and communication; and preparedness and response capabilities. Indicators in each area are computed using different methodologies and data sources. Progress is measured using either a binary approach (where 1 = yes, or indicator met, and 0 = no, or indicator not met) or a scale between the two values, pending on the computation method (. One of these, Indicator 2.2 (see Fig. 1), measures if 'multiple hazards and cascading hazardous events are assessed and translated into preparedness scenarios' using a binary approach. According to this methodology, the scoring should be validated using data sources such as: social, environmental, and physical vulnerability assessments; environmental management, response, and contingency plans; multi-hazard risk assessments or risk that consider effects from hazards that occur simultaneously, in cascade or cumulatively over time, and take into account the potential interrelated effects; or assessments considering climate change impacts. It is important to mention that the custom indicators focus on the minimum standard of risk knowledge required to make a MHEWS effective

Figure 1. An example of measuring MHEWS development using Indicator 2.2, measuring if 'multiple hazards and cascading hazardous events are assessed and translated into preparedness scenarios' (adapted after ). Progress is measured using a scale from 0 to 1, where 1 = indicator met (yes), and 0 = indicator not met (no).

185

186 187

188

189

190

191

192

193

194

195

196

197

198

199

200

201

202

203

204

205

206

207208

209

210

211

212

213

214

215

216

217

218

219

220

The International Decade for Natural Disaster Risk Reduction (IDNDR), which was declared by the United Nations between 1990 and 1999 (United Nations Department of Humanitarian Affairs, 1994), saw the growth and use of single hazard and single risk indicators. Today, the use of single hazard and single risk indicators are commonplace (see Box 1). The development of multi-hazard and multi-risk indicators for disaster risk assessment and management has, however, not kept pace with the development of multi-hazard DRR approaches and the use of indicators more generally. While indicator-based methods are commonly used to assess hazards and the vulnerability of elements at risk, these approaches are limited as they do not integrate analyses of different hazards or the interaction between them (Julià and Ferreira, 2021). Adopting multi-hazard and multi-risk approaches with indicators would allow for the identification of interactions and the subsequent impacts of various hazards that could be used to improve the understanding of both hazards and risk (Depietri et al., 2018). However, existing approaches largely remain insufficient to support a multi-hazard analysis that take account of the complex interactions between hazards (Lou et al., 2023a) and it remains a challenge to represent the dynamic nature of hazards, exposure, vulnerability, and multiple risks. Cardona (2005) is one of the earlier works in this field, presenting a framework for assessing and managing disaster risks by using indicators that account for various hazards and vulnerabilities in Latin America and the Caribbean a region particularly prone to several natural hazards. However, the development of multi-hazard and multi-risk approaches was in its infancy at that time, limiting the adoption and uptake of the concepts presented. More recent approaches advocating for the development and use of multi-hazard and multi-risk indicators have been seen across a range of climate change adaptation and disaster risk-related studies focusing on hazards, vulnerability, or exposure, but also impact, coping capacity, and resilience. AghaKouchak et al. (2023) for example calls for drought monitoring and research to "move beyond individual drivers and indicators to include the evaluation of various potential cascading hazards" and to develop indicators that establish links between different hazards and the impact. In an assessment of coastal resilience frameworks that also investigated the use of resilience indicators. Almutairi et al. (2020) note that most of the frameworks evaluated consider single hazard types only, and that future frameworks should address the interrelationships between multiple hazards. Sebesvari et al. (2016) similarly calls for a multi-hazard assessment of vulnerability with the development of new indicators that would be able to capture the complexity and exposure of multi-hazards, particularly in delta socio-ecological systems and regions. There remains, however, a gap in knowledge as to what multi-hazard and multi-risk indicators have been developed or a clear demonstration of what their potential is.

Terminology is a particular issue that has affected the development and uptake of multi-hazard and multi-risk indicators up to now. For example, there are different ways of describing the interaction between hazards. These include triggering or cascading relationships, where a primary hazard may cause an associated hazard; compound relationships, where multivariate events and unrelated hazards may overlap spatially and/or temporally; and (de)amplification, where one decreases or increases the probability of occurrence or the magnitude of another hazard (Ciurean et al., 2018; Gill et al., 2022). There are also alternative terms for what an indicator is, including index and metric. In some instances, these terms are used interchangeably even though there is a distinction between their definitions, i.e., an indicator is a single measurable variable or metric that provides information about a specific aspect of a system, condition, or outcome; whereas an index is a composite measure that combines

Deleted: a

Deleted:

Deleted:

# Table 1. List of terms and definitions used in this study.

Terminology	Definitions	Source
Multi-hazard	"1) the selection of multiple major hazards that the country	UNDRR (2017a)
	faces, and 2) the specific contexts where hazardous events	
	may occur simultaneously, cascadingly or cumulatively over	
	time, and taking into account the potential interrelated	
	effects."	
Multi-risk	Risk generated from multiple hazards and the	Zschau (2017)
	interrelationships between these hazards (and considering	
	interrelationships on the vulnerability level).	
Compound	"Compound weather and climate events are defined as a	Zscheischler et al.
hazards	combination of multiple drivers and/or hazards that	(2020)
	contribute to risk."	
Triggering/	"One hazard causes another hazard to occur, which can	Ciurean et al. (2018)
cascades	result in hazard chains, networks, or cascades."	
Amplifying	"The occurrence of one hazard can increase the likelihood	Ciurean et al. (2018)
	and/or magnitude of additional hazards in the future."	
Indicator	"Observable and measurable characteristics that can be used	Gill et al. (2022)
	to simplify information to help understand the state of a	adapted from Ivčević et
	concept or phenomenon, and/or to monitor it over time to	al. (2019)
	show changes or progress towards achieving a specific	
	change."	
Vulnerability	"The conditions determined by physical, social, economic	Sendai Framework
	and environmental factors or processes which increase the	Terminology on Disaster
	susceptibility of an individual, a community, assets or	Risk Reduction
	systems to the impacts of hazards."	(UNDRR, 2015)
Impact	The realised, or potential consequences on natural and	IPCC (2018)
	human systems, where consequences result from the	
	interactions of hazards, exposure, and vulnerability. Impacts	
	generally refer to effects on lives, livelihoods, health and	
	well-being, ecosystems and species, economic, social and	
	cultural assets, services (including ecosystem services), and	
	infrastructure. Impacts may be referred to as consequences	
	or outcomes.	
Qualitative	"Qualitative research methods aim to address societies'	Taherdoost (2022)
method approach	scien-tific and practical issues and involve naturalistic and	
	in-terpretative approaches to different subject matters. These	

Deleted:

	methods utilize various empirical materials such as case	
	studies, life experiences, and stories that show the routines	
	and problems that individuals are struggling with in their	
	lives through focusing on their in-depth meaning and	
	mo-tivations which cannot be defined by numbers.	
	Qualitative research aims to collect primary, first-hand,	
	textual data and analyse it using specific interpretive	
	methods."	
Quantitative	"Quantitative research methods aim to define a particular	Taherdoost (2022)
method approach	phenomenon by collecting numerical data to address specific	
	questions such as how many and what percentage in	
	different fields. It is the method of employing nu-merical	
	values derived from observations to explain and describe the	
	phenomena that the observations can reflect on them. This	
	method employs both empirical statements, as descriptive	
	statements about the meaning of the cases in real words not	
	about the ought of the cases, and methods. It also applies the	
	empirical evaluations intending to determine to which	
	degree a norm or standard is fulfilled in a particular policy	
	or program. Finally, the collected numerical data is analysed	
	using mathematical methods."	
Mixed-method	"Mixed-method methods simply employ a combination of	Taherdoost (2022)
approach	both qualitative and quantitative approaches based on the	
	purpose of the study and the nature of the research question	
	aiming to provide a better understanding of the subject."	
L	I .	l .

<u>t</u>

To date, there has been no concerted effort to collate and review existing multi-hazard and multi-risk indicators or attempt to unify these approaches, demonstrate their potential value in DRR activities or offer guidance for their development. This paper uses a systematic review process to document and explore the use of indicators within the multi-hazard and multi-risk contexts for the first time and sets out recommendations for their future development and use. The review paper is structured as follows: section 2 lays out the methodology for the systematic literature review and the analysis of the findings; section 33 provides a detailed overview of the use of indicators in hazard and risk assessments; section 4 provides a wider discussion and a suggested recommendations for the development of multi-hazard and multi-risk indicators; and section 5 provides some concluding remarks.

Deleted: and

**Deleted:** expansion and use

# 2. Methods

A systematic literature review approach was employed to identify peer-reviewed literature that either use indicators, or analyse the use of indicators, in multi-hazard and multi-risk studies, guided by the Preferred Reporting Items for Systematic reviews and Meta-Analyses (PRISMA) protocol (Page et al., 2021). The

methodology followed six steps: 1) definition of key search terms, 2) identification of records, 3) screening of results based on inclusion and exclusion criteria, 4) categorising the research papers into two broad categories of multi-hazard and multi-risk studies, 5) selecting key works from each category that are the most significant and provide good examples of multi-hazard and multi-risk indicator use, 6) assessing the suitability of each record in

The Scopus, Web of Science and PubMed databases were used to extract literature related to indicators in multi-hazard and multi-risk studies, due to their comprehensive coverage of peer-reviewed articles. The search terms (Table S1) were stratified into two levels. The first level encompassed terminology associated with multi-hazard and multi-risk studies, including alternative spellings and descriptors such as "compound", "interacting", "cascading", and "interconnected" hazards and/or risks. A total of 22 Level 1 search terms were employed. The alternative terminologies were combined using an "OR" Boolean operator and then paired with Level 2 search terms using an "AND" Boolean operator. Level 2 comprised five search terms related to indicators and alternative or related terminology for indicators (i.e., "index", "indices", "metric", "disaster risk indicator"). The search terms were applied across title, abstract, and keywords. To ensure methodological rigor and minimise the omission of relevant studies, keywords were carefully selected to maximize coverage of pertinent literature while limiting the retrieval of irrelevant results, following best practices for systematic reviews (Pullin and Stewart, 2006), Although not exhaustive, this set of search terms effectively narrowed the research scope to multi-hazard and multi-risk studies, excluding single hazard or risk papers that fall outside the scope of this study. The search strings used

The initial search returned 1,468 articles that met the search criteria. A date restriction was applied to include only papers published post-2015, aligning with the publication year of the Sendai Framework for Disaster Risk Reduction and its emphasis for the adoption of a multi-hazard approach. A duplicate removal process, executed using R, was applied to the 1,140 articles, identifying and excluding 515 duplicates. Figure 1, provides a flowchart detailing the screening process, including the number of articles at each stage of the review.

across all three databases, together with relevant keywords and Boolean operators, are provided in Table S2.

**Deleted:** (Pullin and Stewart, 2006)

Deleted:

Deleted: 2





Figure 1/2 Flowchart of the systematic literature review used in this study, showing the identification, screening and inclusion process together with the numbers of articles at each stage.

After removing duplicates, a two-part screening process was applied to the remaining unique 625 articles. Initially, all articles were screened based on their titles and abstracts to create a database comprising papers considered relevant for further review, while irrelevant papers were excluded. Relevance was primarily assessed manually based on the use of multi-hazard and multi-risk indicators in evaluating natural hazards across diverse research domains. The first phase of the screening excluded 379 papers, leaving 246 that were relevant for further investigation. In the second screening phase, the full text of these 246 articles were evaluated. An additional reference (i.e., snowballing article) was identified and included during the full text evaluation (n=247) stage. A database was established to collect the retrieved information (Pickering and Byrne, 2014) and to minimize the risk of bias in the selection process. A total of 53 articles were excluded at the full-text evaluation stage. The following exclusion criteria were applied during both screening phases:



Deleted: 2

Deleted: of geo and hydrometeorological origin

- Articles that did not align with the study's objectives, as determined by the title, abstract, or
   keywords.
- Review articles.

294

295

296

304

305

306

307

308

309

310

311

312

313

314

315

316

317

318

319

320

321

- Studies focusing on risks related to animal, bird, plant species, marine habitats, human health, pollution, unmanned vehicles, workplace safety, finance and insurance, and nuclear risks.
  - Studies investigating structures, electrical grids, infrastructure resilience, and transport networks in terms of robustness, functionality, or performance based on structural integrity or design.
  - Articles that did not address or utilise multi-hazard or multi-risk indicators.
  - · Brief conference proceedings.

Following the screening process (i.e., full text evaluation), 192 papers were retained for analysis and critical assessment. These studies were used to extract information on single hazard types and their classification, according to the UNDRR hazard information profiles (HIPs) (Murray et al., 2021). A total of 19 hazard types were identified, falling into four broad classes defined by HIPs: (1) meteorological and hydrological, (2) geohazards, (3) environmental, and (4) technological. Studies that did not address any specific hazard were categorised as 'no hazards'. Supplementary Table S3 presents these four classes alongside their corresponding specific hazards.

Although this review primarily focused on multi-hazard and multi-risk studies that address interactions between hazards or risks, a number of included articles were found to adopt a multi-layer single hazard or risk approach.

To distinguish between these different approaches, the 192 reviewed articles were classified into two broad categories:

Category 1: Multi-layer single hazard and risk.—These studies individually analysed multiple single hazards or risks occurring within a given location, with outcomes presented in an overlaid format. Although often referred to by the authors as multi-hazard or multi-risk, these assessments did not consider interactions between hazards and thus do not meet the definition of multi-hazard as used in this review.

Category 2: Multi-hazard and multi-risk—these studies explicitly addressed interactions between hazards.

They were further categorised into two broad classes based on the nature of these interactions: compound; and triggering and amplification relationships. Definitions of these interaction types are provided in Table 1.

The review also examined aspects of vulnerability, impact and risk assessment approaches, including quantitative, qualitative and mixed method studies. The terms "risk" and "impact" were used to encompass both studies focusing on potential future consequences, typical of risk assessments, and those analysing past events. Exposure was not evaluated separately, as it was implicitly incorporated through the vulnerability typologies and the consequences evaluated within risk/impact assessments. Definitions of the various assessment approaches are also provided in Table 1.

Finally, the multi-hazard and multi-risk studies were further reviewed to extract information on the indicators used. Through an inductive analysis of the reviewed literature, indicators were grouped into four main categories

based on their primary roles in the studies: (1) (UNDRR, 2017a) indicators used to describe hazard characteristics,

325 (2) indicators representing exposure, vulnerability (sensitivity, or susceptibility), and adaptive capacity (or

326 resilience), (3) indicators describing risk/impacts, and (4) composite indicators. Hazard indicators were further

Deleted: papers **Deleted:**, categories of single hazards Deleted: Deleted: 194 Deleted: Formatted: Indent: Left: 0.75 cm, Space After: 9 pt, Line spacing: Multiple 1.4 li Deleted: Deleted: , as well as on Deleted: Formatted: Indent: Left: 0 cm Deleted: **Deleted:** both employed in this analysis Formatted: Font: Deleted: that Deleted: as well as Deleted: associated with Deleted: Additionally, the e Deleted: category **Deleted:** is Deleted: considered in Deleted: adopted Deleted: in the Deleted: different types of Deleted: Deleted: Two categories of studies were identified: Category 1: Multi-layer single hazard and risk – these papers individually analysed multiple single hazards or risks

Deleted: the remaining 194

Deleted: analysed and critically assessed

individually analysed multiple single hazards or risks occurring in a certain location and overlay the outcomes. Although these types of assessments were termed multihazard or multi-risk by the authors, the hazards were analysed

Attnough these types of assessments were termed multihazard or multi-risk by the authors, the hazards were analysed individually and therefore not considered multi-hazards as per the Category 2 definition in this paper.¶ Category 2: multi-hazard and multi-risk – herein intera(...[1]

Deleted: T

Deleted: identified

Deleted: I

Deleted: categorised

Deleted: five

Deleted: classes

Deleted: according to

Deleted: use to describe hazard characteristics such as

**Deleted:**, and to develop composite indicators, and fir ... [3]

Deleteu.

Deleted: risk and impact

subdivided into three types following the UNDRR (2017a) classification: intensity, frequency, and probability.
 Studies that did not include any form of indicator were grouped under a separate 'no indicator' category. Table 2

provides a summary of each indicator category along with corresponding definitions and representative examples.

Table 2. Classification of indicators in multi-hazard and multi-risk studies.

Indicator category	Types	<u>Description</u>
<u>Hazard</u>	Intensity	Indicators measuring the strength or magnitude of a hazard event, such as flood extent, earthquake peak ground acceleration, wind speed, etc. (e.g., Paulik et al. (2023). Depietri et al. (2018)).
	Frequency	Indicators reflecting how often a hazard occurs over a given period.  Examples include flood frequency, number of landslide events, etc.  (e.g., Ramli et al. (2021); Rehman et al. (2022)),
	Probability	Indicators expressing the likelihood of a hazard event occurring, such as return period of extreme water level, probability of landslide occurrence (e.g., Mahendra et al. (2021); Bernal et al. (2017)).
Exposure/ Vulnerability/	Exposure	Indicators capturing the presence of people, assets, or systems in hazard-prone areas (e.g., Viavattene et al. (2018).
Resilience	Vulnerability, sensitivity or susceptibility	Indicators reflecting the degree to which exposed elements are likely to be affected, such as vulnerable population number (e.g., Depietri et al. (2018); Cremin et al. (2023).
	Adaptive capacity or resilience.	Indicators reflecting the ability of a system or community to adjust and recover from hazards (e.g., Pal et al. (2023); Bernal et al. (2017).
Risk/impact	N/A	Indicators quantifying observed or potential consequences of hazard events. Examples include, economic losses, number of fatalities, damaged infrastructure (e.g., Bernal et al. (2017).
Composite indicator	<u>N/A</u>	Aggregated indicators combining multiple dimensions, such as storm severity index and flood severity index (e.g., Bloomfield et al. (2023)
No indicator	N/A	Studies that did not employ explicit indicators in their methodology.

3. Results

392

393

395

396

390

391

394 3.1 Overview of the articles reviewed

3.1.1 Distribution of articles with respect to risk components

This review analysed the use of multi-hazard and multi-risk indicators, focusing on four main categories: hazard,

397 vulnerability, risk/impact, and composite indicators (see Table 2). Figure 2 provides an overview of how the

**Deleted:** Vulnerability indicators were categorised into three dimensions: exposure, sensitivity or susceptibility, and [... [4]] Formatted ... [5] Formatted [6] Formatted ... [8] **Formatted Table** (... [7] Formatted (... [9] Deleted: Paulik et al., 2022 **Deleted:** Depietri et al., 2018) Formatted (.<u>..</u> [10] Deleted: Ramli et al., 2021 Deleted: Rehman et al., 2022) Formatted ... [11] Deleted: Mahendra et al., 2021 **Deleted:** Bernal et al., 2017) Formatted (... [12] Formatted (... [13] **Deleted:** Viavattene et al., 2018) Deleted: Formatted (... [14] Deleted: S Deleted: Depietri et al., 2018 **Deleted:** Cremin et al., 2023) Formatted (... [15] Deleted: Pal et al., 2023 Deleted: Bernal et al., 2017) Deleted:

(... [16]

(... [17]

... [18]

Deleted: Risk & impact
Formatted

Deleted:

Deleted: UNDRR (2017a)

Deleted: Bernal et al., 2017)

Deleted: .

Formatted

Deleted: Bloomfield et al., 2021)

Deleted: .

Deleted: Findings from

Deleted: various

Deleted: -related

Deleted: exposure/vulnerability/resilience

Deleted: risk and& impact

**Deleted:** Figure 3

11

430 reviewed articles are distributed across the hazard vulnerability, and risk/impact components. Among the 192 431 studies included in the review, the components of hazard vulnerability, and risk/impact were addressed a total of 432 338 times, as many articles discussed more than one component. This reflects the overlapping and interconnected 433 nature of these elements in multi-hazard and multi-risk studies. 434 Hazard was the most frequently discussed component, appearing in 174 articles, followed by vulnerability (96 435 articles) and risk/impact (68 articles) (Figure 2a). Figure 2b illustrates how these components overlap within the 436 literature. For example, only the 44% of the studies (n=84) focused solely on hazard, while the remaining 56% 437 (n=108) also included discussions of vulnerability and/or risk/impact. In contrast, most articles addressing 438 vulnerability or risk/impact were associated with overlapping concepts. Notably, only 54 articles (28%) examined 439 all components. To better understand how hazard was conceptualised, the 174 hazard-related articles were further analysed to 440 441 determine whether they considered interactive multi-hazard events. The results show that 51% (n=89) of these 442 articles accounted for interactions between hazards, while 49% (n=85) analysed multiple single hazards 443 separately, with outcomes presented in an overlaid format. These were classified as multi-layer single hazard 444 studies (Figure 2c). 445 For the articles related to vulnerability and risk/impact, the review also examined the methodological approach-446 qualitative, quantitative, or mixed methods. As shown in Figure 2c, mixed methods were most commonly 447 employed, whereas qualitative-only approaches were least frequent. This trend suggests that integrating multiple 448 methodologies is considered important for capturing the complexity and potential consequences in risk/impact 449 assessments. 450

Deleted: Deleted: vulnerability Deleted: exposure/vulnerability/resilience Deleted: risk and& impact Deleted: Deleted: 194 **Deleted:** vulnerability **Deleted:** exposure/vulnerability/resilience Deleted: risk and& impact Deleted: 340 Deleted: 176 Deleted: vulnerability Deleted: exposure/vulnerability/resilience Deleted: risk and& impact Deleted: Figure 3 Deleted: Figure 3 **Deleted:** of the 176 studies that addressed hazards, 51% Deleted: 90 Deleted: remaining 49% Deleted: 86 Deleted: vulnerability **Deleted:** exposure/vulnerability/resilience Deleted: risk and& impact Deleted: vulnerability Deleted: exposure/vulnerability/resilience Deleted: risk & impact

Deleted: 90
Deleted: Figure 3
Deleted: vulnerability
Deleted: exposure/vulnerability/resilience

Deleted: risk & impact

Deleted: Figure 3

Deleted: 38
Deleted: 20
Deleted: three
Deleted: 176
Deleted: 49
Deleted: 86
Deleted: 51

Deleted: risk and impact

Deleted: The majority of the articles (88%) focused on hazard assessment, followed by vulnerability and risk/impact assessments, as demonstrated in Fig. 3. In terms of vulnerability and impact, 49% of the articles conducted vulnerability assessments, while 35% included risk/impact assessments. We also analysed the different combinati ... [19






Figure 2, Distribution of articles reviewed in this study: a) Number of articles addressing hazard\_vulnerability, and risk/impact components, b) Venn diagram illustrating the overlap between articles that considered different combinations of these components, and c) Number of articles categorized by assessment approaches: for hazards—multi-hazard vs. multi-layer single hazard; for\_vulnerability\_quantitative, qualitative, or mixed methods; and for risk/impact—quantitative, qualitative, or mixed methods.

523

525

527

528

529

530

531

532

533

534

535

536

537

538

539

517

# ${\bf 3.1.2\ Distribution\ of\ articles\ according\ to\ hazard\ interactions}$

The hazard-related articles found in this study (see Section 3.1.1) addressed a total of 502 individual hazards. As detailed in the methods section, these hazards were grouped into 19 distinct types and classified into four broad categories based on the UNDRR's HIPs: meteorological and hydrological, geohazards, environmental, and technological hazards. Figure 3 illustrates the frequency of different hazards and their classification according to the type of interaction considered. Findings show that meteorological and hydrological hazards were the most frequently studied, accounting for 64% (n=319) of all hazards, followed by geohazards (21%), environmental

hazards (10%), and technological hazards (2%). In 3% cases (n=15), no specific hazard was identified.

As highlighted in Section 3.1.1, 49% of the 174 hazard-related articles did not analyse interactions between hazards. These were classified as multi-layer single hazard studies, where multiple hazards were assessed individually but without accounting for their interactions in time or space. This category includes 51% (n=257)

of all 502 hazards analysed. Geohazards are very often represented as multi-layer single hazards, suggesting that

**Deleted: Figure 3** Deleted: Sankey diagram illustrating the evolving focus in multi-hazard studies (grey), highlighting a gradual shift from exclusive hazard analysis (green) to the integration of vulnerability components (red), and finally, to the inclusion of risk and impact (orange). The white nu Deleted: vulnerability Deleted: exposure/vulnerability/resilience Deleted: and. Deleted: vulnerability Deleted: exposure/vulnerability/resilience Deleted: Deleted: risk and impact **Deleted:** In terms of the methodologies used (Table 3 ... [21] Deleted: Table 3. Examples of single-hazard indica [22] Deleted: 194 Deleted: reviewed Deleted: fournd Deleted: analysed Deleted: 493 Deleted: Figure 4 Deleted: We analysed the frequency of different haza Deleted: are Deleted: 63 Deleted: 311 Deleted: the total Deleted: 22 Deleted: Notably, i Deleted: 15 instances ( Deleted: ) Deleted: individual Deleted: considered Deleted: Deleted: We also found that although all articles focu ... [24] Deleted: 51% Deleted: 176 Deleted: hazards Deleted: categorised Deleted: accounting for Deleted: 53 Deleted: 260 **Deleted:** the total Deleted: 493 Deleted: were predominantly

**Deleted:** in this category, with 77% of geohazard ins ... [25]

they were often studied as isolated or recurring events rather than as part of a complex multi-hazard system. Similarly, all technological hazards fell under this category, indicating a consistent treatment of these hazards as isolated incidents, with minimal consideration of their potential interactions with other hazard types. Further details on multi-layer single hazard studies are provided in the supplementary document.

Compound interactions were the second most common, representing 30% (n=149) of all hazards. These interactions involve hazards that occur simultaneously or in close succession. Most compound events stemmed from meteorological and hydrological hazards—particularly drought, extreme temperatures, floods, storms, and extreme precipitation—highlighting their tendency to co-occur and interact in complex ways. A smaller portion of compound hazards originated from geohazards (e.g., earthquakes) and environmental hazards (e.g., wildfires) (Figure S1, Supplementary document).

Triggering and amplification interactions accounted for 12% (n=59) of the hazards, where one hazard triggers or amplifies the effects of another. These were predominantly associated with meteorological and hydrological

hazards (e.g., flooding), followed by geohazards (e.g., earthquakes) and environmental hazards (e.g., wildfires).

Finally, 7% (n = 37) of the hazards did not fall into any of the above categories. These were labelled as 'no

interaction' cases, either due to limited information or because they did not meet the criteria for multi-layer single

hazard, compound, or triggering/amplification relationships (Figure S1, Supplementary document).

620

621

622

623

624

625

626

627

628

629

630

631

632

633

634

635

636

**Deleted:** In these cases, multiple single hazards were analysed individually, without considering their interactions in time and/or space.

Deleted: 29%

Deleted: 145

Deleted: the

**Deleted:** , where multiple hazards occurred simultaneously

or in close sequence.

Deleted: 57

Deleted: might

Deleted: y

**Deleted:** Finally, in 6% (31) of the cases, no interaction

between hazards was identified.

Deleted: 6%
Deleted: 31

Hazard categories

> Meteorological and Hydrological

Geohazards 0

Environmental 8

Technological No Hazards

14




Figure 3. Sankey diagram illustrating the distribution categories and interactions of 502 hazards analysed across 174 research papers that discussed hazards. The numbers indicate the number of hazards associated with each node in the diagram, and the flow dimensions are proportional to the number of hazards transitioning between nodes.

3.2 Multi-hazard and multi-risk indicators

3.2.1 Compound hazard indicators

654

655

656

657

658

659

660

661

662

663

664

665

Among the 174 hazard-related articles identified (Figure 2a), 89 addressed multi-hazard events, including compound events and those involving triggering and amplification relationships, for a total of 208 hazards. In particular, 149 compound multi-hazard events were found, constituting the 30% of the 502 hazards identified in this study (Figure \$1, Supplementary document).

Deleted: Figure 4 Deleted: (blue) Deleted: (green) Deleted: 493 Deleted: 194 Deleted: 176 Deleted: Nearly all compound interactions originated from meteorological and hydrological hazards (88%), underscoring the tendency of these events to co-occur with other hazards in a combined manner (Fig. 4). In contrast, geohazards exhibited a different pattern. The majority of geohazards were associated with multi-layer single hazard interactions (77%), indicating that these hazards were often studied as recurring or overlapping events rather than as part of complex interactions with other hazards. When it came to multi-hazard interactions, geohazards were almost equally distributed between compound (8%) and triggering and amplification interactions (12%). Finally, technological hazards displayed a distinct trend where all instances were categorised under layered single hazard interactions, suggesting that these hazards were primarily analysed as isolated incidents, without significant consideration of their potential to compound with or trigger other hazards. ¶
3.2 Multi-layered single hazard and risk indicators 3.2.1 Multi-layered single hazard indicators We found that approximately 44% of the 194 articles reviewed were categorised as multi-layer single hazard studies, predominantly focusing on meteorological, hydrological, and geo hazards (Fig. 4). In some instances, weights were assigned to individual hazard layers to reflect their relative importance. However, interactions betwe ... [26] **Deleted:** These types of studies rely heavily on the qu. [27] Deleted: .. [28] Deleted: 3 Deleted: Deleted: 3 Deleted: 493 different types of hazards included in t ... [29] Deleted: 176 **Deleted:**, we identified about 29% (n=145) as comp(...[30]) **Deleted:** Figure 3 Deleted: 90 Deleted: Deleted: Deleted: A total of Deleted: 5145 Deleted: 229% Deleted: 493 Deleted: Deleted: 5 Deleted: 4 Deleted:

855	various indicators were used to <u>characterise</u> these compound events. <u>Figure a provides a breakdown of the</u>
856	different types of indicators applied to compound multi-hazard events in relation to primary hazards. Overall,
857	composite indicators were the most commonly used associated with about 47% followed by probability (19%),
858	frequency (15%), and intensity (4%). Notably, 14% of indicators adopted were not associated with any specific
850	hazard indicators (Figure 4a)

Deleted: 5	
Deleted: 0	
<b>Deleted:</b> 48% (n=76) of	

Deleted: compound hazards,
Deleted: 16
Deleted: 16

Deleted: 3%

Deleted: the total compound multi-hazard events

Deleted: Fig.ure 5

Deleted: all

**Deleted:** These studies primarily employed different types of multi-risk indicators.




Figure 4. Matrix showing the relationships between primary hazards in multi-hazard sequences and multi-hazard indicators for (a) compound multi-hazard and (b) triggering and amplification events.

879

880

881

882

883

884

885

886

887

888


889

890

891

A wide variety of indicators were used across different types of compound hazards. In studies focused on meteorological hazards, such as droughts and extreme temperatures, composite indicators were most frequently used. However, the design and application of these indicators varied. For example, Feng et al. (2021) evaluated compound dry and hot events (CDHEs) in global maize-producing regions using a combination of drought indices—self-calibrating Palmer Drought Severity Index (scPDSI), SPL and Standardized Precipitation-Evapotranspiration Index (SPEI), and Standardized Temperature Index (STI) as "hot" indicators. Bonekamp et al. (2021) used seven indicators, including five single-hazard indicators and two multi-hazard indicators to analyse extreme temperature and precipitation events under current and future climate scenarios.

Some studies developed specific compound multi-hazard indicators. For instance, Bian et al. (2022) introduced the Compound Drought Heatwave Magnitude Index (CDHMI) based on the non-stationary SPEI (NSPEI) and daily maximum temperature (Tmax), to quantify the probability, and intensity of CDH events in easter China. Qian



Deleted: Figure 5

Deleted: Bipartite graph illustrating ...he relationships between 14 natural ...rimary hazards in multi-hazard sequences and five ...ulti-hazard indicators for (a) compound multi-hazard and (b) triggering and amplification events. The connections represent the ...[31]

Deleted: We observed a diverse range of compound multihazard indicators across the studies...A wide variety of indicators were used across different types of compound hazards. In S...tudies focused on meteorological hazards, for example, ...uch as droughts and extreme temperatures, primarily used ...omposite indicators were most frequ ... [32]

**Deleted:** combined individual and multi-hazard indicators to assess extreme temperature and precipitation under present-day and future climate change scenarios using a total of seven indicators,

**Deleted:** of which were ...ingle-hazard indicators and , while the remaining ...wo were ....[33]

**Deleted:** associated with spatially and temporally compounding events. ...to analyse extreme temperature and precipitation events under current and future climate scenarios.

Deleted:

**Deleted:** of heatwave and drought events exceeding normal thresholds, reflecting the intensity of such composite events to some extent

Deleted: , was developed by to characterize...the [37] Deleted: Deleted: proposed 034 et al. (2023) used an alternative version of CDHMI replacing Tmax and SPEI with a heatwave magnitude index **Deleted:** which integrates both dry and hot condition ... [38] 035 and a drought magnitude index. Wu et al. (2019) proposed the Dry-Hot Magnitude Index (DHMI) to measure the Deleted: In studies related to hydrological hazards, st 036 severity of hot and dry using monthly precipitation and Tmax Hao et al. (2019) developed the Standardized **Deleted:** events caused by the co-occurrence of fluvi ... [40] 037 Compound Event Indicator (SCEI) combining SPI and STI to represent the severity of hot-dry events and predict **Deleted:** new ...opographic indicator (...-Index)...to ... [41] 038 them in conjunction with the El Niño-Southern Oscillation (ENSO). Deleted: for multi-hazard events 039 Regarding storms and floods, composite and probabilistic indicators were more prevalent. For instance, Jalili Deleted: their 040 Pirani and Najafi (2022) applied copula theory to assess the statistical dependencies between flood drivers Deleted: 041 extreme precipitation, river overflows, and storm tides-and developed a Compound Hazard Ratio (CHR) index **Deleted:** demonstrating the link between time and ha ... [42] 042 to evaluate their interactions and influence on return level estimates, Ganguli and Merz (2019) analysed historical Deleted: 3 043 trends of compound flooding in northwestern Europe (1901-2014), linking fluvial discharge and coastal water **Deleted:** approximately 12% (n=57) of the 493 044 levels through the CHR index. Mitu et al. (2023) developed a topographic D-Index to identify areas dominated by Deleted: 63 045 surge, flow, and compound flooding. Alberico and Petrosino (2015) proposed two indices based on hazard Deleted: identified ...as triggering and amplification ... [43] 046 recurrence intervals, capturing the temporal dimensions of multi-hazard and multi-risk through time-window-Deleted: Fig.ure 4 047 based or probabilistic approaches. Deleted: ,... n [44] Deleted: of these events 048 3.2.2 Triggering and amplification hazard indicators Deleted: 49% Deleted: 28 049 Of the 502 hazards identified in this study (including multi-layer single hazards and multi-hazard events), 12% Deleted: These studies also utilised various indicators 050 (n=59) were classified as triggering and amplification types (Figure 3), Nearly half (n=11) were not associated Deleted: 21 051 with any specific hazard indicators. Among those with indicators, composite indicators were the most frequently Deleted: commonly used, explaining 38% triggering . [46] . 052 used (n=8), followed by frequency and intensity measures. Notably, probability indicators were not applied to this Deleted: . 5...). [47] 053 category (Figure 4b) Deleted: were prominent...ccurred across various . [48] . 054 Triggering and amplification events occurred across meteorological, hydrological, and geohazards. Various 055 approaches were used to develop composite indicators for these events, Regarding meteorological hazards, **Deleted:** Different ...arious approaches were employ 056 Khorshidi et al. (2020) analysed wildfire size to identify the occurrence of 'megafires' triggered by the co-Deleted: For example, in the context of fire events occurrence of several drivers, rather than focusing on the magnitude of individual hazards. Their study examined 057 **Deleted:** considered ...nalysed wildfire size as an ind ... [50] 058 correlations between eight meteorological drivers and fire sizes, using data from southern California, Piao et al. Deleted: They investigated 059 (2022), developed a spatial fire risk map by identifying regions where drought and wildfire overlapped. They Deleted: individual ...eteorological drivers and vario ... [51] 060 combined existing indicators such as the SPI and Enhanced Vegetation Index (EVI) with machine learning **Deleted:** aimed to create a map identifying areas hig ... [52] 061 techniques to generate composite hazard indicators. Deleted: ; **Deleted:** by leveraging existing quantitative indicato ... [53] 062 In studies involving geohazards, Bernal et al. (2017), performed a probabilistic risk assessment of multi-hazard Deleted: conducted a 063 interactions in Manizales, Colombia, Their approach incorporated earthquakes, volcanic (lahar), and landslide Deleted: for ...f multi-hazard occurrences ... [54] 064 hazards. Landslide susceptibility was estimated using an artificial neural network, with earthquakes and extreme Deleted: They considered 065 rainfall as triggers. Risk was quantified through probabilistic relationships between hazard intensities and mean Deleted: probabilistic 066 damage ratios. In the context of hydrological hazards, Rocha et al. (2021) proposed a flood risk management Deleted: hazard maps produced for 067 framework for the western Portuguese coast. This study treated coastal flooding as a precursor to coastal erosion. Deleted: single hazards, such as ...arthquakes, volcar 068 using hazard data and vulnerability indicators to assess overall coastal risk. Deleted: t Deleted: ,...each with its own threshold. A r...isk 069 Regarding the combination of geo and hydrological hazards, Coscarelli et al. (2021) explored the relationship . [56] ) 070 between climate indices and the frequency of landslides, floods, and forest fires in Italy They used historical Deleted: using hazard data and risk indicators to dete 071 hazard data and weather-derived indices to develop predictive models, revealing that landslides correlated with 072 moderate rainfall, floods with extreme rainfall, and wildfires with low moisture content. Argyroudis et al. (2019) Deleted: investigated 073 examined consecutive earthquake and flood events to create a multi-hazard resilience index, using "damage state **Deleted:** Using climate indices derived from local w

Deleted: also applied a ...used an alternative version ... [36]

**Deleted:** studied ...xamined consecutive earthquake (... [59]

**Deleted:** Wu et al. (2019)

514 to bridge" as a key indicator. Ramli et al. (2021) developed an Integrated Disaster Risk Assessment Framework

515 (IDRAF), an evolution of the EU MOVE project. This framework encompassed eight meteorological,

hydrological, and geohazards types and associated multi-hazard scenarios through two key components: frequency

of occurrence and spatial interaction. A semi-quantitative approach was used to develop multi-hazard and multi-

of securiories and spatial interaction, and the securior of th

vulnerability indicators. The framework was implemented at the local scale in Malaysia and evaluated by 64

519 <u>disaster risk management experts from both governmental and non-governmental sectors.</u>

## 3.2.3 Multi-risk indicators

518

520

522

524

526

521 Among the 89 studies related to multi-hazards including compound, triggering, and amplification hazards 28

(31%) analysed risks or impacts Of these, 18 studies applied multi-risk indicators that combined various metrics

such as exposure/vulnerability indicators, impact indicators, and composite indicators. The remaining 10 studies

did not use any specific multi-risk indicators. Table 3 summarises different types of indicators used to explain

1525 risks and their components.

# Table 3. Examples of indicators used in multi-risk studies.

Category	Types	Number	<u>Description</u>	Sources
		of studies		
Exposure/Vul	Exposure	2	Coastal exposure index, an example	Mahendra et al.
nerability	index		of vulnerability indicator, is used to	(2021);
indicators			assess the exposure of coastal areas to	Viavattene et al.
			various hazards.	(2018)▼
			Exposure is defined using variables	
			such as population density, land use,	
			infrastructure, and utilities.	
	Vulnerability	4	Vulnerability index is typically	Thakur and
	index		calculated as a function of hazard,	Mohanty (2023)
			exposure, sensitivity or susceptibility,	Sekhri et al.
			and adaptive capacity or resilience.	(2020); Song et
			Social vulnerability indices are	al. (2020); Sahoo
			commonly used metric, which	and Bhaskaran
			generally includes different	(2018)
			combinations of factors related to	
			exposure (e.g., built environment	
			factors), sensitivity or susceptibility	
			(e.g., demographic characteristics of	
			population, education level, income	
			group), and adaptive capacity or	
			resilience.	
			Physical coastal vulnerability indices	
			are also used, which focus on	

#### Deleted: an

**Deleted:** building on and expanding the theoretical framework established by the EU Project MOVE (Multi-Hazard Spatial Overlapping and Methods for the Improvement of Vulnerability Assessment in Europe). The IDRAF...

### Deleted:

Deleted: , with the characterization of

Deleted: involving

**Deleted:** Risk quantification was facilitated through a multi-hazard, multi-vulnerability approach, with indicators determined via a semi-quantitative methodology. The framework's applicability was demonstrated through its implementation at a local administrative scale in Malaysia, with evaluation conducted by 64 local experts in disaster risk management representing various governmental and nongovernmental entities.

### Deleted: 3

Deleted: 0

Deleted:

Deleted: -

**Deleted:** we found that

Deleted: (n=28)

**Deleted:** The overall risk calculation varied across studies, with different combinations of risk metrics such as hazard, exposure, vulnerability, coping capacity, susceptibility, sensitivity, and resilience commonly used

# Deleted: 4

**Deleted:** the various

Deleted: 4

Deleted: various

Deleted: analyses

Formatted Table

Formatted: Left

**Formatted:** Left, Indent: Left: -0.1 cm, Space Before: 0 pt, After: 0 pt

Formatted: Left

Deleted: (Mahendra et al., 2021

**Deleted:** Viavattene et al., 2018)

Formatted: Left, Indent: Left: -0.1 cm, Space Before: 0 pt, After: 0 pt

Formatted: Left

**Deleted:** (Thakur and Mohanty, 2023

Deleted: Sekhri et al., 2020 Deleted: Song et al., 2020

Deleted: Sahoo and Bhaskaran, 2018)

				environmental and structural attributes.	
Risk/impact	Impact	7	•	Impact metrics include indicators of	Bernal et al.
indicators	metrics			physical (e.g., building damage,	(2017): Cremen
				infrastructure disruption), economic	et al. (2023)
				(e.g., business losses, household	Viavattene et al.
				financial impacts), social (e.g.,	(2018); Ramli et
				casualties), and environmental (e.g.,	al. (2021); Lou et
				ecosystem disruption) impacts.	al. (2023b);
					Oliveira et al.
					(2018): Hillier
					and Dixon
					(2020)
Composite	Composite	1	•	Example: Physical Services Index, a	Gotangco and
indicators	<u>hazard</u>			composite indicator used to represent	Josol (2022),
	indicator			cumulative impacts of hazards on	
				services.	
	Composite	4	•	Examples: Global Delta Risk Index	Hagenlocher et
	risk indicator			(GDRI), multi-risk score, and risk	al. (2018);
				index.	Gallina et al.
			•	These composite risk indices combine	(2016): Depietri
				indicators hazard, exposure, and	et al. (2018);
				vulnerability, providing an integrated	Zhang et al.
				risk assessment framework.	(2023)

Most studies defined risk by overlaying multiple dimensions, including vulnerability, exposure, and coping capacity to produce composite vulnerability or risk indices (Beltramino et al., 2022). Among the different categories of multi-risk indicators, impact indicators were the most commonly used. Seven studies employed various impact metrics to assess physical impacts (e.g., building damage and infrastructure disruption), economic impacts (e.g., business losses and household income reduction), social impacts (e.g., casualties), and environmental impacts (e.g., ecosystem degradation). Vulnerability indicators followed in usage, often presented in the form of exposure indices or composite vulnerability indices. For example, the Vulnerability Index integrates hazard exposure, sensitivity, and adaptive capacity indicators into a single metric (Sekhri et al., 2020). Similarly, Thakur and Mohanty (2023) estimated a coastal vulnerability index by combining parameters such as physical coastal characteristics, environmental variables, and socio-economic factors.

A commonly used approach in multi-risk studies is the Social Vulnerability Index (SoVI), which combines various socioeconomic and built environment indicators to quantify vulnerability (Cutter et al., 2003). Although SoVI is frequently applied in multi-risk analysis (Song et al., 2020), it is generally hazard-agnostic and can be used across different hazard types. For instance, Yang et al. (2015) employed SoVI to map social vulnerability across regions in China without reference to a specific hazard or hazard impact. This hazard-agnostic approach is also evident in

60,
61
62
62
62
62
62
62
63
64
65
66
67
68
69

Deleted: a

Deleted: has

Deleted: been applied

Deleted: quantify regional

**Deleted:** to natural hazards and mapped its spatioten ... [70]

**Deleted:** Socioeconomic variables were used as indi ... [71]

780 other composite vulnerability assessments, which aim to simplify complex systems by consolidating multiple 781 variables into a single index (Marulanda-Fraume et al., 2022).

782 Composite risk indicators were also widely adopted across multi-risk studies. For instance, Gotangco and Josol 783 (2022), developed the Physical Service Index (PSI) framework to evaluate the combined effects of urban

784 development, flooding hazards, and chronic deprivation in Manila, Philippines. Several other studies used the 785 Global Delta Risk Index (GDRI), a composite indicator for assessing risks from multiple hazards—such as

786 cyclones, floods, storm surges, and droughts-in vulnerable delta regions (Hagenlocher et al., 2018; Gallina et al., 787

2016; Depietri et al., 2018; Zhang et al., 2023)

In addition to developing new multi-risk indicators, some researchers created libraries of multi-risk indicators, offering customizable options for practitioners and stakeholders. These databases typically include indicators

related to social, ecological, and economic dimensions across various hazards and contexts (Shah et al., 2020;

791 Sebesvari et al., 2016). For instance, Hagenlocher et al. (2018) developed a repository of hazard-dependent and

792 hazard-independent vulnerability indicators, specifically designed for application in delta regions

793 Despite the benefits of integrated risk assessments, combining multiple indicators can introduce uncertainties,

794 particularly when equal weights are assigned to different risk components without considering their relative

795 importance. To address this issue, several recent studies have introduced methods for assigning indicator weights

more systematically. A common approach involves expert judgment, which is used to estimate the significance of

797 different risk parameters (Mafi-Gholami et al., 2019; Arvin et al., 2023; Cotti et al., 2022). For example, Gallina

et al. (2016) used weighted scores within a hazard matrix to evaluate multi-risk scenarios. However, while expert

799 judgment-based weighting improves flexibility, it can also introduce systematic bias if not carefully managed

1800 (Jacome Polit et al., 2019).

# 4. Discussion and recommendations for indicator development.

# 4.1 Key findings.

788

789

790

796

798

801

802

803

1804

1805

806

807

808

809

810

811

812

813

814

815

Our review has highlighted the broad use of indicators for risk assessment and management (i.e., Bernal et al., 2017; Sekhri et al., 2020), to identify interactions between hazards (i.e., Jalili Pirani and Najafi, 2022), and as stand-alone indicators for establishing warning thresholds (i.e., Vitolo et al., 2019; Li et al., 2021). However, this study finds that there are few studies that explicitly develop indicators for multi-hazards and/or multi-risks, even when this is presented as the context. Through our review and analysis of these indicators, we note the following:

- While there are many useful examples of indicators being developed and used in layered single hazard studies, there are few studies that explicitly develop indicators for multi-hazards and/or multirisks, highlighting a notable gap in the literature. However, the global hazard and risk literature analysed recognises that interrelationships exist between hazards and that multi-hazard and multirisks should be incorporated in indicators, confirming the need and want for their development
- Current work on indicators supporting multi-hazard and/or multi-risk management is dominated by a focus on compound event types with less work on indicators for triggering and amplification effects...

Deleted: risk ...ssessments, ...hich aim to simplify complex systems by consolidating multiple variables into a single index that did not use the SoVI approach. These composite indicators helped create single indicators, simplifying numerous data inputs and providing an efficient method for assessing certain parameters. They were particularly useful in complex systems where one indicator was insufficient to explain multiple variables [72]

Deleted: More recently, multi-risk indicators such as Social-Ecological Systems (SES) have been developed, incorporating variables related to hazard, exposure, and

### Deleted:

Deleted: Gotangco and Josol (2022)

Deleted: applied the SES framework in deltaic regions to assess multi-hazard risks (e.g., cyclones, floods, storm surges, and droughts) by calculating a

Deleted: (Hagenlocher et al., 2018; Gallina et al., 2016; Depietri et al., 2018;

Deleted: ...Zhang et al., 2023)

( ... [74] )

Deleted: However, did not consider interactions between hazards when estimating risks. Similarly, used the GDRI to assess socio-ecological systems in river deltas, allowing for a better understanding of ecosystem exposure, sensitivity, and

Deleted: However, did not consider interactions between hazards when estimating risks. Similarly, used the GDRI to assess socio-ecological systems in river deltas, allowing for a better understanding of ecosystem exposure, sensitivity, and robustness.

Deleted: Several studies have also developed libraries of multi-risk indicators, some researchers created libraries of multi-risk indicators, offering customizable options for practitioners and stakeholders.. These databases allow users and stakeholders to review, select, and customize indicators for specific needs....Such ...hese databases libraries (... [75])

**Deleted:** The integration of...ombining multiple layers of risk ...ndicators can introduce uncertainties, particular ... [76]

Deleted: As a result

Deleted: we found ...everal recent studies that ...ave developed ... [77]

**Deleted:** introdeuced

**Deleted:** to estimate ...or assigning indicator weights more systematicallyfor each indicator, reflecting the varying ... [78]

Deleted: a commonly applied method for estimating these weights

**Deleted:** multi-hazard ...eighted scores generated through influence weightings in...ithin a hazard matrix to eval (... [79]

# Deleted: t and implementation

# Deleted:

Deleted: In a context where United Nations' member states are increasingly advocating for multi-hazard approach ... [80]

Deleted: <#>The selection and use of different terminology and definitions by different groups affed

Deleted: ...interrelationships... with less work on indicators for triggering and amplification effectstyf Research on hazard indicators was found to be more common than studies on other components of risk (e.g., vulnerability) or broader characterisation of risk itself. There are limited examples of multi-risk indicators that embed understanding of multi-hazard relationships.

2076

2077

2078

079

2080

2081

2082

2083

2084 2085

2086

2087

2088

2089

2090

2091

2092

2093

2094

2095

2096

2097

2098

2099

2100

2101

2102

2103

2104

2105

2106

2107

2108

2109

2110

2111

2112

2113

2114

2115

2116

- The selection and use of different terminology and definitions by different groups affects the
  development and use of indicators and remains a challenge for the advancement of multi-hazard
  and multi-risk work (e.g., vulnerability indicators developed following the IPCC (2007), versus the
  UNDRR (2017b), definitions).
- The findings of this study also reveal a lack of stakeholder engagement and prioritisation in
  developing multi-hazard multi-risk indicators; the extent to which these can therefore translate
  effectively into supporting multi-hazard disaster risk management is ambiguous.

Aspects of these findings align with similar studies on the increase in the literature. For example, with respect to the impact of terminology and varying interpretations of multi-hazard concepts, Kappes et al. (2012) noted the diversity of terms used for hazard relationships, Gill and Malamud (2014) reflect on the impacts of different interpretations of the multi-hazard concept (the multi-layer single hazard perspective vs. a more holistic multihazard approach), and Ciurean et al. (2018) reviewed different classifications of hazards before synthesising these into a proposed taxonomy (subsequently adopted in Gill et al. (2022)). The impact of variations in terminology is evident in the development and application of indicators. Risk management would be strengthened by the creation of and adherence to guidance for the development and use of indicators in multi-hazard, multi-risk contexts, building on existing good practices and drawing on established and agreed terminology and definitions. The broader multi-hazard literature also demonstrates a wide array of new and developing methods for characterising hazard dependencies (e.g., Gill and Malamud, 2014; Tilloy et al., 2019; Zscheischler et al., 2020; De Angeli et al., 2022; Hochrainer-Stigler et al., 2023; Claassen et al., 2023; Lee et al., 2024) and dynamics of other components of risk (e.g., De Ruiter and Van Loon, 2022). A breadth of approaches is likely necessary to support risk characterisation in different contexts (e.g., data poor vs. data rich), but variation in the approaches used to characterise multi-hazard relationships may make it challenging to develop generic indicators for monitoring the management of multiple hazards and multi-risks.

Many of the papers reviewed (e.g., Li et al., 2021; Lou et al., 2023b; Pal et al., 2023) imply that their results and the use of indicators may be of potential use to stakeholders who are responsible for disaster risk management or climate change adaptation. However, the extent to which stakeholders have been engaged in the process of creating and/or testing indicators to support decision-making in multi-hazard or multi-risk contexts is generally not clear. Stakeholder engagement and prioritisation varies from consulting with expert groups (e.g., Damian et al., 2023) to interactive co-development (e.g., Fleming et al., 2023). Understanding the priorities, interests, ambitions, and challenges of stakeholders is essential to developing and undertaking effective DRR research (Gill et al., 2021). Of the 192 papers reviewed, however, only 15 studies include some element of stakeholder engagement, of which 6 studies are within the multi-hazard category (i.e., Cremen et al., 2023; Gallina et al., 2020; Hagenlocher et al., 2018; Sekhri et al., 2020; Viavattene et al., 2018; Vitolo et al., 2019). The remaining 9 studies are either layered single hazard (n=8) or include no specific hazard (n=1). Of the 15 studies that include, stakeholder engagement, 14 focus on multi-hazard risk assessment, which requires consideration of socioeconomic vulnerabilities and impacts from multi-hazard events. When developing multi-hazard and multi-risk indicators for disaster risk management and climate change adaptation, it is crucial to consider how and where to use multi-hazard information with stakeholders. For example, interactive stakeholder engagement in setting

Deleted: assessment

Deleted: interr

Deleted: (Sections 3.1.1 and 3.3.3)

Deleted: IPPC, 2007,

Deleted:

Deleted: UNISDR, 2017

Deleted: <#>

Deleted: multi-hazard

Formatted: Normal, Space Before: 2 pt, After: 9 pt,

Line spacing: Multiple 1.4 li

Deleted: interr

**Deleted:** interrelationships

Deleted: ¶

**Deleted:** interrelationships

Deleted: inter

Deleted: , interrelating

Deleted: their associated

L . I

Deleted:

Deleted:

4.2 Developing effective multi-hazard and multi-risk indicators: challenges and opportunities

**Deleted:** The results from this systematic review show the use of indicators in multi-layer single hazard and multi-hazard and multi-risk contexts. Indicators are selected and used to help characterise interactions between hazards (including the probability of multi-hazard interrelationships, the co-occurrence of multi-layer single hazard events, and changes of multi-hazard events), as well as for exposure, vulnerability, risk/impact and resilience in a multi-hazard context.

Deleted: in this study

Deleted: , h

Deleted: involved

Deleted:

Deleted: 4

Deleted:

Deleted: d

**Deleted:** ed

weighting, prioritisation and thresholds plays a critical role, as it guides sensitivity to certain impact areas, such as applying physical drought models to early warning systems for food security (Boult et al., 2022). This approach also enables stakeholders to issue early and timely warnings (Li et al., 2021). These results show that collaborative environments which integrate interdisciplinary expertise with relevant stakeholder engagement are essential for multi-hazard and multi-risk indicator development and implementation.

With the United Nations increasingly advocating for multi-hazard and multi-risk approaches, data, and governance (United Nations, 2023), this review provides evidence of a notable gap in the literature but also—crucially—growing demand and activity for the development and use of multi-hazard and multi-risk indicators that support the Sendai Framework. The increase in research activity demonstrated through the literature reviewed in this study has been supported by a succession of European Union-funded research projects focused on multi-hazards and multi-risks that are, in-part, addressing this policy demand. These and other ongoing projects have been established to investigate the challenges posed by multi-hazards and multi-risks, highlighting a clear momentum towards a shift from single to multi-hazard analysis and multi-risk assessment and management.

### 4.2 Recommendations for multi-hazard and multi-risk indicator development

2155

2156

2157

2158

2159

160

2161

162

163

164

165

2166

167

2168

169

170

171

172

173

174

175

176

177

178

179

180

181

2182

2183

184

185

186

187

188

189

190

191

Based on the insights gained on multi-hazard and multi-risk indicators from this review, and building on previously-established challenges associated with multi-hazard and multi-risk research, we suggest the following eight recommendations that are designed to (i) advance research and methodologies that allow robust indicators for multi-hazard and multi-risk contexts, (ii) improve uptake and use of indicators by providing actionable recommendations for their development, and (iii) create and strengthen an enabling and interdisciplinary collaborative environment for their development:

- 1. Indicator development should not solely focus on hazard characteristics but should also integrate risk-based dimensions (e.g., vulnerability, exposure, sensitivity, adaptive capacity) and impacts (physical, economic, environmental), reflecting the complexity of multi-hazards and multi-risks. This development can be extended beyond hazard and risk assessment to establish real-time monitoring systems and early warning mechanisms that provide up-to-date information on the emergence and propagation of multi-hazard events.
- 2. Given the current predominance of indicators for compound multi-hazard events evidenced in the literature, there is a need to develop indicators that capture triggering, amplification, and cascading relationships between hazards to represent the dynamic and interconnected nature of multi-hazard systems.
- 3. Composite indicators designed to capture multi-hazard and multi-risk dimensions should be adaptable to diverse regional contexts, account for socio-economic disparities, and align with the specific priorities of relevant stakeholders, including policymakers, emergency planners, and affected communities.
- 4. Where feasible, mixed-method approaches are essential for developing robust multi-hazards and multi-risks indicators, integrating quantitative data (e.g., historical hazard frequencies, exposure metrics), qualitative insights (e.g., community perceptions), and expert judgement to comprehensively reflect the complexity and interdependencies of risk drivers.

Deleted: . Therefore, a

Deleted: across

Deleted:

Deleted: . is

Deleted: Multi-hazard analysis is inherently interdisciplinary as it involves multiple hazard types that may use different indicators, each requiring distinct analytical methods and datasets. For example, extreme heat and wildfire multi-hazard analysis utilises various datasets and indices used the Fire Weather Index (FWI) and the Universal Thermal Climate Index (UTCI), while applied the Standardized Precipitation Evapotranspiration Index (SPEI), Number of Hot Days (NHD), and Number of Hot Nights (NHN) in their analysis. and developed and refined the Compound Drought Heatwave Magnitude Index (CDHMI) using the Non-Stationary Standardized Precipitation Evapotranspiration Index (NSPEI) and daily maximum temperature (Tmax) to determine the probability of heatwave and drought events. For compounding flood events, developed a Compound Hazard Ratio Index to characterise the interactions between different drivers of flooding (e.g. extreme precipitation, river overflows, storm tides) and their effects on return level estimates of compound events. Similarly, analysed spatio-temporal trends in compound flood events caused by the co-occurrence of fluvial floods and extreme coastal water levels, defining a Compound Hazard Ratio Index that links fluvial discharge with coastal water levels to understand historical trends in compound flooding. Therefore, a collaborative environment across interdisciplinary expertise, with relevant stakeholder engagement, is essential.

# Deleted: 3

Deleted: improved

Deleted: s

Based on these well-established challenges associated with multi-hazard research, and the insights on the use of multi-hazard indicators from our review, we suggest actions that are needed to: (i) advance research and methodologies that allow robust indicators for mul(...[83]

**Deleted:** (ii) Improving uptake and use of indicators The following recommendations focus on actions to en ... [84]

Formatted: Font: Italic

**Deleted:** that integrate

**Deleted:** parameters

**Deleted:** should be developed that

**Deleted:** flexible enough to be customised based

Deleted: on

**Deleted:** variables

**Deleted:** priorities

**Deleted:** that capture the complexity of

**Deleted:** are needed for

Deleted: development

Deleted: combining

Deleted: methods

**Deleted:** enhance their robustness

- 5. Multi-hazard and multi-risk indicators should be co-developed through interactive and participatory processes involving relevant stakeholders, ensuring that they are meaningful, practical, and tailored to decision-making needs in disaster risk management and climate adaptation.
- 6. While not specific to indicators, the adoption of clear and consistent terminology in the definition and usage of terms such as 'multi-hazard', 'multi-risk', 'indicator' and 'index' is crucial as ambiguities in terminology currently hinder the comparability and integration of different approaches.
- 7. Indicators should be designed considering the availability, resolution, and quality of underlying datasets, especially where data are scarce or uneven across hazards and/or risks. This can be supported through the use of online open-access collaborative repositories and libraries for sharing good practices and data (e.g., the open-access MYRIAD-EU Disaster Risk Gateway https://disasterriskgateway.net/) together with the use of advanced visualisation tools (e.g., the DRMKC Risk Data Hub https://drmkc.jrc.ec.europa.eu/risk-data-hub#/atlas).
- 8. Finally, the development of new multi-hazard and multi-risk indicators should align with international frameworks, such as the Sendai Framework for Disaster Risk Reduction, the UN SDGs, MHEWS and EW4AIL to ensure these indicators support the measurement, reporting, and achievement of globally recognised targets and contribute effectively to international disaster risk reduction and resilience-building efforts.

5. Conclusions

279

280

2281

2282

2283

2284

285

286

287

288

289

2290

2291

2292

293

2294

295

2296

2297

2298

2299

2300

2301

2302

2303

2304

2305

2306

2307

2308

23092310

2311

2312

2313

2314

In this study we systematically reviewed existing multi-hazard and multi-risk indicators and present recommendations for their future development and use. While there is broad use of indicators for risk assessment and management, and for identifying interactions between hazards and warning thresholds, this study finds that there are few studies that explicitly develop indicators for either multi-hazard or multi-risk contexts, highlighting a notable gap in the literature. The majority of the studies described as multi-hazard or multi-risk were, on inspection, multi-layer single hazard and risk; in other words, these did not include the interactions between hazards. The results also demonstrated a predominance of studies on hazard assessment (88% of publications), and a dominance of meteorological and hydrological hazards, particularly in the context of compounding hazards. Only 20% of the papers included in the review integrated hazard, vulnerability and risk/impact—a reflection of the complexity of multi-hazard risk. The methodologies used in the reviewed studies included quantitative, qualitative and mixed methods approaches, with a predominance of mixed methods applied in risk assessment, highlighting the interdisciplinarity and role of methods such as expert judgment in multi-hazard risk assessment. The ongoing challenge related to the selection and use of different multi-hazard risk terminology within the literature was echoed in our findings. Based on the findings of the review, we set out eight actionable recommendations to progress the development and enable the uptake of multi-hazard and multi-risk indicators, This review is limited to the peer-reviewed literature; future work should build upon this review through the exploration of grey literature and direct engagement with stakeholders involved in indicator relevant applications of disaster risk reduction (e.g., through interviews).

**Deleted:** This can be coupled with specific guidance for risk management professionals about multi-hazards and their potential interrelated risks to improve the understanding of these concepts and the potential benefits of using indicators.

Deleted: ing

Deleted: also

**Deleted:** be compatible

Deleted: policies and

Deleted:

Deleted: , and

Deleted:

Deleted: the

Deleted: s

**Deleted:** to globally recognised targets and monitoring systems.

Deleted:

(... [85]

Deleted: (or

Deleted: ) -

Deleted:

Deleted: twelve

Deleted: actuionable

**Deleted:**, from advancing research into multi-hazard risk frameworks that integrate indicators, to enabling partnerships with stakeholders to ensure the inclusion of their needs and the uptake of indicators in disaster risk management

Deleted: c

2357	Competing interests	
2358	At least one of the (co-)authors is a member of the editorial board of Natural Hazards and Earth System Sciences.	
2359	Acknowledgements	
2360	$CJW\ acknowledges\ support\ from\ the\ NERC\ Global\ Partnerships\ Seedcorn\ Fund\ `EMERGE'\ project\ though\ grant$	
2361	no. NE/W003775/1. CJW, MSGA, MA, YC and CK were supported by the European Union's Horizon Europe	
2362	'Multi-hazard and risk informed system for enhanced local and regional disaster risk management' (MEDiate)	Deleted: '
2363	project under grant agreement no. 101074075. MSGA also received support from the Leverhulme Trust through	
2364	an Early Career Fellowships [grant reference ECF-2023-074]. RC, JC, MD, LS, and PJW were supported by the	
2365	European Union's Horizon 2020 'Multi-hazard and sYstemic framework for enhancing Risk-Informed	
2366	mAnagement and Decision-making in the E.U.' (MYRIAD-EU) project under grant agreement no. 101003276.	
2367		

Conceptualization: CW; Data curation: CK; Formal analysis and visualization: MSGA, MA, EN, CK;

2354

2355

2356

Author contribution

Methodology and writing – original draft preparation: all authors.

#### References

2369

- AghaKouchak, A., Huning, L. S., Sadegh, M., Qin, Y., Markonis, Y., Vahedifard, F., Love, C. A., Mishra, A., Mehran, A., Obringer, R., Hjelmstad, A., Pallickara, S., Jiwa, S., Hanel, M., Zhao, Y., Pendergrass, A. G., Arabi, 2370
- 371
- M., Davis, S. J., Ward, P. J., Svoboda, M., Pulwarty, R., and Kreibich, H.: Toward impact-based monitoring of 2372
- 2373 drought and its cascading hazards, Nature Reviews Earth & Environment, 4, 582-595, doi:10.1038/s43017-023-
- 2374 00457-2, 2023.
- 2375 Alberico, I. and Petrosino, P.: The hazard indices as a tool to support the territorial planning: The case study of
- 2376 Ischia island (Southern Italy), Engineering Geology, 197, 225-239, 2015.
- 2377 Almutairi, A., Mourshed, M., and Ameen, R. F. M.: Coastal community resilience frameworks for disaster risk
- 2378 management, Natural Hazards, 101, 595-630, 10.1007/s11069-020-03875-3, 2020.
- 2379 Argyroudis, S. A., Hofer, L., Zanini, M. A., and Mitoulis, S. A.: Resilience of critical infrastructure for multiple
- 2380 hazards: Case study on a highway bridge, 2nd International Conference on Natural Hazards & Infrastructure 2019.
- 2381 Arvin, M., Beiki, P., Hejazi, S. J., Sharifi, A., and Atashafrooz, N.: Assessment of infrastructure resilience in
- 2382 multi-hazard regions: A case study of Khuzestan Province, International Journal of Disaster Risk Reduction, 88,
- 2383
- 2384 Beltramino, S., Scalas, M., Castro Rodriguez, D. J., and Brunetta, G.: Assessing territorial vulnerability. Testing
- 2385 a multidisciplinary tool in Moncalieri, Italy, TeMA - Journal of Land Use, Mobility and Environment 15, 355-
- 2386 375, 2022
- 2387 Bernal, G. A., Salgado-Gálvez, M. A., Zuloaga, D., Tristancho, J., González, D., and Cardona, O.-D.: Integration
- of Probabilistic and Multi-Hazard Risk Assessment Within Urban Development Planning and Emergency 2388
- Preparedness and Response: Application to Manizales, Colombia, International Journal of Disaster Risk Science, 2389
- 2390 8, 270-283, 2017.
- 2391 Bian, Y., Sun, P., Zhang, Q., Luo, M., and Liu, R.: Amplification of non-stationary drought to heatwave duration
- 2392 and intensity in eastern China: Spatiotemporal pattern and causes, Journal of Hydrology, 612, 2022.
- 2393 Bloomfield, H. C., Hillier, J., Griffin, A., Kay, A. L., Shaffrey, L. C., Pianosi, F., James, R., Kumar, D., Champion,
- A., and Bates, P. D.: Co-occurring wintertime flooding and extreme wind over Europe, from daily to seasonal 394
- 395 timescales. Weather and Climate Extremes, 2023.
- 2396 Bonekamp, P. N. J., Wanders, N., Van Der Wiel, K., Lutz, A. F., and Immerzeel, W. W.: Using large ensemble
- 397 modelling to derive future changes in mountain specific climate indicators in a 2 and 3°C warmer world in High
- 2398 Mountain Asia, International Journal of Climatology, 41, 10.1002/joc.6742, 2021.
- 399 Boult, V. L., Black, E., Saado Abdillahi, H., Bailey, M., Harris, C., Kilavi, M., Kniveton, D., MacLeod, D.,
- Mwangi, E., Otieno, G., Rees, E., Rowhani, P., Taylor, O., and Todd, M. C.: Towards drought impact-based 2400
- Climate 2401 a multi-hazard Risk forecasting in context. Management,
- https://doi.org/10.1016/j.crm.2022.100402, 2022. 402
- 2403 Cardona, O. D.: Indicators of Disaster Risk and Risk Management: Program for Latin America and the Caribbean.
- 2404 Summary Report, 2005.
- 2405 Ciurean, R., Gill, J., Reeves, H., O'Grady, D., and Aldridge, T.: Review of environmental multi-hazards research
- 406 and risk assessment, British Geological Survey and Natural Hazards Partnership, 2018.
- 407 Claassen, J. N., Ward, P. J., Daniell, J., Koks, E. E., Tiggeloven, T., and De Ruiter, M. C.: A new method to
- 2408 compile global multi-hazard event sets, Scientific Reports, 13, 10.1038/s41598-023-40400-5, 2023.
- 2409 Coscarelli, R., Aguilar, E., Petrucci, O., Vicente-Serrano, S. M., and Zimbo, F.: The Potential Role of Climate Indices to Explain Floods, Mass-Movement Events and Wildfires in Southern Italy, Climate, 9, 156, 2410
- 2411 10.3390/cli9110156, 2021.
- 2412 Cotti, D., Harb, M., Hadri, A., Aboufirass, M., Chaham, K. R., Libertino, A., Campo, L., Trasforini, E.,
- 2413 Krätzschmar, E., Bellert, F., and Hagenlocher, M.: An Integrated Multi-Risk Assessment for Floods and Drought
- 2414 in the Marrakech-Safi Region (Morocco), Frontiers in Water, 4, 10.3389/frwa.2022.886648, 2022.
- 2415 Cremen, G., Galasso, C., McCloskey, J., Barcena, A., Creed, M. J., Filippi, M. E., Gentile, R., Jenkins, L. T.,
- Kalaycioglu, M., Mentese, E. Y., Muthusamy, M., and Tarbali, K.: A state-of-the-art decision-support 2416 2417
- environment for risk-sensitive and pro-poor urban planning and design in Tomorrow's cities, International Journal
- 2418 of Disaster Risk Reduction, 85, 2023.

Formatted: Font: Times New Roman, 10 pt

Formatted: Space After: 6 pt

- 2419 Cremin, E., O'Connor, J., Banerjee, S., Bui, L. H., Chanda, A., Hua, H. H., Van Huynh, D., Le, H., Murshed, S.
- Hashing, E., O Colline, Y., Saladay, S., Bar, E. M., Saladay, H. M., Saladay,
- SDG and SFDRR global frameworks to assess risk to socio-ecological systems in river deltas, Sustainability
- 2422 Science, 18, 1871-1891, 10.1007/s11625-023-01295-3, 2023.
- 2423 Cutter, S. L., Boruff, B. J., and Shirley, W. L.: Social Vulnerability to Environmental Hazards, Social Science
- 2424 Quarterly, 84, 242-261, 2003.
- Damian, N., Mitrică, B., Mocanu, I., Grigorescu, I., and Dumitrașcu, M.: An index-based approach to assess the
- vulnerability of socio-ecological systems to aridity and drought in the Danube Delta, Romania, Environmental
- 2427 Development, 45, 2023.
- 428 De Angeli, S., Malamud, B. D., Rossi, L., Taylor, F. E., Trasforini, E., and Rudari, R.: A multi-hazard framework
- for spatial-temporal impact analysis, International Journal of Disaster Risk Reduction, 73, 102829,
- 430 <u>https://doi.org/10.1016/j.ijdrr.2022.102829</u>, 2022.
- De Ruiter, M. C. and Van Loon, A. F.: The challenges of dynamic vulnerability and how to assess it, iScience,
- 432 25, 104720, 10.1016/j.isci.2022.104720, 2022.
- Depietri, Y., Dahal, K., and Mcphearson, T.: Multi-hazard risks in New York City, Natural Hazards and Earth
- 2434 System Sciences, 18, 3363-3381, 10.5194/nhess-18-3363-2018, 2018.
- Duncan, M., Edwards, S., Kilburn, C., Twigg, J., and Crowley, K.: An interrelated hazards approach to
- 436 anticipating evolving risk, in: GFDRR, The Making of a Riskier Future: How Our Decisions Are Shaping Future
- Disaster Risk., Global Facility for Disaster Reduction and Recovery, Washington, USA, 114–121, 2016.
- Feng, S., Hao, Z., Wu, X., Zhang, X., and Hao, F.: A multi-index evaluation of changes in compound dry and hot
- events of global maize areas, Journal of Hydrology, 602, 2021.
- 440 Fleming, C. S., Regan, S. D., Freitag, A., and Burkart, H.: Indicators and participatory processes: a framework for
- assessing integrated climate vulnerability and risk as applied in Los Angeles County, California, Natural Hazards,
- 2442 115, 2069-2095, 10.1007/s11069-022-05628-w, 2023.
- 2443 Gallina, V., Torresan, S., Critto, A., Sperotto, A., Glade, T., and Marcomini, A.: A review of multi-risk
- methodologies for natural hazards: Consequences and challenges for a climate change impact assessment, Journal
- 2445 of Environmental Management, 168, 123-132, 2016.
- Gallina, V., Torresan, S., Zabeo, A., Critto, A., Glade, T., and Marcomini, A.: A Multi-Risk Methodology for the
- Assessment of Climate Change Impacts in Coastal Zones, Sustainability, 12, 3697, 10.3390/su12093697, 2020.
- Ganguli, P. and Merz, B.: Trends in Compound Flooding in Northwestern Europe During 1901–2014,
- Geophysical Research Letters, 46, 10810-10820, 10.1029/2019gl084220, 2019.
- 2450 Gill, J. and Malamud, B.: Hazard interactions and interaction networks (cascades) within multi-hazard
- 451 methodologies, Earth Syst. Dynam., 7, 659-679, 10.5194/esd-7-659-2016, 2016.
- Gill, J. C. and Malamud, B. D.: Reviewing and visualizing the interactions of natural hazards, Reviews of
- Geophysics, 52, 680-722, <a href="https://doi.org/10.1002/2013RG000445">https://doi.org/10.1002/2013RG000445</a>, 2014.
- 454 Gill, J. C., Taylor, F. E., Duncan, M. J., Mohadjer, S., Budimir, M., Mdala, H., and Bukachi, V.: Invited
- 455 perspectives: Building sustainable and resilient communities recommended actions for natural hazard scientists,
- Natural Hazards and Earth System Sciences, 21, 187-202, 10.5194/nhess-21-187-2021, 2021.
- 457 Gill, J. C., Duncan, M., Ciurean, R., Smale, L., Stuparu, D., Schlumberger, J., de Ruiter, M. C., Tiggeloven, T.,
- Torresan, S., Gottardo, S., Mysiak, J., Harris, R., Petrescu, E.-C., Girard, T., Khazai, B., Claassen, J., Dai, R., Champion, A., Daloz, A. S., Blanco Cipollone, F., Campillo Torres, C., Palomino Antolin, I., Ferrario, D., Tatman,
- 460 S., Tijessen, A., Tijessen, A., Vaidya, S., Adesiyun, A., Goger, T., Angiuli, A., Audren, M., Machado, M.,
- Hochrainer-Stigler, S., Šakić Trogrlić, R., Daniell, J., Bulder, B., Krishna Swamy, S., Wiggelinkhuizen, E.-J.,
- 462 Díaz Pacheco, J., López Díez, A., Mendoza Jiménez, J., Padrón-Fumero, N., Appulo, L., Orth, R., Sillmann, J.,
- and Ward, P. J.: D1.2 Handbook of multi-hazard, multi-risk definitions and concepts, 2022.
- Gotangco, C. K. and Josol, J. C.: Physical Services Index for flooding hazards, in, Elsevier, 2022.
- Hagenlocher, M., Renaud, F. G., Haas, S., and Sebesvari, Z.: Vulnerability and risk of deltaic social-ecological
- 466 systems exposed to multiple hazards, Science of The Total Environment, 631-632, 71-80,
- 10.1016/j.scitotenv.2018.03.013, 2018.
- Hao, Z., Hao, F., Xia, Y., Singh, V. P., and Zhang, X.: A monitoring and prediction system for compound dry and
- 2469 hot events, Environmental Research Letters, 14, 114034, 10.1088/1748-9326/ab4df5, 2019.

- 2470 Hillier, J. K. and Dixon, R. S.: Seasonal impact-based mapping of compound hazards, Environmental Research
- 471 Letters, 15, 114013, 10.1088/1748-9326/abbc3d, 2020.
- 472 Hochrainer-Stigler, S., Šakić Trogrlić, R., Reiter, K., Ward, P. J., de Ruiter, M. C., Duncan, M. J., Torresan, S.,
- 473 Ciurean, R., Mysiak, J., Stuparu, D., and Gottardo, S.: Toward a framework for systemic multi-hazard and multi-
- 474 risk assessment and management, iScience, 26, 106736, <a href="https://doi.org/10.1016/j.isci.2023.106736">https://doi.org/10.1016/j.isci.2023.106736</a>, 2023.
- 475 IPCC: Climate change (2007): Impacts, adaptation and vulnerability. Contribution of Working Group II to the
- 2476 Fourth Assessment Report of the Intergovernmental Panel on Climate Change. , 2007.
- 2477 IPCC: Annex I: Glossary, 2018.
- 478 Ivčević, A., Mazurek, H., Siame, L., Ben Moussa, A., and Bellier, O.: Indicators in risk management: Are they a
- user-friendly interface between natural hazards and societal responses? Challenges and opportunities after UN 479
- 2480 2015, International Journal of conference in Disaster Risk
- https://doi.org/10.1016/j.ijdrr.2019.101301, 2019. 481
- 2482 Jacome Polit, D., Cubillo, P., Paredes, D., and Ruiz Villalba, P.: R.I.S.Q: Risk Assessment Tool for Quito, in:
- 483 Advanced Studies in Energy Efficiency and Built Environment for Developing Countries, Springer International
- 2484 Publishing, 61-71, 10.1007/978-3-030-10856-4 6, 2019.
- 2485 Jalili Pirani, F. and Najafi, M. R.: Multivariate Analysis of Compound Flood Hazard Across Canada's Atlantic,
- Pacific and Great Lakes Coastal Areas, Earth's Future, 10, 10.1029/2022ef002655, 2022. 2486
- 487 Johnson, K., Depietri, Y., and Breil, M.: Multi-hazard risk assessment of two Hong Kong districts, International
- 2488 Journal of Disaster Risk Reduction, 19, 311-323, <a href="https://doi.org/10.1016/j.ijdrr.2016.08.023">https://doi.org/10.1016/j.ijdrr.2016.08.023</a>, 2016.
- 2489 Julià, P. B. and Ferreira, T. M.: From single- to multi-hazard vulnerability and risk in Historic Urban Areas: a
- literature review, Natural Hazards, 108, 93-128, 10.1007/s11069-021-04734-5, 2021. 490
- 491 Kappes, M. S., Keiler, M., Von Elverfeldt, K., and Glade, T.: Challenges of analyzing multi-hazard risk: a review,
- 2492 Natural Hazards, 64, 1925-1958, 10.1007/s11069-012-0294-2, 2012.
- 2493 Khorshidi, M. S., Dennison, P. E., Nikoo, M. R., Aghakouchak, A., Luce, C. H., and Sadegh, M.: Increasing
- 494 concurrence of wildfire drivers tripled megafire critical danger days in Southern California between1982 and
- 2018, Environmental Research Letters, 15, 104002, 10.1088/1748-9326/abae9e, 2020. 495
- 496 Lee, R., White, C. J., Adnan, M. S. G., Douglas, J., Mahecha, M. D., O'Loughlin, F. E., Patelli, E., Ramos, A. M.,
- 497 Roberts, M. J., Martius, O., Tubaldi, E., van den Hurk, B., Ward, P. J., and Zscheischler, J.: Reclassifying
- 498 historical disasters: From single to multi-hazards, Science of The Total Environment, 912, 169120,
- 2499 https://doi.org/10.1016/j.scitotenv.2023.169120, 2024.
- 500 Li, J., Wang, Z., Wu, X., Zscheischler, J., Guo, S., and Chen, X.: A standardized index for assessing sub-monthly
- compound dry and hot conditions with application in China, Hydrology and Earth System Sciences, 25, 1587-2501
- 1601, 2021. 2502
- 2503 Lou, H., Zhang, L., Zhang, L., He, J., and Yin, K.: Vulnerability of buildings to landslides: The state of the art
- 2504 and future needs, Earth Science Reviews, 238, 2023a.
- 2505 Lou, T., Wang, W., and Izzuddin, B. A.: A framework for performance-based assessment in post-earthquake fire:
- 2506 Methodology and case study, Engineering Structures, 294, 2023b.
- 2507 Mafi-Gholami, D., Zenner, E. K., Jaafari, A., Bakhtiari, H. R., and Tien Bui, D.: Multi-hazards vulnerability
- 2508 assessment of southern coasts of Iran, Journal of Environmental Management, 22, 2019.
- 2509 Mahendra, R. S., Mohanty, P. C., Francis, P. A., Joseph, S., Nair, T. M. B., and Kumar, T. S.: Holistic approach
- to assess the coastal vulnerability to oceanogenic multi-hazards along the coast of Andhra Pradesh, India, 2510 2511
- Environmental Earth Sciences, 80, 10.1007/s12665-021-09920-z, 2021.
- 2512 Marulanda-Fraume, P., Cardona, O.-D., Marulanda, M.-C., and Carreño, M.-L.: Unveiling the Latent Disasters
- 2513 from a Holistic and Probabilistic View: Development of a National Risk Atlas, in: Disaster Risk Reduction for
- 2514 Resilience, Springer International Publishing, 313-336, 10.1007/978-3-031-08325-9\_15, 2022.
- 2515 Mitu, M. F., Sofia, G., Shen, X., and Anagnostou, Emmanouil N.: Assessing the compound flood risk in coastal
- 2516 areas: Framework formulation and demonstration, Journal of Hydrology, 626, 2023.
- 2517 Murray, V., Abrahams, J., Abdallah, C., Ahmed, K., Angeles, L., Benouar, D., Brenes Torres, A., Chang Hun, C.,
- **2**518 Cox, S., Douris, J., Fagan, L., Fra Paleo, U., Han, Q., Handmer, J., Hodson, S., Khim, W., Mayner, L., Moody,
- 2519 N., Moraes, L. L., Osvaldo, Nagy, M., Norris, J., Peduzzi, P., Perwaiz, A., Peters, K., Radisch, J., Reichstein, M.,

- \$250 Schneider, J., Smith, A., Souch, C., Stevance, A.-S., Triyanti, A., Weir, M., and Wright, N.: Hazard Information
- Profiles: Supplement to UNDRR-ISC Hazard Definition & Classification Review: Technical Report, Geneva,
- Switzerland, 10.24948/2021.05, 2021.
- 523 OECD: Handbook on Constructing Composite Indicators: Methodology and User Guide, Organisation for
- Economic Co-operation and Development (OECD), Paris, 10.1787/9789264043466-en, 2008.
- Oliveira, C. S., Ferreira, M. A., Mota Sá, F., and Bonacho, J.: New Tools for the Analysis of the Generalized
- 1526 Impact of Earthquake Events, in: Earthquake Engineering and Structural Dynamics in Memory of Ragnar
- 2527 Sigbjörnsson, Springer International Publishing, 315-335, 10.1007/978-3-319-62099-2 16, 2018.
- Page, M. J., Moher, D., Bossuyt, P. M., Boutron, I., Hoffmann, T. C., Mulrow, C. D., Shamseer, L., Tetzlaff, J.
- M., Akl, E. A., Brennan, S. E., Chou, R., Glanville, J., Grimshaw, J. M., Hróbjartsson, A., Lalu, M. M., Li, T.,
- Loder, E. W., Mayo-Wilson, E., McDonald, S., McGuinness, L. A., Stewart, L. A., Thomas, J., Tricco, A. C.,
- Welch, V. A., Whiting, P., and McKenzie, J. E.: PRISMA 2020 explanation and elaboration: updated guidance
- and exemplars for reporting systematic reviews, 10.1136/bmj.n160, 2021.
- Pal, I., Baskota, A., Dhungana, G., Udmale, P., Gadhawe, M. A., Doydee, P., Nguyen, T. T. N., Sophat, S., and
- Banerjee, S.: Index-based tools for livelihood security and resilience assessment (LiSeRA) in lower Mekong
- Basin, MethodsX, 11, 2023.
- Papagiannaki, K., Kotroni, V., Lagouvardos, K., Bezes, A., Vafeiadis, V., Messini, I., Kroustallis, E., and Totos,
- 1536 Fapagrafinakt, K., Rottoni, V., Lagouvardos, R., Bezes, A., Vateradis, V., Messini, I., Rodstanis, E., and Totos, Lixely to Trigger Flood Damages across a Mediterranean Region, Based
- on Insurance Data and Rainfall Observations, Water, 14, 994, 10.3390/w14060994, 2022.
- Páscoa, P., Gouveia, C. M., Russo, A., and Ribeiro, A. F. S.: Summer hot extremes and antecedent drought
- conditions in Australia, International Journal of Climatology, 42, 5487-5502, 10.1002/joc.7544, 2022.
- Paulik, R., Horspool, N., Woods, R., Griffiths, N., Beale, T., Magill, C., Wild, A., Popovich, B., Walbran, G., and
- Garlick, R.: RiskScape: a flexible multi-hazard risk modelling engine, Natural Hazards, 119, 1073-1090,
- 2543 10.1007/s11069-022-05593-4, 2023.
- Piao, Y., Lee, D., Park, S., Kim, H. G., and Jin, Y.: Multi-hazard mapping of droughts and forest fires using a
- multi-layer hazards approach with machine learning algorithms, Geomatics, Natural Hazards and Risk, 13, 2649-
- 2546 2673, 10.1080/19475705.2022.2128440, 2022.
- Pickering, C. and Byrne, J.: The benefits of publishing systematic quantitative literature reviews for PhD
- candidates and other early-career researchers, Higher Education Research & Development, 33, 534-548,
- **2**549 10.1080/07294360.2013.841651, 2014.
- Pullin, A. S. and Stewart, G. B.: Guidelines for Systematic Review in Conservation and Environmental
- Management, Conservation Biology, 20, 1647-1656, 10.1111/j.1523-1739.2006.00485.x, 2006.
- Qian, Z., Sun, Y., Ma, Q., Gu, Y., Feng, T., and Feng, G.: Understanding changes in heat waves, droughts, and
- compound events in Yangtze River Valley and the corresponding atmospheric circulation patterns, Climate
- 2554 Dynamics, 10.1007/s00382-023-06927-z, 2023.
- Ramli, M. W. A., Alias, N. E., Mohd Yusof, H., Yusop, Z., and Taib, S. M.: Development of a Local, Integrated
- Disaster Risk Assessment Framework for Malaysia, Sustainability, 13, 10792, 10.3390/su131910792, 2021.
- Rehman, A., Song, J., Haq, F., Mahmood, S., Ahamad, M. I., Basharat, M., Sajid, M., and Mehmood, M. S.:
- Multi-Hazard Susceptibility Assessment Using the Analytical Hierarchy Process and Frequency Ratio Techniques
- in the Northwest Himalayas, Pakistan, Remote Sensing, 14, 2022.
- Rocha, M., Oliveira, A., Freire, P., Fortunato, A. B., Nahon, A., Barros, J. L., Azevedo, A., Oliveira, F. S. B. F.,
- Rogeiro, J., Jesus, G., Martins, R. J., Santos, P. P., Tavares, A. O., and Oliveira, J.: Multi-Hazard WebGIS
- Platform for Coastal Regions, Applied Sciences, 11, 5253, 10.3390/app11115253, 2021.
- Sahoo, B. and Bhaskaran, P. K.: Multi-hazard risk assessment of coastal vulnerability from tropical cyclones A
- GIS based approach for the Odisha coast, Journal of Environmental Management, 206, 1166-1178, 2018.
- Sebesvari, Z., Renaud, F. G., Haas, S., Tessler, Z., Hagenlocher, M., Kloos, J., Szabo, S., Tejedor, A., and Kuenzer, C.: A review of vulnerability indicators for deltaic social–ecological systems, Sustainability Science,
- 11, 575-590, 10.1007/s11625-016-0366-4, 2016.
- Sekhri, S., Kumar, P., Fürst, C., and Pandey, R.: Mountain specific multi-hazard risk management framework
- 2569 (MSMRMF): Assessment and mitigation of multi-hazard and climate change risk in the Indian Himalayan Region,
- 2570 Ecological Indicators, 118, 2020.

- 2571 Shah, M. A. R., Renaud, F. G., Anderson, C. C., Wild, A., Domeneghetti, A., Polderman, A., Votsis, A., Pulvirenti,
- B., Basu, B., Thomson, C., and Panga, D.: A review of hydro-meteorological hazard, vulnerability, and risk
- assessment frameworks and indicators in the context of nature-based solutions, International Journal of Disaster
- 1574 Risk Reduction, 50, 2020.
- 2575 Song, J. Y., Alipour, A., Moftakhari, H. R., and Moradkhani, H.: Toward a more effective hurricane hazard
- communication, Environmental Research Letters, 15, 064012, 10.1088/1748-9326/ab875f, 2020.
- Taherdoost, H.: What are Different Research Approaches? Comprehensive Review of Qualitative, Quantitative,
- and Mixed Method Research, Their Applications, Types, and Limitations, Journal of Management Science & Management Science and Fig. 1.
- Engineering Research, 5, 53-63, 10.30564/jmser.v5i1.4538, 2022.
- Thakur, D. A. and Mohanty, M. P.: A synergistic approach towards understanding flood risks over coastal multi-
- hazard environments: Appraisal of bivariate flood risk mapping through flood hazard, and socio-economic-cum-
- physical vulnerability dimensions, Science of the Total Environment, 901, 2023.
- Tilloy, A., Malamud, B. D., Winter, H., and Joly-Laugel, A.: A review of quantification methodologies for multi-
- hazard interrelationships, Earth-Science Reviews, 196, 102881, https://doi.org/10.1016/j.earscirev.2019.102881,
- 2585 2019.
- UNDRR: Sendai Framework Terminology on Disaster Risk Reduction 2015.
- UNDRR: Report of the open-ended intergovernmental expert working group on indicators and terminology
- 2588 relating to disaster risk reduction, Geneva, 2017a.
- 2589 The Sendai Framework Terminology on Disaster Risk Reduction. "Vulnerability":
- https://www.undrr.org/terminology/vulnerability, last access: 6 May 2025.
- UNDRR and WMO: Global Status of Multi-Hazard Early Warning Systems, Geneva, Switzerland, 2023.
- UNISDR: Hyogo Framework for Action 2005-2015, World Conference on Disaster Reduction, Hyogo, Japan, 18-
- 2593 22 January 2005,
- 2594 United Nations: Agenda 21 : Programme of Action for Sustainable Development, United Nations Conference on
- Environment and Development, Rio de Janeiro, Brazil, 3-14 June 1992,
- 596 United Nations: Report of the World Summit on Sustainable Development World Summit on Sustainable
- Development, Johannesburg, South Africa, 26 August 4 September 2002
- United Nations: Sendai Framework for Disaster Risk Reduction 2015-2030, 2015.
- United Nations: Political declaration of the high-level meeting on the midterm review of the Sendai Framework
- for Disaster Risk Reduction 2015–2030, 2023.
- United Nations Department of Humanitarian Affairs: Disaster management: A disaster manager's handbook,
- Asian Development Bank, Manila1994.
- Viavattene, C., Jiménez, J. A., Ferreira, O., Priest, S., Owen, D., and McCall, R.: Selecting coastal hotspots to
- storm impacts at the regional scale: a Coastal Risk Assessment Framework, Coastal Engineering, 134, 33-47,
- 2605 2018.
- Vitolo, C., Di Napoli, C., Di Giuseppe, F., Cloke, H. L., and Pappenberger, F.: Mapping combined wildfire and
- heat stress hazards to improve evidence-based decision making, Environment International, 127, 21-34, 2019.
- Ward, P. J., Daniell, J., Duncan, M., Dunne, A., Hananel, C., Hochrainer-Stigler, S., Tijssen, A., Torresan, S.,
   Ciurean, R., Gill, J. C., Sillmann, J., Couasnon, A., Koks, E., Padrón-Fumero, N., Tatman, S., Tronstad Lund, M.,
- Adesiyun, A., Aerts, J. C. J. H., Alabaster, A., Bulder, B., Campillo Torres, C., Critto, A., Hernández-Martín, R.,
- Machado, M., Mysiak, J., Orth, R., Palomino Antolín, I., Petrescu, E.-C., Reichstein, M., Tiggeloven, T., Van
- Loon, A. F., Vuong Pham, H., and De Ruiter, M. C.: Invited perspectives: A research agenda towards disaster risk
- management pathways in multi-(hazard-)risk assessment, Natural Hazards and Earth System Sciences, 22, 1487-
- 1497, 10.5194/nhess-22-1487-2022, 2022.
- 615 Wu, X., Hao, Z., Hao, F., Singh, V. P., and Zhang, X.: Dry-hot magnitude index: a joint indicator for compound
- event analysis, Environmental Research Letters, 14, 064017, 10.1088/1748-9326/ab1ec7, 2019.
- 617 Yang, S., He, S., Du, J., and Sun, X.: Screening of social vulnerability to natural hazards in China, Natural
- 618 Hazards, 76, 1-18, 10.1007/s11069-014-1225-1, 2015.
- Zhang, Y., Hao, Z., Jiang, Y., and Singh, V. P.: Global warming increases risk from compound dry-hot events to
- human and agricultural systems, International Journal of Climatology, 43, 6706-6719, 10.1002/joc.8229, 2023.

Deleted:

Deleted:

- Zschau, J.: Where are we with multihazards and multirisks assessment capacities? In: Poljanšek, K., Marín Ferrer, M., De Groeve, T., Clark, I. (Eds.). Science for disaster risk management 2017: knowing better and losing less., Luxembourg., 10.2788/688605, 2017. 2624 2625

- 2627 2628 2629 Zscheischler, J., Martius, O., Westra, S., Bevacqua, E., Raymond, C., Horton, R. M., van den Hurk, B., AghaKouchak, A., Jézéquel, A., Mahecha, M. D., Maraun, D., Ramos, A. M., Ridder, N. N., Thiery, W., and Vignotto, E.: A typology of compound weather and climate events, Nature Reviews Earth & Environment, 1, 333-347, 10.1038/s43017-020-0060-z, 2020.

Line spacing: Multiple 1.15 li		<b>4</b>
Page 11: [12] Formatted	sarfaraz.adnan@brunel.ac.uk	15/04/2025 23:29:00
Space After: 9 pt, Line spacing: 1	Multiple 1.4 li	<b>-</b>
Page 11: [11] Formatted	sarfaraz.adnan@brunel.ac.uk	15/04/2025 17:44:00
Space After: 9 pt, Line spacing: 1	viulupie 1.4 II	•
Page 11: [10] Formatted	sarfaraz.adnan@brunel.ac.uk	15/04/2025 17:44:00
L	pr	
Page 11: [9] Formatted  Space After: 9 pt, Line spacing: 1	sarfaraz.adnan@brunel.ac.uk  Multiple 1 4 li	15/04/2025 17:44:00
	-	
Space After: 9 pt, Line spacing: 1		13/04/2023 17:44:00
Page 11: [8] Formatted	sarfaraz.adnan@brunel.ac.uk	15/04/2025 17:44:00
Formatted Table		<b>⊲</b> ⊹
Page 11: [7] Formatted Table	sarfaraz.adnan@brunel.ac.uk	15/04/2025 17:45:00
Space After: 9 pt, Line spacing: 1	Multiple 1.4 li	<b>∢</b> ·
Page 11: [6] Formatted	sarfaraz.adnan@brunel.ac.uk	15/04/2025 17:44:00
Font: Bold		<b>4</b> -
Page 11: [5] Formatted	Christopher White	06/05/2025 15:49:00
rage 11. [4] Deleteu	толапш руз.ас.ик	• • • • • • • • • • • • • • • • • • •
Page 11: [4] Deleted	roxan@bgs.ac.uk	06/05/2025 13:58:00
		<-
Page 10: [3] Deleted	sarfaraz.adnan@brunel.ac.uk	15/04/2025 17:41:00
		<-
Page 10: [2] Deleted	sarfaraz.adnan@brunel.ac.uk	15/04/2025 17:41:00
Page 10: [1] Deleted	sarfaraz.adnan@brunel.ac.uk	14/04/2025 20:51:00

Page 11: [14] Formatted	sarfaraz.adnan@brunel.ac.uk	15/04/2025 23:29:00
Space After: 9 pt, Line spacing: 1	Multiple 1.4 li	4
Page 11: [15] Formatted	sarfaraz.adnan@brunel.ac.uk	15/04/2025 17:44:00
Space After: 9 pt, Line spacing: 1	Multiple 1.4 li	4
Page 11: [16] Formatted	sarfaraz.adnan@brunel.ac.uk	15/04/2025 23:26:00
Line spacing: Multiple 1.15 li		4
Page 11: [17] Formatted	sarfaraz.adnan@brunel.ac.uk	15/04/2025 23:26:00
Line spacing: Multiple 1.15 li		4
Page 11: [18] Formatted	sarfaraz.adnan@brunel.ac.uk	15/04/2025 23:26:00
Line spacing: Multiple 1.15 li		4
Page 12: [19] Deleted	sarfaraz.adnan@brunel.ac.uk	17/04/2025 09:55:00
	X	
Page 13: [20] Deleted	Christopher White	06/05/2025 18:29:00
		4
Page 13: [21] Deleted	sarfaraz.adnan@brunel.ac.uk	17/04/2025 09:55:00
Page 13: [22] Deleted	sarfaraz.adnan@brunel.ac.uk	14/04/2025 13:09:00
		, , , , , , , , , , , , , , , , , , , ,
Page 13: [23] Deleted	sarfaraz.adnan@brunel.ac.uk	17/04/2025 11:22:00
		4
Page 13: [24] Deleted	sarfaraz.adnan@brunel.ac.uk	17/04/2025 11:25:00
		4
Page 13: [25] Deleted	juli@bgs.ac.uk	06/05/2025 05:50:00
		-
I		

Page 15: [27] Deleted	Claire Kennedy	06/05/2025 13:44:00
Page 15: [28] Deleted	sarfaraz.adnan@brunel.ac.uk	16/04/2025 21:25:00
Page 15: [29] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:06:00
		4
Page 15: [30] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:06:00
Page 17: [31] Deleted	sarfaraz.adnan@brunel.ac.uk	15/04/2025 18:06:00
Page 17: [31] Deleted	sarfaraz.adnan@brunel.ac.uk	15/04/2025 18:06:00
Page 17: [31] Deleted	sarfaraz.adnan@brunel.ac.uk	15/04/2025 18:06:00
		4
Page 17: [31] Deleted	sarfaraz.adnan@brunel.ac.uk	15/04/2025 18:06:00
		<b>-</b>
Page 17: [32] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:10:00
Page 17: [32] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:10:00
Page 17: [32] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:10:00
rage 17. [32] Deleteu	Sarraraz.aunangbruner.ac.uk	10/04/2023 10:10:00

Page 17: [32] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:10:00
,		<b>4</b>
Page 17: [32] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:10:00
1		4
Page 17: [32] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:10:00
		40 10 10 10 10 10
Page 17: [32] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:10:00
D 47. (20) D-   4		10/04/2027 12 12 22
Page 17: [32] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:10:00
		4
Page 17: [32] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:10:00
l		<b>4</b>
Page 17: [32] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:10:00
1		<b>4</b>
Page 17: [32] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:10:00
1		•
Page 17: [32] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:10:00
1		•
Page 17: [32] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:10:00
,		◀
Page 17: [33] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:14:00
1		4
Page 17: [33] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:14:00
7		
7		

age 17: [34] Deleted	Christopher White	06/05/2025 18:29:00
Page 17: [34] Deleted	Christopher White	06/05/2025 18:29:00
Page 17: [35] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:44:00
,		
Page 17: [35] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:44:00
,		•
Page 17: [35] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:44:00
,		•
Page 17: [35] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:44:00
,		
Page 18: [36] Deleted	Christopher White	06/05/2025 18:29:00
,		
Page 18: [36] Deleted	Christopher White	06/05/2025 18:29:00
Page 18: [36] Deleted	Christopher White	06/05/2025 18:29:00
Page 18: [37] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:47:00
Page 18: [37] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:47:00
Page 18: [37] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:47:00

Page 18: [37] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:47:00
		4
Page 18: [37] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:47:00
I		4
Page 18: [37] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:47:00
Page 18: [38] Deleted	Christopher White	06/05/2025 18:29:00
Ī		<b>4</b>
Page 18: [39] Deleted	sarfaraz.adnan@brunel.ac.uk	23/04/2025 08:25:00
		◀
Page 18: [39] Deleted	sarfaraz.adnan@brunel.ac.uk	23/04/2025 08:25:00
·		4
Page 18: [39] Deleted	sarfaraz.adnan@brunel.ac.uk	23/04/2025 08:25:00
rage 16. [59] Deleted	Sariaraz.aunan@brunei.ac.uk	23/04/2023 06:23:00
Page 18: [39] Deleted	sarfaraz.adnan@brunel.ac.uk	23/04/2025 08:25:00
		•
Page 18: [39] Deleted	sarfaraz.adnan@brunel.ac.uk	23/04/2025 08:25:00
		◀
Page 18: [39] Deleted	sarfaraz.adnan@brunel.ac.uk	23/04/2025 08:25:00
. age 10. [55] Deleteu	Surrandiane branciacak	23, 0-4, 2023 00.23.00
Page 18: [39] Deleted	sarfaraz.adnan@brunel.ac.uk	23/04/2025 08:25:00
		4
Page 18: [39] Deleted	sarfaraz.adnan@brunel.ac.uk	23/04/2025 08:25:00
1		
Page 18: [39] Deleted	sarfaraz.adnan@brunel.ac.uk	23/04/2025 08:25:00

Page 18: [39] Deleted	sarfaraz.adnan@brunel.ac.uk	23/04/2025 08:25:00
age 18: [39] Deleted	sarfaraz.adnan@brunel.ac.uk	23/04/2025 08:25:00
age 18: [39] Deleted	sarfaraz.adnan@brunel.ac.uk	23/04/2025 08:25:00
age 18: [39] Deleted	sarfaraz.adnan@brunel.ac.uk	23/04/2025 08:25:00
Page 18: [39] Deleted	sarfaraz.adnan@brunel.ac.uk	23/04/2025 08:25:00
Page 18: [39] Deleted	sarfaraz.adnan@brunel.ac.uk	23/04/2025 08:25:00
age 101 [00] Deleteu	Surface and the surface and th	
Page 18: [39] Deleted	sarfaraz.adnan@brunel.ac.uk	23/04/2025 08:25:00
Page 18: [40] Deleted	Christopher White	06/05/2025 18:29:00
Page 18: [41] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:53:00
Page 18: [41] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:53:00
Page 18: [41] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:53:00

Page 18: [41] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:53:00
		4
<b></b>		
Page 18: [41] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:53:00
<b>I</b>		◀
Page 18: [41] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:53:00
1		•
Page 18: [41] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:53:00
Page 18: [42] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:54:00
<i>I</i>		
Page 18: [43] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:55:00
I		◀
<b></b>		
Page 18: [43] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:55:00
1		◀
Page 18: [44] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:56:00
1		<b></b>
Page 18: [44] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:56:00
1		◀
Page 18: [45] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:56:00
1		
Page 18: [45] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:56:00
		<b>4</b>
Page 18: [46] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:57:00
r age 10. [+0] Deleted	sarraraz.aurian e prunenac.uk	10/04/2023 10.37.00
1		4

age 18: [46] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:57:00
age 18: [46] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:57:00
age 18: [46] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:57:00
age 18: [46] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:57:00
age 18: [47] Deleted	Christopher White	04/05/2025 16:16:00
age 18: [47] Deleted	Christopher White	04/05/2025 16:16:00
age 18: [48] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:58:00
age 18: [48] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:58:00
		-
age 18: [49] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:58:00
		-
age 18: [49] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:58:00
		•
age 18: [49] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 10:58:00

Page 18: [50] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 11:05:00
		4
Page 18: [50] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 11:05:00
		4
Page 18: [50] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 11:05:00
1		4
D 10 [FO] D-1-1-1		10/04/2025 11 05 00
Page 18: [50] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 11:05:00
7		4
Dawa 10, IFOLD alated	soutous advantable and	10/04/2025 11.05.00
Page 18: [50] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 11:05:00
7		<b>4</b>
Page 18: [50] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 11:05:00
rage 16: [50] Deleted	Sarraraz.aunan@bruner.ac.uk	16/04/2025 11:05:00
		-
Page 18: [50] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 11:05:00
rage 10. [50] Deleted	Juliu azidanang branchaciak	10/04/2023 11:03:00
7		
Page 18: [50] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 11:05:00
<b>J</b>		
Page 18: [51] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 11:07:00
<u> </u>		4
Page 18: [51] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 11:07:00
		<b>4</b>
Page 18: [51] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 11:07:00
,		<b>4</b>
Page 18: [51] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 11:07:00
1		4
Page 18: [51] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 11:07:00

age 18: [52] Deleted	Christopher White	06/05/2025 18:29:00
		4
age 18: [53] Deleted	Christopher White	06/05/2025 18:29:00
		4
Page 18: [54] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 11:08:00
		4
Page 18: [54] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 11:08:00
Page 18: [55] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 11:09:00
		10/04/2025 11/20 00
Page 18: [55] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 11:09:00
Page 18: [55] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 11:09:00
Page 18: [56] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 11:09:00
Page 18: [56] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 11:09:00
Page 18: [56] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 11:09:00
Page 18: [56] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 11:09:00
Page 18: [56] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 11:09:00

Page 18: [56] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:09:00  Page 18: [56] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:09:00  Page 18: [56] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:09:00  Page 18: [57] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:11:00  Page 18: [58] Deleted Christopher White 06/05/2025 18:29:00  Page 18: [59] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:12:00  Page 18: [59] Deleted Sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:10:00  Page 18: [59] Deleted Sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:10:00  Page 18: [59] Deleted Sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:10:00			
Page 18: [56] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:09:00  Page 18: [56] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:09:00  Page 18: [57] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:11:00  Page 18: [58] Deleted Christopher White 06/05/2025 18:29:00  Page 18: [59] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:12:00  Page 18: [59] Deleted Sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:10:00  Page 20: [60] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00	Page 18: [56] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 11:09:00
Page 18: [56] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:09:00  Page 18: [56] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:09:00  Page 18: [57] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:11:00  Page 18: [58] Deleted Christopher White 06/05/2025 18:29:00  Page 18: [59] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:12:00  Page 18: [59] Deleted Sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:10:00  Page 20: [60] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00			<b>∢</b> ∵
Page 18: [56] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:09:00  Page 18: [56] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:09:00  Page 18: [57] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:11:00  Page 18: [58] Deleted Christopher White 06/05/2025 18:29:00  Page 18: [59] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:12:00  Page 18: [59] Deleted Sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:10:00  Page 20: [60] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00			
Page 18: [56] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:09:00  Page 18: [57] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:11:00  Page 18: [58] Deleted Christopher White 06/05/2025 18:29:00  Page 18: [59] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:12:00  Page 18: [59] Deleted Sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:10:00  Page 20: [60] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00	Page 18: [56] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 11:09:00
Page 18: [56] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:09:00  Page 18: [57] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:11:00  Page 18: [58] Deleted Christopher White 06/05/2025 18:29:00  Page 18: [59] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:12:00  Page 18: [59] Deleted Sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:10:00  Page 20: [60] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00			<b>∢</b> .
Page 18: [56] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:09:00  Page 18: [57] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:11:00  Page 18: [58] Deleted Christopher White 06/05/2025 18:29:00  Page 18: [59] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:12:00  Page 18: [59] Deleted Sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:10:00  Page 20: [60] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00			
Page 18: [57] Deleted Sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:11:00  Page 18: [58] Deleted Christopher White 06/05/2025 18:29:00  Page 18: [59] Deleted Sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:12:00  Page 18: [59] Deleted Sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:10:00  Page 20: [60] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00	Page 18: [56] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 11:09:00
Page 18: [57] Deleted Sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:11:00  Page 18: [58] Deleted Christopher White 06/05/2025 18:29:00  Page 18: [59] Deleted Sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:12:00  Page 18: [59] Deleted Sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:10:00  Page 20: [60] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00			
Page 18: [58] Deleted Christopher White 06/05/2025 18:29:00  Page 18: [59] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:12:00  Page 20: [60] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00	Page 18: [56] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 11:09:00
Page 18: [58] Deleted Christopher White 06/05/2025 18:29:00  Page 18: [59] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:12:00  Page 20: [60] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00			<-
Page 18: [58] Deleted Christopher White 06/05/2025 18:29:00  Page 18: [59] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:12:00  Page 20: [60] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00			
Page 18: [59] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:12:00  Page 20: [60] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00	Page 18: [57] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 11:11:00
Page 18: [59] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:12:00  Page 20: [60] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00			
Page 18: [59] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:12:00  Page 20: [60] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00			
Page 18: [59] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:12:00  Page 18: [59] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:12:00  Page 18: [59] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:12:00  Page 20: [60] Formatted Christopher White 28/04/2025 11:00:00  Left Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Left, Indent: Left: -0.1 cm, Space Before: 0 pt, After: 0 pt	Page 18: [58] Deleted	Christopher White	06/05/2025 18:29:00
Page 18: [59] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:12:00  Page 18: [59] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:12:00  Page 18: [59] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:12:00  Page 20: [60] Formatted Christopher White 28/04/2025 11:00:00  Left Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Left, Indent: Left: -0.1 cm, Space Before: 0 pt, After: 0 pt			•
Page 18: [59] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:12:00 Page 18: [59] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:12:00 Page 20: [60] Formatted Christopher White 28/04/2025 11:00:00 Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00	Page 18: [59] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 11:12:00
Page 18: [59] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:12:00 Page 18: [59] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:12:00 Page 20: [60] Formatted Christopher White 28/04/2025 11:00:00 Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00			<b>⋖</b> ∵
Page 18: [59] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:12:00 Page 18: [59] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:12:00 Page 20: [60] Formatted Christopher White 28/04/2025 11:00:00 Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00			
Page 18: [59] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:12:00  Page 20: [60] Formatted Christopher White 28/04/2025 11:00:00  Left Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Left, Indent: Left: -0.1 cm, Space Before: 0 pt, After: 0 pt	Page 18: [59] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 11:12:00
Page 18: [59] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:12:00  Page 20: [60] Formatted Christopher White 28/04/2025 11:00:00  Left Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Left, Indent: Left: -0.1 cm, Space Before: 0 pt, After: 0 pt			∢.
Page 18: [59] Deleted sarfaraz.adnan@brunel.ac.uk 18/04/2025 11:12:00  Page 20: [60] Formatted Christopher White 28/04/2025 11:00:00  Left Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Left, Indent: Left: -0.1 cm, Space Before: 0 pt, After: 0 pt	Page 19: [E0] Deleted	carfaraz adnan@hrunal ac uk	19/04/2025 11:12:00
Page 20: [60] Formatted Christopher White 28/04/2025 11:00:00  Left Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Left, Indent: Left: -0.1 cm, Space Before: 0 pt, After: 0 pt	rage 16. [55] Deleted	Sarraraz.adiiaii@bruiiei.ac.uk	18/04/2025 11:12:00
Page 20: [60] Formatted Christopher White 28/04/2025 11:00:00  Left Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Left, Indent: Left: -0.1 cm, Space Before: 0 pt, After: 0 pt	,		***
Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Left, Indent: Left: -0.1 cm, Space Before: 0 pt, After: 0 pt	Page 18: [59] Deleted	sarfaraz.adnan@brunel.ac.uk	18/04/2025 11:12:00
Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Left, Indent: Left: -0.1 cm, Space Before: 0 pt, After: 0 pt			<b>⋖</b> ·
Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Left, Indent: Left: -0.1 cm, Space Before: 0 pt, After: 0 pt			
Page 20: [61] Formatted Christopher White 28/04/2025 11:00:00  Left, Indent: Left: -0.1 cm, Space Before: 0 pt, After: 0 pt	Page 20: [60] Formatted	Christopher White	28/04/2025 11:00:00
Left, Indent: Left: -0.1 cm, Space Before: 0 pt, After: 0 pt	Left		∢.
Left, Indent: Left: -0.1 cm, Space Before: 0 pt, After: 0 pt			20/21/22/21
			28/04/2025 11:00:00
age 20: [62] Formatted Christopher White 28/04/2025 11:00:00	Lett, Indent: Lett: -0.1 cm, Space	e Betore: 0 pt, After: 0 pt	<b>◄</b> ··
and the contract t	Page 20: [62] Formatted	Christopher White	28/04/2025 11:00:00

age 20: [63] Formatted	Christopher White	28/04/2025 11:00:00
Left		<b>⊲</b> ∵
Page 20: [64] Formatted	Christopher White	28/04/2025 11:00:00
Left, Indent: Left: -0.1 cm, Spac	ee Before: 0 pt, After: 0 pt	<b>⋖</b> ∵
Page 20: [65] Formatted	Christopher White	28/04/2025 11:00:00
Left		-
Page 20: [66] Formatted	Christopher White	28/04/2025 11:00:00
Left		4
Page 20: [67] Formatted	Christopher White	28/04/2025 11:00:00
Left, Indent: Left: -0.1 cm, Spac	ee Before: 0 pt, After: 0 pt	4
Page 20: [68] Formatted	Christopher White	28/04/2025 11:00:00
Left		<b>∢</b> .
Page 20: [69] Deleted	sarfaraz.adnan@brunel.ac.uk	16/04/2025 15:53:00
Page 20: [69] Deleted Page 20: [70] Deleted	sarfaraz.adnan@brunel.ac.uk  Christopher White	16/04/2025 15:53:00 06/05/2025 18:29:00
Page 20: [70] Deleted	Christopher White	06/05/2025 18:29:00
Page 20: [70] Deleted	Christopher White	06/05/2025 18:29:00
Page 20: [70] Deleted  Page 20: [71] Deleted	Christopher White  Christopher White	06/05/2025 18:29:00 • 06/05/2025 18:29:00
Page 20: [70] Deleted  Page 20: [71] Deleted	Christopher White  Christopher White	06/05/2025 18:29:00 
Page 20: [70] Deleted  Page 20: [71] Deleted  Page 21: [72] Deleted	Christopher White  Christopher White  sarfaraz.adnan@brunel.ac.uk	06/05/2025 18:29:00 06/05/2025 18:29:00 22/04/2025 21:41:00

Page 21: [73] Deleted	sarfaraz.adnan@brunel.ac.uk	22/04/2025 21:42:00
		<b>4</b>
Page 21: [74] Deleted	Christopher White	06/05/2025 15:25:00
7		<b>4</b>
Page 21: [74] Deleted	Christopher White	06/05/2025 15:25:00
7		◀
Page 21: [75] Deleted	sarfaraz.adnan@brunel.ac.uk	22/04/2025 21:44:00
ruge 21. [75] Deleteu	Surranz.auman@Sranci.ac.ak	<i></i>
Page 21: [75] Deleted	sarfaraz.adnan@brunel.ac.uk	22/04/2025 21:44:00
		<
Page 21: [75] Deleted	sarfaraz.adnan@brunel.ac.uk	22/04/2025 21:44:00
		<b>4</b>
Page 21: [75] Deleted	sarfaraz.adnan@brunel.ac.uk	22/04/2025 21:44:00
1		◄
Page 21: [75] Deleted	sarfaraz.adnan@brunel.ac.uk	22/04/2025 21:44:00
i uge 2 i. [75] Deleteu	sarrarazaanang si anci.aciak	22/04/2023 21.44.00
1		
Page 21: [75] Deleted	sarfaraz.adnan@brunel.ac.uk	22/04/2025 21:44:00
		<b>√</b>
Page 21: [75] Deleted	sarfaraz.adnan@brunel.ac.uk	22/04/2025 21:44:00
Page 21: [75] Deleted	sarfaraz.adnan@brunel.ac.uk	22/04/2025 21:44:00
		4
Page 21: [75] Deleted	sarfaraz.adnan@brunel.ac.uk	22/04/2025 21:44:00
<b>1</b>		
Page 21: [75] Deleted		
D D6 (751 D-1-4)	sarfaraz.adnan@brunel.ac.uk	22/04/2025 21:44:00

age 21: [75] Deleted	sarfaraz.adnan@brunel.ac.uk	22/04/2025 21:44:00
Page 21: [76] Deleted	sarfaraz.adnan@brunel.ac.uk	22/04/2025 21:47:00
Page 21: [76] Deleted	sarfaraz.adnan@brunel.ac.uk	22/04/2025 21:47:00
Page 21: [76] Deleted	sarfaraz.adnan@brunel.ac.uk	22/04/2025 21:47:00
		-
Page 21: [77] Deleted	sarfaraz.adnan@brunel.ac.uk	22/04/2025 21:48:00
		-
Page 21: [77] Deleted	sarfaraz.adnan@brunel.ac.uk	22/04/2025 21:48:00
Page 21: [77] Deleted	sarfaraz.adnan@brunel.ac.uk	22/04/2025 21:48:00
Page 21: [78] Deleted	sarfaraz.adnan@brunel.ac.uk	22/04/2025 21:48:00
Page 21: [78] Deleted	sarfaraz.adnan@brunel.ac.uk	22/04/2025 21:48:00
Page 21: [78] Deleted	sarfaraz.adnan@brunel.ac.uk	22/04/2025 21:48:00
Page 21: [79] Deleted	sarfaraz.adnan@brunel.ac.uk	22/04/2025 21:50:00
Page 21: [79] Deleted	sarfaraz.adnan@brunel.ac.uk	22/04/2025 21:50:00

	22/04/2025 24-50-00
sarraraz.agnan@brunei.ac.uk	22/04/2025 21:50:00
	◀
sarfaraz.adnan@brunel.ac.uk	22/04/2025 21:50:00
el tra la sadita	20/04/2025 44 47 02
Christopher White	28/04/2025 11:17:00
Christopher White	28/04/2025 11:17:00
al to I sall to	20/04/2027 42 42 22
Christopher White	28/04/2025 12:12:00
Christopher White	28/04/2025 12:12:00
Christopher White	28/04/2025 12:12:00
Christopher White	28/04/2025 12:12:00
•	
Christopher White	28/04/2025 12:12:00
Christopher White	28/04/2025 12:12:00
-	
	22.00.000000000000000000000000000000000
Christopher White	25/04/2025 16:26:00
	4
Christopher White	25/04/2025 16:26:00
•	
	•
	25 /04/2025 16:26:00
Christopher White	25/04/2025 16:26:00
Christopher White	25/04/2025 16:26:00
Christopher White	25/04/2025 16:26:00
	<b>4</b>
Christopher White  Christopher White	25/04/2025 16:26:00
	<b>4</b>
	<b>4</b>
	Christopher White  Christopher White

Page 23: [84] Deleted Christopher White 28/04/2025 16:16:00

Page 24: [85] Deleted Christopher White 28/04/2025 16:32:00

X.