Nat. Hazards Earth Syst. Sci. Discuss., https://doi.org/10.5194/nhess-2019-94-AC2, 2019 © Author(s) 2019. This work is distributed under the Creative Commons Attribution 4.0 License.



NHESSD

Interactive comment

Interactive comment on "Assessment of the 1783 Scilla landslide-tsunami effects on Calabria and Sicily coasts through numerical modeling" by Filippo Zaniboni et al.

Filippo Zaniboni et al.

filippo.zaniboni@unibo.it

Received and published: 17 June 2019

We followed most of the suggestions of reviewer#2. The answers to his useful remarks follow, the new version of the paper is attached with changes evidenced in red.

General Comments: Zaniboni et al. investigate the Scilla tsunami, which is one of the deadliest tsunamis ever occurred in Italy. They simulated the tsunami generated by the subaerial landslide that followed one of the largest aftershocks that occurred during the 1783 earthquakes storm in Calabria, Italy, and compared the results against the historical evidences. Since there were still some disturbing gaps between the computed results and the historical evidences, they improved the grid resolution and restored

Printer-friendly version



the topography of the Pantano Piccolo area in northeastern Sicily at the time of the tsunami. This way they were able to match very nicely the computed results with the actual evidences. This is an elegant investigation, relevant to nowadays tsunami hazard research and evaluation. The study is well constructed, conducted very carefully with much attention to the fine details. The understandings extrapolate the past experience onto the future, emphasizing the hazard posed by tsunamis induced by subaerial landslides, the need to stay away from the coast after strong shaking, and the vulnerability of coastal channels to tsunami penetration inland.

The manuscript is certainly suitable for NHESS, but I would recommend some corrections and improvements before publication as follows:

Abstract: I suggest the authors to state and stress the importance of morphological reconstruction they have implemented in the grid around the area of Pantano Piccolo in order to achieve a better agreement between the high resolution scenario computation and the past evidences. *** ANSWER *** We agree with this suggestion, a sentence has been added to the abstract.

Conclusions: Rather than a focused, short and concise, this section is a mixture of results, discussion, summary and some conclusions; it is of the longest sections in the manuscript and hard to follow. For example, the first paragraph is a summary of Zaniboni et al. (2016), the second paragraph is a summary of the present study, the bullets section is "main results and findings" (P. 18 line 18), the middle bullet in page 19 is mainly discussion, etc; and the actual conclusions are spread along this section and hard to follow. I suggest reorganizing the Conclusions section, it can be divided into discussion and conclusions, or any other useful way; it should be shorter with less repetitions of what have already been said before. It would also be useful to refer back to the relevant figures, and this will help the reader to follow the mentioned issues. At the moment there is only one as such reference (P. 18, line 11). I am not an English speaking person, but had the feeling that some language editing is needed. *** ANSWER *** The Conclusions section has been reorganized following this advice. A

NHESSD

Interactive comment

Printer-friendly version



Discussion section has been added, resuming and discussing the main results, while the Conclusions section has been shortened.

Technical comments:

- P. 1, Line 12: Please consult the editor whether to use a reference in the abstract *** ANSWER *** The reference has been removed.
- P. 1, line 14: ": : : three tsunami simulations." while P. 2, lines 11-12 mention two tsunamis: : :; *** ANSWER *** Ok, fixed.
- P. 1, line 17: Would be more accurate to say 'regional' rather than 'global'; *** ANSWER *** Ok
- P. 6, line 27: Do you mean 'seismogenic' rather than 'tsunamigenic'? *** ANSWER *** Changed "tsunamigenic failure" to "tsunamigenic source" (Page 6, Line 27 of the new version).
- P. 9, line 2-3: 'cleared out' means to empty, remove, leave, etc: : : I believe you mean 'will be explained'? If so, please rephrase. *** ANSWER *** Done (Page 9, Line 6 of the new version).
- P. 14, Lines 8-9: Please indicate which of the simulations is not in line with the historical accounts. *** ANSWER *** The sentence is referred to both simulations, on Grid 2 and Grid 3, that are named just before. The expression "the simulations" has been substituted with "both simulations" (Page 14, Line 1 of the new version).
- P. 15 and 17, Captions of Figures 9 and 11: While referring to the upper and lower panel, use colon ":" rather than right side bracket ")". *** ANSWER *** Done.

Figure 1: The study area is quiet familiar to the Mediterranean and the European communities. However, I would suggest the introducing of an inset that gives a wider geographic orientation for those around the world who are not familiar with this region. *** ANSWER *** A larger map of Italy, with the indication of the studied area, has been

NHESSD

Interactive comment

Printer-friendly version



added.

Figures 2 and 5: Please add the location of Pantano Piccolo and San Saba that are mentioned later on in the text. *** ANSWER *** Figure 2 illustrates the location of the observed effects, while the ones in San Saba are obtained from the numerical simulations. The toponym has been added to Figure 5. The position of Pantano Piccolo is reported in Figure 6. Figures 2 and 5 cover a wider region and adding Pantano Piccolo would create confusion.

Table 1: There were several tsunamis in Calabria and Sicily during the 1783 earth-quakes crisis. Please mention in the caption the exact date of the Scilla tsunami; *** ANSWER *** Done

Please verify whether the historical sources were careful enough to differentiate the effects induced by the Scilla tsunami from the effects of the other tsunamis (e.g. the February 5, 7, March 1, 28); *** ANSWER *** The main tsunami evidences (excluding the February 6th, 1783 one) are associated to the stronger earthquake of the day before, producing significant waves on the coasts of Sicily and Calabria. Their effects are very well reconstructed and reported in the paper by Graziani et al. (2006), clearly distinguishing the main features of the different events, basing on detailed historical reports.

In order to get a comprehensive perspective of the impact of the Scilla tsunami, I would suggest to complete the given list. For example, please mention what had happened in Pantano Piccolo, San Saba, and elsewhere if known. In my opinion, it worth mentioning also what had happened in Scilla even though this was already investigated in the previous, 2016 paper; *** ANSWER *** The effects in the Scilla beaches have been recalled in the text (Section 2, describing the 6th February 1783 tsunami effects). Thus we preferred to avoid repetition in Table 1.

Punta del Pezzo: Please verify whether the sea affected one and a half mile stretch of the beach. One may think that the sea inundated one and a half mile into the land?

NHESSD

Interactive comment

Printer-friendly version



*** ANSWER *** The Calabrian coast is very steep, with narrow beaches and high topographical gradients. So, in that case a similar inland penetration is not possible (see also topography in Figure 6)

Please also note the supplement to this comment: https://www.nat-hazards-earth-syst-sci-discuss.net/nhess-2019-94/nhess-2019-94-AC2-supplement.pdf

Interactive comment on Nat. Hazards Earth Syst. Sci. Discuss., https://doi.org/10.5194/nhess-2019-94, 2019.

NHESSD

Interactive comment

Printer-friendly version

