

Selecting and analysing climate change adaptation measures at six research sites across Europe

Henk-Jan van Alphen¹, Clemens Strehl², Fabian Vollmer², Eduard Interwies³, Anasha Petersen³, Stefan Görlitz³, Luca Locatelli⁴, Montse Martinez Puentes⁴, Maria Guerrero Hidalgo⁵, Elias Giannakis⁶, Teun
5 Spek⁷, Marc Scheibel⁸, Erle Kristvik⁹, Fernanda Rocha¹⁰, Emmy Bergsma¹

¹KWR Water Research Institute, Nieuwegein, 3433 PE, The Netherlands

²IWW Water Centre, Mülheim an der Ruhr, 45476, Germany

³InterSus - Sustainability Services, Berlin, 10405, Germany

⁴Aquatec (Suez Spain), 08038 Barcelona, Spain

10 ⁵CETAQUA Water Technology Centre, 08940 Barcelona, Spain

⁶The Cyprus Institute, Energy Environment and Water Research Center, Nicosia, 2121, Cyprus

⁷Province of Gelderland, Arnhem, 6811CG, The Netherlands

⁸Wupperverband, Wuppertal, 42289, Germany

⁹Norwegian University of Science and Technology, NO-7491 Trondheim, Norway

15 ¹⁰Laboratório Nacional de Engenharia Civil, 1700-066 Lisboa, Portugal

Correspondence to: Henk-Jan van Alphen (henk-jan.van.alphen@kwrwater.nl)

Abstract

As Europe is faced with increasing droughts and extreme precipitation, countries are taking measures to adapt to these changes. It is challenging, however, to navigate through the wide range of possible measures, taking into account the efficacy, economic impact and social justice aspects of these measures, as well as the governance requirements for implementing them. This article presents the approach of selecting and analysing adaptation measures to increasing extreme weather events caused by ongoing climate change that was developed and applied in the H2020 project BINGO (Bringing Innovation to Ongoing Water Management). The purpose of this project is (a) to develop an integrated participatory approach for selecting and evaluating adaptation measures, (b) to apply and evaluate the approach across six case-study river basins across Europe, and (c) to support decision-making towards adaptation capturing the diversity, the different circumstances and challenges river basins face across Europe. It combines three analyses: governance, socio-economic and social justice. The governance analysis focuses on the requirements associated with the measures and the extent to which these requirements are met at the research sites. The socio-economic impact focuses on the efficacy of the measures in reducing the risks and the broad range of tools available to compare the measures on their societal impact. Finally, a tentative social justice analysis focuses on the distributive impacts of the adaptation measures. In the summary of results, we give an overview of the outcome of the different analyses. In the conclusion, we briefly assess the main pros and cons of the different analyses that were conducted. The main conclusion is that although the research sites were very different in both the challenges and the institutional context, the approach presented here yielded decision relevant outcomes.

35

1 Introduction

Along the process of adapting to climate change, finding and defining appropriate adaptation measures is a complex task. Moreover, it is the key activity to increase the resilience to future climate change induced risks (Dogulu and Kentel, 2015). In addition, good practice in selecting adaptation measures is a fundamental task in adjusting water infrastructure to climate change, which is globally needed (Wilby, 2019). Part of this good practice is to analyse the impact of potential adaptation measures, not only in terms of hazard risk reduction, but also in terms of socio-economic effects, social justice or governance needs for implementation. For example, Zhou et al. (2012) combine climate modelling and an economic cost-benefit assessment in analysing climate adaptation measures for pluvial flooding in urban areas. Harrison et al. (2013) combine climate change scenarios with socio-economic scenarios in a digital platform to allow stakeholders to explore adaptation options within the context of varying futures. European research projects such as ECONADAPT and BASE have also focused on the economics of climate adaptation to support adaptation planning (Watkiss et al. 2015, Garotte et al. 2016, Meyer et al. 2015)).

Another part of this good practice is to involve stakeholders in selecting and analysing these adaptation measures. Involving local stakeholders in these analysis, not just through consultation, but through co-production, enhances their relevance, usability, legitimacy and credibility (Palutikof et al. 2019). For example, Bhave et al. (2014) combine top-down climate modelling with bottom-up (involving stakeholders) prioritization of adaptation measures, but do not analyse socio-economic effect of measures, nor governance requirements for implementation. Andersson-Sköld et al. (2015) use focus group interviews with stakeholders to gauge the perceptions of adaptation measures, as part of a broader integrated framework to analyse the impact of climate adaptation measures. On the other hand, Singh et al. (2020) develop and apply a broad framework to assess the feasibility of adaptation measures, including political, economic and social indicators, but not specific to local conditions and not as part of a participatory framework. This study contributes to the literature by integrating three different analyses (governance, socio-economic, and social justice) in a participatory framework, where most other studies capture only one or two of the above-mentioned dimensions (Verkerk et al. 2017; Bojovic et al., 2018; O’Sullivan et al., 2020).

This article presents the approach of selecting and analysing adaptation measures to increasing extreme weather events caused by ongoing climate change that was developed and applied in the H2020 project BINGO (Bringing Innovation to Ongoing Water Management). The purpose of this project is (a) to develop an integrated participatory approach for selecting and evaluating adaptation measures, (b) to apply and evaluate the approach across six case-study river basins across Europe, and (c) to support decision-making towards adaptation capturing the diversity, the different circumstances and challenges river basins face across Europe. The project was conducted by over 20 project partners at six research sites in Europe: (1) The city of Badalona (Spain), which faces the risk of flash floods and combined sewer overflows (CSOs) due to increased precipitation; (2) The city of Bergen (Norway), also facing the risk of floods and CSOs due to increased precipitation; (3) The Veluwe (Netherlands), a Natura 2000 site where long term drought may affect the groundwater system; (4) the Troodos mountains

(Cyprus), where decreasing precipitation causes water shortages for farmers and municipalities; (5) The Wupper River Basin, which is divided in two sub cases, one about flood risk due extreme weather events and one about decreasing water levels in the main water reservoir due to decreasing precipitation; and (6) the Sorraia Valley (Portugal) where farmers are confronted with water shortages due to decreasing precipitation.

75

The BINGO project followed a comprehensive approach from decadal predictions of weather events, hydrological analysis of the impact of the weather events on water systems, to risk analysis and risk treatment. The work presented in this article focuses on the treatment of risks following extreme precipitation or drought. Risk treatment in project BINGO was organised as a collaborative process between scientists and local stakeholders, through Communities of Practice (CoPs) (Freitas et al., 2018).

80 These CoPs consisted of representatives of local and regional governments, organisations involved in climate adaptation and research partners.

Based on the risks that were identified and analysed in the risk analysis, the CoPs selected and analysed adaptation measures, with the goal of informing decision makers about the expected efforts and gains from the implementation of these measures.

85 The approach applied in the BINGO project is in line with steps formulated in the Adaptation Support Tool developed as part of the Climate-ADAPT initiative of the European Union (<https://climate-adapt.eea.europa.eu/knowledge/tools/adaptation-support-tool>). More resources from the BINGO project can be found on the project website (www.projectbingo.eu).

The next sections describe the process of selecting and analysing promising adaptation measures in the order as conducted
90 within the BINGO project for all cases: (1) collecting and selecting adaptation measures, (2) governance analysis of selected adaptation measures (3) analysis of socio-economic implications (4) social justice analysis. These steps are illustrated with examples from the case study in the city of Badalona as well as from other sites in brief. A summary of the results of the analysis is provided, comparing different types of measures. Finally, conclusions are drawn on the application of the different methods.

95 **2 Collecting and selecting adaptation measures**

Two approaches were applied to collect potential adaptation measures suitable to the climate change risks identified at the six research sites, namely a desk study of previous adaptation research and consultation of stakeholders involved in the local CoPs. For the desk study, the primary sources for adaptation measures were two previous EU research projects CarpathCC (<http://www.carpathcc.eu/>) and PREPARED (<http://www.prepared-fp7.eu>). From both projects databases were available with
100 adaptation measures, including a brief analysis of their potential impact and risk reduction potential. From these databases the BINGO research partners selected measures that were (a) potentially relevant for the hazards the research sites are facing and (b) relevant for the main characteristics of the research site (e.g. urban area, agricultural area, natural area).

At the same time, in each of the six research sites the first CoP meeting was organised. In this meeting, local stakeholders discussed and identified potential future climate hazards for their research site and identified measures that were either already planned or considered suitable. These measures were collected as part of workshop reports (Van Alphen et al., 2017a) and compiled, together with the measures collected in the desk research, in a portfolio of adaptation measures (Van Alphen et al., 2017b). The Portfolio of Adaptation Measures is now available as an online tool ([http://beta.tools.watershare.eu/bingo/\\$/](http://beta.tools.watershare.eu/bingo/$/)). In the portfolio, different types of measures are distinguished. Informational measures (e.g., raising awareness for behavioural change), financial measures (e.g., insurance and subsidies), regulatory measures (e.g., standards and legal bans) and infrastructural measures (e.g., flood control infrastructure). The complete set of measures can be filtered by type of risk, sector, or adaptation objective. Since the portfolio was first created to support the work in BINGO, the broad risk categories reflected the risks first identified in the six case studies (1) decrease of water quantity due to decrease precipitation; (2) decrease of water quality due to decreased precipitation; (3) floods due to increased precipitation; (4) decrease of water quality due to increased precipitation. The sectors reflected the sectors represented in the case studies: (1) agriculture; (2) flood management; (3) public water supply; (4) urban drainage (5) water governance (6) water resource management. This design was chosen so project partners and future users can easily find measures suited to their own circumstances. For each measure an overview of the governance needs for implementation was given, based on the Three Layer Framework presented below.

After compiling this broad portfolio, a more specific assessment of potential risks at the research site was made and discussed with stakeholders. Local stakeholders could make a selection of adaptation measures from the longlist provided by the project team and the measures that were developed locally. This first selection of measures was accompanied by a discussion on the following governance aspects related to the measures: (1) responsibility for implementation, (2) participation/division of roles, (3) availability of necessary resources; (4) potential challenges. During the CoP meetings at the six research sites, these aspects were discussed for the different measures and a selection was made either through scoring or through voting. The measures were selected for the purpose of further analysis. For instance, in the case of Cyprus, measures were first scored on relevance and feasibility and then voted on by the stakeholders. Table 1 shows the selection of measures for each research site.

Table 1: Overview of adaptation measures selected by the research sites

Research site	Climate risk	Technical infrastructure measures	Blue/green measures	Behavioral measures
Wupper River Basin, Germany	Insufficient reservoir storage due to drought	Water transport between reservoir catchments Alternative water source (horizontal well)		Water Saving Reduction of low water elevation
	Flood risk due to increased precipitation	Technical protection measures for property Alignment protection		

		Retention Basin		
Veluwe, The Netherlands	Decreasing ground water levels due to drought	Artificial infiltration	Land use change (pine to broadleaf)	Agricultural water restrictions
Sorraia Valley (Tagus basin), Portugal		Rehabilitation and modernization of irrigation networks		Tagus water resources management model
Troodos, Cyprus	Constraints on public water supply and irrigation due to drought	Desalination Use of treated sewage water for irrigation Maintenance of groundwater recharge systems Irrigation scheduling technologies		
Bergen, Norway	Combined Sewer Overflow due to increased precipitation	Sewer separation Safe Flood Ways	Sustainable Urban Drainage Systems (SUDS)	
Badalona	Combined Sewer Overflow and Flash Floods due to increased precipitation	Increase of sewer capacity	SUDS	Early Warning System

3 Governance analysis of selected adaptation measures

3.1 Three Layer Framework

130 The Three Layer Framework for Water Governance, a tool for assessing water governance practices (Havekes et al., 2016), was used to analyse the governance needs of the adaptation measures. The framework builds on the work done by the Organization for Economic Co-operation and Development (OECD 2011) on governance gaps in water governance, and elaborates on these gaps with building blocks for good water governance identified by the Dutch Water Governance Centre. The framework distinguishes between three layers of governance: the *content layer*, the *institutional layer* and the *relational*

135 *layer*. First, the *content layer* looks into the substance of adaptation measures. Measures are characterized by the risk that they address (such as from floods, CSOs or droughts) and the type of intervention (informational, financial, regulatory, infrastructural). Also, the content layer addresses the type of knowledge and expertise needed to implement the measure (technical knowledge, administrative knowledge, knowledge about interest and preferences). Second, the *institutional layer* deals with the broad range of organizational requirements for the implementation of adaptation measures. This entails: (1) the

140 involvement of the necessary actors and a clear division of roles and responsibilities between them; (2) the administrative
resources to implement the measure, such as staff, accounting and monitoring capacities, regulatory capacity and knowledge
infrastructure; (3) the legal requirements and the connection with EU regulation, policy and directives; and finally (4) the
financial requirements and the way these funds can be generated. Third, the *relational layer* of the framework refers to the
requirements placed on the wider governance context of adaptation to climate change. This entails: (1) the potential cultural
145 or ethical issues that may support or obstruct implementation of adaptation measures; (2) the requirements with regard to
public accountability, communication and participation.

Based on this Three Layer Framework, a questionnaire was developed to assess each individual measure selected by the CoPs.
The questions address the different layers and their elements. Examples of questions are: which (constellation of) actors should
150 be involved in the development and implementation of the adaptation measure? Are the necessary actors currently involved
sufficiently? Which cultural or ethical issues either support or obstruct the implementation of the adaptation measure? The
questionnaires were filled in by the research partners or in a collaborative effort with experts and local stakeholders.

3.2 Application in the Badalona case

Following the methodology outlined above, three adaptation measures were selected for the Badalona research site with the
155 objective of reducing of urban floods and CSOs or reducing the impact thereof. These include: conventional urban drainage
grey infrastructure (e.g., new or larger drainage conduits, new detention tanks, new surface drains, etc.); the development of
SUDS and the implementation of an Early Warning System (EWS).

For each one of the adaptation measures a governance assessment was performed by following the expert analysis of the three-
layer-framework. The results of the analysis demonstrate that: (1) the structural measure (increase of sewer capacity) meets
160 the knowledge and legal requirements (this measure was already included in the Drainage Master Plan Badalona of 2012) but
does not have the financial, organizational and relational requirements for its implementation; (2) the SUDS development
meets the technical and relational requirements (it has quite support given it is a “green solution”) but does not meet the
financial, legal and organizational requirements to foster its implementation; (3) the Early Warning System meets almost all
the requirements except from the relational layer regarding public accountability, communication and participation.

165 This governance assessment (together with the socio-economic assessment explained next) has allowed the Badalona City
Council to have a clear roadmap to support decisions towards urban adaptation.

4 Analysis of socio-economic implications

4.1 Guidance in selecting fitting analysis frameworks

170 To achieve a viable adaptation to climate change is a complex task that is highly dependent on factors such as the financial means of involved stakeholders and the social impacts of the implementation of a measure. For decision makers it is key to define all necessary indicators and acquire the necessary data for the evaluation. Guidance is needed to find the framework that best fits the specific case, depending on the need to include e.g. not only monetary but also non-monetary decision indicators (Markanday et al., 2019; Dogulu and Kentel, 2015).

175 Within the BINGO project a toolbox was compiled that summarizes the state-of-the art of suitable methods for evaluating and comparing alternative strategies and measures for climate change adaptation (Koti et al., 2017). This toolbox has been used as a background framework to analyse and prioritize fitting risk reduction measures for the six research sites, customized to local stakeholders' needs. The work conducted in the BINGO project resulted in the preparation of a decision tree that supports stakeholders to identify suitable assessment methods, respectively depending on their requirements and preferences to the analysis process. Complementing the comprehensive BINGO-toolbox, the decision tree in fig. 1 focuses on those analysis 180 frameworks applied in the BINGO case studies.




Figure 1: Decision tree supporting the definition process of a fitting analytical framework to evaluate socio-economic implications of climate change adaptation measures

The application of the decision tree presupposes the definition of potential adaptation measures. This is due to the fact that the provided methods aim to support the analyst in prioritizing a set of potential adaptation measures. The work conducted in the BINGO case studies showed that the nature of potential adaptation measures (e.g. infrastructural measures, behavioural measures, etc.) can have a major influence on the requirements of the analysis methods and relevant indicators, underlying the need for a case specific analysis method. Furthermore, a risk assessment of expected climate change hazards and their magnitude needs to be conducted before hand. This is important in formulating a base line (expected future without any adaptation measure). In this way the risk reduction potential compared to that base line can be assessed for all alternative adaptation measures, in order to evaluate the potential risk reduction of each measure. This is a mandatory data set to compare alternative adaptation measures with one of the methods presented in the framework above. This risk reduction potential should be used as a primary indicator. For example, in the application of a cost-effectiveness analysis (CEA) it can serve as input to compare the costs to the risk reduction effectiveness.

In selecting an evaluation framework by using the decision tree, the participation of all stakeholders that are affected by the adaptation measures turned out to be of high importance. These stakeholders might be water authorities, local or regional governments, NGOs, farmers, or local residents. The BINGO case studies showed the importance of stakeholders getting the chance to express their points of view and major concerns. This holistic integration of stakeholder perspectives enabled the definition of sets of indicators for prioritization of adaptation measures and that ensured the eventual acceptance of the results by all stakeholders. An omission of this broad stakeholder participation might lead to a lack of stakeholders' acceptance of the analysis results and thus to major barriers in the implementation of the adaptation measures. Limitations in the final choice of an evaluation framework may arise due to insufficient data availability, e.g. because required data does not exist or because the efforts to get the required data is incommensurate with the benefits gained.

The following sections briefly highlight why and in which case studies of the BINGO project the decision support frameworks have been applied. This is not a comprehensive presentation of the results, since this would exceed limits of this article. Details can be found throughout the documentation in BINGO project reports (<http://www.projectbingo.eu/resources>).

4.2 Cost-Benefit Analysis

A CBA helps to obtain a rank of available options in monetary terms. It is a commonly used approach to prioritize flood risk reduction measures for climate change adaptation (Penning-Rowell et al. 2010, Zhou et al. 2012). Costs represent the resources necessary to implement a certain measure. In this context, benefits account for the expected reduction of monetary damages brought by the measures implementation. In addition, co-benefits can be included for measures that improve ecosystem services provision, such as green infrastructure, which are evaluated in monetary terms by available valuation methods (OECD 2018, Gerner et al. 2018, Hanley and Barbier 2009).

A CBA was conducted for the Badalona case study, due to suitability with the data available and general interest among stakeholders. The costs of the measures under assessment contain: (1) initial investments, included gradually in a linear trend following the assumptions of future implementation times, (2) operating costs for the time horizon of the analysis (set until 2100), (3) rehabilitation and disposal costs, considering technical assumptions on the duration of the assets.

Benefits were assessed using the avoided cost methods, consisting of the estimation of the difference between estimated damages in the baseline scenario and in each of the alternative scenarios. Expected Annual Damage (EAD) was used as an indicator (Martinez-Gomariz et al., 2019) for flood damages, calculated for Badalona using historical flood damage data provided by the National Reinsurance Consortium (Consorcio de Compensación de Seguros). In addition, for the green roof and other green areas proposed as measures, ecosystem service benefits were identified as regulating (air quality and temperature control), supporting (habitat creation), and cultural (aesthetic) services. Monetization of the changes on the environmental variables were estimated using market prices for the marketed items (e.g. reduction of electricity consumption from temperature control), and also non-market prices for those items that do not have a market for trade (e.g. increase of property value after green roof implementation). For non-market prices, benefit transfer method has been applied, using reference studies and adapting the values in economic and size terms. For more details on the methodologies and results, please refer to the deliverable D5.3 of the project (Strehl et al. 2019a).

4.3 Cost-Effectiveness Analysis

The core idea of a CEA is to relate the costs of a measure to its effectiveness, like the technical performance (Levin and McEwan, 2001). Both key figures, the costs as well as the effectiveness, which is measured with a suitable indicator, need to be quantified to calculate the ratio. Within BINGO, a CEA was used in the case study of the Große Dhünn reservoir (Wupper River Basin). The reservoir, operated and owned by the Wupperverband (regional water board), usually stores up to 81 Mm³ of water used for drinking water production, supplying up to 1M people. In this case the risk assessment conducted in the project pointed out the potentially hazardous event of more than 1,000 days with an insufficient reservoir water storage (defined as less than 35 Mm³ water storage) in the worst case decadal climate change projections. Therefore, the focus of this case study was to explore infrastructural and non-infrastructural adaptation measures that reduce the risk to an acceptable level.

In this particular case, effectiveness was measured by a non-monetary indicator, namely its technical performance which was defined as the additional amount of available water per anno. The Wupperverband had the capacity to simulate the additional amount of water based on the reduction of the low water elevation (non-infrastructural measure) and by a transfer pipeline from the so called Kerspe reservoir to the Große Dhünn reservoir (infrastructural measure). Moreover, the additional water availability by a new horizontal well (infrastructural measure) and by water saving devices coupled with water use restrictions as emergency action (non-infrastructural measure) could be estimated. The data availability allowed a cost estimation for all four measures. Thus, a cost-effectiveness analysis was the best fitting decision support method in this case, offering the

245 possibility to rank technically and/or organizationally feasible risk reduction measures by their cost-effectiveness ratio, advising the Wupperverband and other regional stakeholders in the prioritization of climate change adaptations for their regional situation. More details can be found in Strehl et al. (2019a).

4.4 Multi-Criteria Analysis

250 An MCA describes a class of analysis methods that consider a variety of different criteria (synonym: indicators) to achieve a prioritization of the potential measures. A common application is the weighted sum method. Here, first the stakeholders affected by the potential adaptation measures have to agree on a set of relevant indicators to evaluate the impacts of the different measures. Afterwards the stakeholders have to give a weight to each indicator. In the subsequent step each indicator is evaluated by the stakeholders with respect to its manifestation for each respective measure, e.g. by applying a scale from 1 (negative manifestation) to 5 (positive manifestation). Finally, the score for each measure is determined by summing up the products of the weighting and the evaluation score of each measure. These final scores serve as ranking of the measures (Carrico et al. 2014).

260 This method was applied in the Veluwe case study. The Veluwe is a region in the Netherlands dealing with hazards of long-term droughts and warming/heat stress. To reduce the risks connected to these hazards, three potential adaptation measures were identified, namely the reduction of areas covered by pine-trees, the implementation of artificial surface water infiltration and agricultural water restrictions. As a separate cost-effectiveness analysis was conducted in the Veluwe case, an MCA was chosen as second decision support that focused on 19 different non-monetary indicators that the group of relevant stakeholders agreed on. This methodology enabled a focused investigation of the manifestation of different non-monetary indicator besides the cost-effectiveness analysis, allowing to take a well-founded and holistic decision for or against the respective adaptation measures (Strehl et al. 2019a).

265 4.5 Cost Comparison

Cost comparison (CC) is a dynamic approach used to compare the costs. Investment expenditures as well as operational expenditures for implementing and operating an adaptation measure are accounted for along the lifetime of a measure, also minding discounting (Götze et al. 2015, DWA 2012). The advantage of a CC in general is that it allows a straightforward comparison of adaptation measures by one single common indicator. Thus, this method is a viable approach to support decision making in climate change adaptation if only cost data is available for potential adaptation measures, or if the costs are the most important indicator and other indicators are negligible.

Within the BINGO case studies, no solely CC was conducted as the data availabilities in all case studies allowed a more complex analysis, incorporating more than one single indicator for decision support analysis. However, the underlying

methodology for a CC was used in many of the case studies, e.g. in the case study for the Große Dhünn reservoir (Wupper
275 River Basin) to calculate the annual costs for adaptation measures.

4.6 Combining frameworks

The decision tree explained above serves as a guidance that is suitable for a variety of cases where decisions for or against
certain adaptation measures need to be taken. However, sometimes a combination of analysis frameworks might be necessary
or desired. Within the BINGO project, this was essential for the case study of the Wupper River Basin. The spatial boundaries
280 of that case study covered an area of approx. 8 km² around a small urban water course called the Mirke creek. The area is
known as endangered flood zone (MKULNV 2015) and recent flood damage events triggered the urgency of involved
stakeholders to act since flood risk might also aggravate with further climate change in the future. The aim of the case study
was to compare potential flood risk reduction measures at several so called critical hotspots along a 6 km long course of the
creek. The explored measures needed to be ranked by their cost-effectiveness, in order to advise stakeholders where to spend
285 time and financial resources first (Strehl et al. 2019b).

To capture all relevant socio-economic details, the customized approach for Wuppertal had to combine some of the frameworks
mentioned in fig 1 above. In the Wupper River Basin case, stakeholders stated from the beginning of the project that non-
monetary indicators are also relevant for this case study. However, as stated above, the primary aim was to rank the solutions
in order to guide stakeholders how to spend time and financial resources wisely, beginning at a hotspot with the best cost-
290 effectiveness. This is why a CEA was combined with an MCA framework.

The MCA framework followed in the Wupper River Basin case study was aligned to the so called Analytical Hierarchy Process
(AHP) based on Saaty (2008) and Saaty (1987). Here, at first a weighing of the indicators was given by the stakeholders by
pairwise comparisons of the indicators, followed by an evaluation of the indicators' manifestations themselves. Both values
per indicator were afterwards combined to a final value that indicates the respective measure's effectiveness in non-monetary
295 terms. The resulting single value was related to the costs for each measure (as calculated by the principles of a CC). Details on
the followed approach and results of the case can be found in the BINGO D5.3 report (Strehl et al. 2019a).

5 Social justice analysis

5.1 Why a social justice analysis?

Social justice and equity principles have been highlighted by the IPCC (2018) as key aspects of a climate-resilient development
300 of societies. Adaptation to climate change is difficult to regulate because the causes and effects of a changing climate are
spread both geographically and in time. For policy-making on climate adaptation to be legitimate and effective, it has to take
justice and equity principles into account (Gupta 2005, Caney 2005b). Adaptation policies also contribute to human well-being
and social capital, and increase the overall adaptive capacity of societies (Reckien et al. 2018).

305 Until today, the debate on social justice and climate change has mainly centred on the recognition of responsibility for global
climate change (Pielke et al. 2007), inter-generational justice (Caney 2005a) as well as distributional justice, especially in the
context of vulnerability to impacts of climate change (Adger 2006, Breil et al. 2018). It is only recently that social justice is
emerging as a central concept to guide decision making for adaptation policy. In the face of climate change, the scope of the
transition ahead calls for a high degree of support from all parts of society. The successful implementation of adaptation action
thus depends on transparent and legitimate decision making processes as well as a systematic consideration of equity principles
310 (Patterson et al. 2018). A social justice analysis of adaptation measures, especially with an advanced methodology to introduce
the topic into adaptation decision making, has great potential to assess the probable acceptability of proposed measures, to
inform their context-adequate design and to enhance the legitimacy of the planning process with a view to the long-term
support by the wider public.

5.2 The concept of social justice in BINGO

315 There is not a commonly agreed definition of social justice or equity in the context of adaptation (Breil et al. 2018), and the
prioritization of principles and values varies according to the specific regional context (EEA 2018). In essence, social justice
theorizes about fair allocations of burdens and benefits among different members of a society (Rawls 1971). According to
Miller (1999) social justice thus concerns the question of “how the basic structure of a society distributes advantages and
disadvantages to its members”. These distributions are often based on, and legitimized through, “distributive” or “equity”
320 principles (Buchanan 1972, Cook 1987). The BINGO social justice analysis seeks to map the distributions of costs or negative
impacts and benefits of the adaptation measures among different actors or groups in society in the specific context of each
research site. This was done using a standardized questionnaire (see fig. 2). Participants also received a short introduction
paper, highlighting the concept of social justice to them as well. The questionnaire was developed based on three equity
principles generally distinguished in the environmental-philosophical literature (Shue 1999, Low and Gleeson 1998, Paavola
& Adger 2002, Ikeme 2003, Anand 2004): (1) the egalitarian principle is based on Mill’s and Bentham’s utilitarian “greatest
325 happiness principle”. Distributions aim to maximize the positive effects and minimize the negative effects for society as a
whole. An example of this principle in adaptation governance are the upcoming international weather insurances and bonds,
which pay out after a certain weather disaster irrespective of the needs of the victims (Dlugolecki & Keykhah 2002); (2) the
solidarity principle aims to neutralize “involuntary inequalities” between people. Distributions follow Rawls’ “maximin”
330 principle which involves maximizing the well-being of those who are worst-off. A practical example of the operation of this
principle in adaptation governance is the United Nations Adaptation Fund that finances adaptation projects in developing
countries (Person & Remling 2014); (3) the deontological principle is based on Kant’s notion that people are rational and act
intentionally, and can therefore be held responsible for their choices and actions. Nozick’s elaborated on this notion in his
“entitlement theory”, which holds that any “patterned” redistributions focused on outcomes are unjust and (re)distributions
335 should always put individual rights and liberties at the basis. The “polluter pays principle” is a practical example of this
principle (Tol & Verheyen 2004).

As the evaluation of social justice is highly context dependent, the analysis does not present a conclusive result for each measure but rather presents a qualitative summary of distributional impacts for decision makers to consider in addition to the rating which is produced in the socio-economic assessment.

Analysis of social justice

1. How are costs for the implementation and upkeep of this measure shared between parties?
2. Does the adaptation measure incur any negative side-effects (indirect/social costs)? If so, what kind of effects?
 - a. If yes: To what extent and how are these side-effects mitigated, and by whom (who is paying for the mitigation)?
 - b. If no: Who will carry the burden of the negative side-effects?
3. Which actor(s) will directly benefit from this measure, e.g. in terms of economic revenue, or access to products or services created by the measure? Or does the measure benefit the general public?
4. Does the adaptation measure incur any positive side-effects (additional social benefits)? If so, what kind of effects?
5. Which actor(s) will enjoy these indirect benefits?
6. Considering the answers to the questions above, which equity principles do you recognize in these distributions?
7. To what extent and in what way does the adaptation measures reduce or strengthen existing social (in)equalities?

340

Figure 2: Questionnaire for social justice analysis.

5.3 The application of social justice analysis in BINGO - the Badalona case study

In the BINGO case study of Badalona, the application of the social justice analysis for the three selected adaptation measures shows that (1) all adaptation measures will have positive impacts on Badalona’s citizens. The general public will benefit from the reduction of flooding and combined sewer overflows and the social perception in the municipality’s efficiency will increase; (2) none of the adaptation measures are likely to incur negative side-effects; on the contrary, the implementation of nature-based solutions will incur social co-benefits such as: enhanced public amenity, enhanced air quality, increase of ecosystem services and the reduction of the “heat island effect”; (3) regarding equity principles, both the deontological and egalitarian principles may apply in the case of climate change adaptation given that, on the one hand, Badalona’s citizens are paying for the proper performance of the urban drainage system and at the same time the society as a whole receives the positive consequences of such adaptation.

350

5.4 Limitations

Pre-existing inequalities or specific vulnerabilities of certain groups of the respective municipalities could only be considered to a limited extent (question 7 of the questionnaire). However, the analysis of specific social vulnerabilities at the level of the municipality is advisable when designing adaptation measures as well as the participation of vulnerable groups in the planning process to ensure that the contextual and procedural equity are also taken into account (Breil et al. 2018).

6 Summary of results

In total, 22 measures were selected and analysed using the methods described above (Table 1). A majority of measures are technical or 'grey' measures. This may be explained by the familiarity of the stakeholders and end users with this type of measures. The governance analysis shows that the knowledge and administrative resources for implementation of these measures are present at the sites, and implementation generally does not require the involvement of a broad range of stakeholders. Also, the effectiveness of these measures can often be modelled and is less uncertain than for instance behavioural measures. This is in line with Dhakal & Chevalier (2017) who find that, in the case of urban storm water management, technical solutions remain preferred throughout the world.

However, the socio-economic and governance needs analysis shows that these technical infrastructure measures are often expensive, particularly when compared with blue-green solutions or behavioural measures. In the case of Badalona, the grey infrastructure proposed has the highest level of risk reduction, but is also much more expensive than the SUDS and the EWS. In fact, the cost benefit analysis shows that the investment and operational costs are not compensated by the socio-economic benefits considered. The proposed SUDS have a lower potential for flood and CSO risk reduction (also because the measures analysed only covered a small area of the city), but the improvements they bring for instance to habitat creation and enhanced aesthetic and recreational value (Locatelli et al., 2020), gives them a higher net benefit. The EWS was the most cost-effective measure, significantly reducing flood risk.

The case of Bergen shows similar results. The sewer separation (a traditional engineering measure), shows the highest potential for risk reduction, particularly in cases of extreme rainfall. However, they are also very expensive in relation to the risk reduction achievable. The proposed SUDS measures are relatively low priced compared to their overall risk reduction potential, but do not have the potential to reduce the risk of extreme events. When combined with using the roads as safe flood ways (a clever way of repurposing the grey infrastructure), they are able to handle peak flows in urban drainage at lower costs than sewer separation. The combination of blue-green-grey measures has been proven successful in other studies as well (Alves et al., 2020; Depietri & McPhearson, 2017).

In the Veluwe case, the artificial retention measure, which involves constructing a large water transportation pipe from a nearby lake to the Veluwe, is the most expensive measure. It is also the measure with the highest potential for risk reduction, in this

case measured as the additional groundwater recharge in the Veluwe groundwater system (approximately 30 million cubic meters per year). The additional recharge for the green measures (change in vegetation) ranges from 2-20 million cubic meters per year, but at much lower costs. Agricultural water restrictions are less expensive than the other measures. Most expenses go to helping farmers change their farming practices (or buying them out), since water restrictions will force them to change crops. However, the amount of water saved is relatively small (0.2 – 0.3 million cubic meters per year).

When the measures are compared by their governance needs, we see a different picture. In Badalona, the measures that propose an increase of sewer capacity are part of an already existing Urban Drainage Master Plan. That means that the knowledge and competences to implement these measures is readily available. This is labelled by Dhakal and Chevalier (2017) as ‘pro-gre arrangements’. The main barriers to implementation are funding, political decision making and disturbance due to construction works. While the SUDS require a smaller budget, there is limited experience on how to implement them and technical expertise and standards/guidelines are currently lacking, although relevant knowledge can be obtained from regional examples or local research partners. SUDS require the collaboration of a broad range of stakeholders, which requires coordination by the Badalona City Council. This makes implementation significantly more complicated than the proposed technical measures. These barriers are all acknowledged in other cases as well (Dhakal & Chevalier, 2017). The governance needs for the EWS are mostly met, the main challenge is to develop and implement the required protocols for the response to the ‘warnings’ that the EWS gives.

In terms of social justice, as stated above, all measures have a positive impact on Badalona’s citizens due to the decrease in the risk of floods and CSOs. The SUDS have an increased benefit, due to their many positive side effects, but some of them are local and depend on where the measures are implemented.

In the case of Bergen, all the governance needs for implementation of sewer separation are met. With regard to SUDS, there is still additional knowledge required on the performance of SUDS in cold climates. The BINGO project was instrumental in involving the required stakeholders and so meeting the organizational needs. However, there were too few incentives for private property owners to implement the required measures (see also Dhakal & Chevalier, 2017). This can be circumvented by first implementing the SUDS at municipally owned properties. The implementation of Safe Flood Ways is a less traditional technical solution. It adds a new functionality to roads that fall outside the responsibility of the road authorities and thus require coordination between different municipal authorities. An example of fragmented governance (Dhakal & Chevalier, 2017). Also, the broader impact on public safety when running water with high velocity through the streets needs to be assessed (Skrede, 2020).

All measures in Bergen benefit the general public, because of the reduction of the risk of CSOs. As in the Badalona case, the SUDS can provide many side benefits that have additional positive impacts. Negative side effects mostly involve construction and maintenance activities and resulting disturbances. Most measures are financed at the municipal level, reflecting the

egalitarian or solidarity principle. SUDS or sewer separation implemented at private properties has to be financed privately, following the “polluter pays principle” (Strehl et al., 2019a)

415 At the Veluwe, the implementation of artificial retention is relatively easy, because the required knowledge is available and
the required coordination between actors is limited and can be achieved through existing institutions. The implementation of
land use change is much more complicated. It requires the collaboration between stakeholders outside of current arrangements
and with diverging interests. The BINGO CoP has already been successful in establishing this cooperation. More importantly,
changing land use has a huge impact on public opinion, since the Veluwe is well protected (Natura 2000) and a cherished spot
420 for recreation. Changing its vegetation at the required scale would require a public debate on forest management at the national
level (Van Alphen et al., 2019). Agricultural Water Restrictions require a locally embedded stakeholder process to be initiated,
involving farmers, municipalities, water authorities and the Province. It requires farmers to change their crops and farming
practices, which are often considered part of the cultural heritage as well.

Artificial infiltration improves the sustainability of the drinking water supply and helps preserving the groundwater system.
425 These benefits are distributed equally among water users in the region, who, through fees, also bear the costs. The negative
side effects are mostly decrease in attractiveness of the environment due to additional water (and energy) infrastructure. These
negative effects impact disproportionately people who live nearby these infrastructures. Mitigation activities include
minimization of visibility and ecological effects. Land use change has a number of positive effects (sustainable drinking water
supply, preservation of groundwater system, a more diverse and robust landscape, increased biodiversity) that impact the
430 general public. Cost for these measures are borne mostly by land owners, who will be compensated by either the province or
through water fees. Negative effects mostly have to do with the loss of wild life and plants specific to pine forests (although
overall bio-diversity will increase). During the transition period, tourism entrepreneurs may induce losses due to intensified
forestry activities (Strehl et al, 2019a). For the measure Agricultural Water Restrictions, farmers affected by the measure
would carry the major burden, but would be compensated by the regional or national government for loss of production
435 capacity. The local groundwater supply and natural environment are positively affected which directly benefits land owners,
local inhabitants and tourists.

In the case of Cyprus, the most cost effective measure is the maintenance of groundwater recharge systems (in this case check
dams), yielding a 1250 cubic meter (m³) groundwater recharge per euro invested, compared to treated sewage water for
irrigation (32,6 m³ recycled water used per euro invested) , desalination (1,5 m³ desalinated water consumed per euro invested)
440 and irrigation scheduling technologies (0,90 m³ water savings per euro invested). The implementation of this maintenance
scheme mainly requires better coordination between the Water Development Department and the local community councils.
Structural, institutional and political rigidities negatively affect the adoption of irrigation scheduling technologies in Cyprus.
The lack of political will to charge irrigators with water prices that cover the full costs, i.e., financial, environmental and
resource, does not provide an incentive to invest in water saving technologies (Van Alphen et al. 2019). Giannakis et al. (2016)

445 suggest that the low irrigation water price elasticities, the ageing and lower training levels of farming population, the small farm size and the low level of farm investments also impede the uptake of irrigation scheduling technologies. Support for farm training schemes, including issues such as water conservation and climate change adaptation, could improve the skills of the farmers and foster the adoption of new technologies (Giannakis and Bruggeman, 2015; 2018, Van Alphen et al., 2019).

The use of treated sewage water for irrigation could be implemented relatively easily. However, the total benefit is small, 450 considering that only 6% of the farmers have access to this source. Also, the long term effects of possible contaminants are yet unknown. For desalination the key governance challenge is financial viability. Local households will pay a higher price for the desalinated water. Yet, as community councils will be responsible for selecting the source of water there are concerns regarding the prioritization of a cheaper source (Van Alphen et al. 2019).

All four measures proposed in the Cyprus Case Study are financed at least in part by the sectoral groups/communities that 455 benefit directly and/or indirectly. Irrigation scheduling technologies and the maintenance of groundwater recharge systems have potential side effects which benefit the general public as they increase the qualitative and quantitative state of the groundwater system. Desalination and the use of treated sewage water for irrigation only benefit specific groups of water users. Also, they have notable negative side effects (impact of emerging contaminants, carbon emissions and brine discharges) which burden the general public and future generations (Strehl et al., 2019a)

460 In the first Wupper River Basin case (insufficient reservoir storage due to drought), it was found that the technical infrastructure measures are very expensive compared to the behavioural measures, also in relation to the level of risk reduction. The reduction of low water elevation (which effectively reduces the outflow from the reservoir) is by far the most cost effective measure ($\text{€}0.001/\text{m}^3$). The water saving scheme is not expensive, but the effect on the capacity of the reservoir is relatively low, and so is the cost effectiveness ($\text{€}0.194/\text{m}^3$). Water transportation ($\text{€}0.040/\text{m}^3$) and the horizontal well ($\text{€}0.054/\text{m}^3$) rank in between, 465 It was noted, however, that these infrastructural measures may be needed as a risk buffer in the future, since they provide redundant capacity.

With regard to the governance needs, the reduction of low water elevation is also the easiest measure to implement, with most of the governance needs being met at the research site. The main concern is the effect on the downstream ecology when the outflow of the reservoir is reduced. The technical infrastructural measures in this case are much harder to implement. To build 470 the transfer pipe between the two catchments, water authorities and the environmental agency should be involved, as well as the property owners affected by the route. It also requires setting legal standards and assessing the technical feasibility and environmental impact. The same goes for implementing a new abstraction well (horizontal well). An additional barrier for that measure is the potential change in water quality (harder water) due to mixing of sources.

In terms of social justice, the measure Reduction of low water elevation enhances social justice by securing the water supply to the general public, without increasing the price of water. The main negative side effect as a reduced flow passing the dam, leading to a decrease in energy production and potential decline of ecological quality. This also affects the general public. The Substitution with an alternative water source, may increase existing inequalities since it increases the price of water, which disproportionately impacts low income groups. The same goes for the Water transport between catchment, with the addition that is negatively impacts the property owners near to the infrastructure. To the extent that these owners will be compensated by the Wupper Association, the cost will be carried by the general public. Finally, the pipe/channel route can have a negative impact on the environment and landscape, which impacts the general public.

For the second Wupper River Basin case (flood risk due to increased precipitation) three technical measures were analysed. The retention basin is the most expensive measure (88k€/y), but it also performs best in terms of risk reduction. Alignment protection (10k€/y) and protection measures for property (3k€/y) have a much smaller risk reduction effect, about 10 to 15 times smaller. Since these results are calculate for a specific scenario, it cannot be assumed that the just increasing the investment in the latter two protection measures will yield the same risk reduction as the retention basin.

According to the governance analysis, all requirements for implementing the retention basin are in place. With regard to the technical protection measure for property, one of the barriers for implementation is convincing the property owners to take action. Support and funding needs to be coordinated between public services and property owners. Flood protection is considered a public service instead of a (partially) private responsibility. When this is the case, it does not encourage private investment (Geaves & Penning-Rowse, 2016). In the case of alignment protection, this is indeed a matter of public action, where land may be acquired from property owners, but no investment from their side is necessary.

From the social justice analysis, it follows that the retention basin will benefit people downstream of the basin, while property owners above the endangered areas have the basin built on or near their properties. The basin will be financed by the Wupper Association, but property owners may face decreasing value of their properties because of negative environmental impact or decreasing aesthetics. This can be mitigated by an appealing design and environmental friendly construction of the basin. A positive side effect of the basin that benefits the broader public is the improvement of water quality due to a reduction of direct run offs into natural streams. Protection measures for property are generally paid for by the property owners, who also reap the benefits of reduced flood risk. In case of municipal buildings, the municipality has the opportunity to embellish public spaces by choosing an appealing design. The Alignment protection will most likely be financed by the Wupper Association, as the measure benefits the general public. In case property owners will bear the costs, this will likely lead to increased social inequalities.

In the Sorraia Valley in Portugal, the technical measures involve the rehabilitation and modernisation of existing irrigation networks, that consist of a canal, a transport and distribution system and a secondary irrigation system. Improving the canal is

505 not the most cost effective in terms of cubic meters of water saved, but it is in terms of impacted area. Improving the transport
and distribution system and the secondary irrigation system only affect a small areas and need to be replicated in other areas
to reach the same impact as improving the canal (Strehl et al., 2019a). The Tagus Water Resources Management model has
the potential to be very cost effective, but this is dependent on the level of use the Water Authority will promote. This also the
most important challenge with regards to the governance needs. Implementing the Water Resources Management model
510 requires a shift from a top-down management approach to a more network oriented governance model. This requires an
integrated approach to water resource management and the participation of a broad range of actors. The rehabilitation and
modernisation of the irrigation networks pose no specific governance challenges, apart from acquiring funding for the
investments.

The rehabilitation and modernisation of irrigation networks mainly benefits the farmers, who also pay for the measures. To
515 alleviate the financial burden, they can apply for funding. The assured agricultural sustainability in the region benefits a broader
public as well. The Water Resource Management Model helps to better plan and manage water resources in the Tagus river
basin, which benefits the general public. The costs are borne by the water authorities and then allocated to all water users
through a tax or a fee.

7 Conclusion

520 The application of the BINGO approach has been successful in generating decision-relevant outcomes for developing
adaptation strategies at the research sites. The outcomes of the socio-economic analysis allowed stakeholders to prioritize
measures by their cost-effectiveness, cost-benefit ratio or performance on a broader range of criteria. Sometimes this yielded
surprising results, such as the high cost effectiveness of check dams maintenance in the case of Cyprus. The governance
analysis allowed to stakeholders to identify gaps in the governance needs to implement measures and to prepare steps to fill
525 those gaps. Finally, the social justice analysis can help stakeholders choosing proper financing mechanism that fits the desired
principle (solidarity, egalitarian, deontological) and gives a first indication of how positive and negative impacts are distributed
over different groups. Although the research sites were very different, both in their challenges as well as their socio economic
and institutional context, the approach presented in this paper yielded useful results in all cases. This supports the transferability
of the approach to other cases in Europe.

530 However, we can identify specific benefits and limitations for each of the analyses (Table 4). The main benefit of the
governance analysis is that it provides a systematic overview of the requirements for implementing a certain measure, with
attention to a broad range of building blocks for adequate governance. This not limited to technical and economic aspects, but
also includes cultural, communicative and legal aspects. A limitation in the way that the method was applied is that it does not
provide specific thresholds for the required level of these indicators, other than reported by the researchers and stakeholders
535 involved.

The socio-economic analysis contributed in structuring decision relevant information on adaptation measures focusing on potential outcomes of each measure. The methods applied help to quantify and/or rank indicators affecting costs and benefits of the selected measures, from a socio-economic point of view. Moreover, the methods can be integrated in a broader, scenario-based approach to assessing adaptation strategies. Limitations of the method primarily deal with the availability of data, which has a strong effect on the validity and reliability of the conclusions drawn from the analysis.

Finally, the social justice analysis gives a broader perspective than the plain focus on the outcomes of adaptation and also considers the distributional effect on different groups in society. This may result in the identification of unbalanced burdens or co-benefits which leads to better informed decisions and helps to realise climate justice. However, in the way the method was applied, the acquisition of meaningful social-justice information and derived interpretations relevant for decision makers, highly relies on the interview partners. They need to have a specific knowledge of the local adaptation measures/options planned, and the socio-economic environment.

Table 4: Assessment of the applied analyses

BINGO analysis	Benefit	Limitation
Governance analysis	Provides systematic overview of requirements and whether they are met; takes into account broad range of factors, not only finances and technical capability.	Method itself does not provide standards in whether requirements are sufficiently met; relies on self-reporting by researchers and stakeholders.
Socio-economic analysis	Helps to structure decision-relevant information about adaptation alternatives, focusing on measurable outcomes of each option; applied science offers straightforward methods to quantify or at least rank relevant indicators affecting costs and benefits from a socio economic point of view; methods for a socio-economic analysis are flexible to integrate the scenario	Limitations arise with data availability; in cases with very broad decision-relevant socio-economic indicators to cover, (un)reliable input data for a quantitative analysis effects the robustness of conclusions drawn from the analysis.

	based thinking of climate change projections.	
Social-justice analysis	Helps to focus not only on plain outcomes of adaptation, but also on distributional effects among society; broadens the scope of the analysis, eventually leading to identify additional co-benefits or unbalanced burdens for stakeholders of climate change adaptation measures, allowing a better informed decision.	Information acquisition for a social-justice analysis relies on qualitative input, e.g. by interviews and pre-structured questionnaires as conducted in the BINGO-project; time and financial resources and available interview partners may limit the scope of the analysis.

Code and data availability. Model files and data are not provided due to the confidentiality of the data and models. 550 Notwithstanding, in agreement with the other project stakeholders, the authors of this paper will try to address specific requests for scientific purposes.

Author contributions: HJA, CS, FV, EI, AP, SG and EB developed the methodology. All authors were involved in the research at the research sites. HJA, CS, FV, EI, AP and SG prepared the paper with contributions from all authors.

Competing interests. The authors declare that they have no conflict of interest.

555 **Acknowledgments:** The authors wish to thank all partners and stakeholders of BINGO for their input and feedback. We specifically thank Adriana Bruggeman, Christos Zoumides, Hakan Djuma, Marinos Eliades (The Cyprus Institute); Ayis Iacovides, Marios Mouskoundis (IACO); Maria Rafaela de Saldanha Gonçalves Matos, Ana Estela Barbosa, Maria João Freitas, Teresa Viseu (LNEC); Alberto Freitas (DGADR); Ana Luís (EPAL); Eduardo Martinez-Gomariz (Cetaqua); Beniamino Russo (Aquatec); Rita Andrade (SPI); Thorsten Luckner, Paula Lorza (Wupperverband); Suzanne Buil-van den 560 Bos (Provincie Gelderland); Jan Hogendoorn, Jolijn van Engelenburg (Vitens); Juliane Koti, Andreas Hein, Leni Handelsmann (IWW); Pedro Brito (DGADR); Robert Mittelstädt (Hydrotec); Marit Aase, Magnar Sekse (Municipality of Bergen); Ashenafi Seifu Grange, Tone Merete Muthanna (NTNU); Adriana Hulsmann; Nicolien van Aalderen (KWR)

Financial support. This research has been supported by the BINGO European H2020 project (grant no. 641739).

References

565 Adger, W. N.: Vulnerability, *Global Environmental Change*, 16, 268-281, <https://doi.org/10.1016/j.gloenvcha.2006.02.006>, 2006.

Alphen, H.J. van, Bergsma, E., Urioc, S., Interwies, E., Görlitz, S., Koti, J., Portfolio of risk management and adaptation strategies available for the six research sites in BINGO, BINGO project report from WP5 Developing risk treatment and adaptation strategies for extreme weather events, European Commission, Brussels, [http://beta.tools.watershare.eu/bingo/\\$/](http://beta.tools.watershare.eu/bingo/$/) 570 2017a

Alphen, H.J. van, Kristvik, E., Mouskoundis, M., Iacovides, I., Iacovides, A.; Martinez, M., Sanchez, P., Russo, B. Malgrat, P., Zoumides, C., Giannakis, E., Bruggeman, A., Bergsma, E., Hulsmann, A., Koti, J., Interwies, E., Görlitz, S., Freitas, M.J. D5.2 Compilation report on initial workshops at the six research sites, BINGO project report from WP5 Developing risk treatment and adaptation strategies for extreme weather events, European Commission, Brussels, 575 http://www.projectbingo.eu/downloads/BINGO_Deliverable5.2.pdf, 2017b

- Alphen, H.J. van, T. Spek, S. Buil, E. Giannakis, A. Bruggeman, C. Zoumides, F. Rocha, M. Scheibel, P. Lorza, E. Kristvik, T. Merete Muthanna, C. Strehl, L. Handelsmann, M. Martinez Puentes, B. Russo, E. Interwies, S. Görlitz, A. Petersen: D5.5: Complete Report on the Assessment of the Current Situation and Recommendations for Improvement Using the Three Layer Framework, BINGO project report from WP5 Developing risk treatment and adaptation strategies for extreme weather events, 580 European Commission, Brussels, http://www.projectbingo.eu/downloads/BINGO_Deliverable5.5.pdf, 2019
- Andersson-Sköld, Y., S. Thorsson, D. Rayner, F. Lindberg, S. Janhäll, A. Jonsson, U. Moback, R. Bergman, M. Granberg: An integrated method for assessing climate-related risks and adaptation alternatives in urban areas, *Climate Risk Management*, 7, 31-50, <https://doi.org/10.1016/j.crm.2015.01.003>, 2015
- Bojovic, D., Giupponi, C., Klug, H., Morper-Busch, L., Cojocar, G., & Schörghofer, R.: An online platform supporting the 585 analysis of water adaptation measures in the Alps. *Journal of Environmental Planning and Management*, 61(2), 214-229, <https://doi.org/10.1080/09640568.2017.1301251>, 2018
- Buchanan, J.M.: Who Should Pay for Common-Access Facilities?, *Public Finance*, 27(1), 1-8, <https://EconPapers.repec.org/RePEc:pf:pubfin:v:27:y:1972:i:1:p:1-8>, 1972
- Alves, A., Z. Vojinovic, Z. Kapelan, A. Sanchez, B. Gersonius: Exploring trade-offs among the multiple benefits of green- 590 blue-grey infrastructure for urban flood mitigation, *Science of the Total Environment*, 703, <https://doi.org/10.1016/j.scitotenv.2019.134980>, 2020
- Anand, R.: *International Environmental Justice: A North-South Dimension*, Ashgate, Hampshire, 161, ISBN 0754638243, 2004
- Caney, S.: *Cosmopolitan Justice, Responsibility, and Global Climate Change*, *Leiden Journal of International Law*, 18, 747- 595 775, doi:10.1017/S0922156505002992, 2005a
- Caney, S.: *Justice Beyond Borders – A Global Political Theory*, Oxford University Press, New York, doi:10.1093/019829350X.001.0001, 2005b
- Carrico, N.J.G., Goncalves, F.V., Covas, D.I.C., Almeida, M.d.C. and Alegre, H.: Multi-criteria analysis for the selection of the best energy efficient option in urban water systems, *Procedia Engineering*, 70, 292 – 301, 600 <https://doi.org/10.1016/j.proeng.2014.02.033>, 2014
- Cook, K.S.: *Toward a more interdisciplinary research agenda: The potential contributions of sociology*, *Social Justice Research*, 1, 5018, <https://doi.org/10.1007/BF01049381>, 1987
- Depietri Y., T. McPhearson: *Integrating the Grey, Green, and Blue in Cities: Nature-Based Solutions for Climate Change Adaptation and Risk Reduction*. In: Kabisch N., Korn H., Stadler J., Bonn A. (eds) *Nature-Based Solutions to Climate Change*

- 605 Adaptation in Urban Areas. Theory and Practice of Urban Sustainability Transitions. Springer, Cham. https://doi.org/10.1007/978-3-319-56091-5_6, 2017
- Dhakal, K.p. and L.R. Chevalier: Managing urban stormwater for urban sustainability: Barriers and policy solutions for green infrastructure application. Journal of Environmental Management, 203-1, 171-181, <https://doi.org/10.1016/j.jenvman.2017.07.065>. 2017
- 610 Dlugolecki, A. and Keykhah, M.: Climate Change and the Insurance Sector: Its Role in Adaptation and Mitigation. GMI, 39, 83-98, doi: 10.9774/GLEAF.3062.2002.au.00009, 2002
- Dogulu, N. and Kentel, E.: Prioritization and selection of climate change adaptation measures: a review of the literature, Jahr-Int Assoc Hydro-Environment Engineering Research, Proceedings of the 36th Jahr World Congress: Deltas of the Future and What Happens Upstream, Madrid, 2015.
- 615 DWA: Leitlinien zur Durchführung dynamischer Kostenvergleichsrechnungen (KVR Leitlinien) (Translation: Guidelines to conduct dynamic cost comparisons), ISBN 9783941897557, 2012.
- European Environment Agency (EEA): National climate change vulnerability and risk assessments in Europe, EEA Report 1, doi:10.2800/348489, 2018.
- Freitas, M.J., T.M. Muthanna, A. Bruggeman, E. Giannakis, C. Zoumidis, R. Andrade: D6.5 Guidelines designed to create, feed and enhance “win-win” collaborations between researchers and stakeholders, BINGO project report from WP6: Ensuring Excellence and Actionable Research, European Commission, Brussels, http://www.projectbingo.eu/downloads/BINGO_Deliverable6.5.pdf, 2018
- 620 Garrote, L., A. Granados, A. Iglesias: Strategies to reduce water stress in Euro-Mediterranean river basins, Science of The Total Environment, Volume 543, Part B, 997-1009 <https://doi.org/10.1016/j.scitotenv.2015.04.106>. (2016)
- 625 Geaves, L.H. & Penning-Rowsell, E.: Flood Risk Management as a public or a private good, and the implications for stakeholder engagement. Environmental Science & Policy, 55-2, 281-291 <https://doi.org/10.1016/j.envsci.2015.06.004>, 2016
- Gerner, N.V., Nafo, I., Winking, C., Wencki, K., Strehl, C., Wortberg, T., Anzaldúa, G., Lago, M. and Birk, S.: Large-scale river restoration pays off: A case study of ecosystem service valuation for the Emscher restoration generation project. Ecosystem Services, 30, 327-338, <https://doi.org/10.1016/j.ecoser.2018.03.020>, 2018
- 630 Giannakis, E. and Bruggeman, A.: The highly variable economic performance of European agriculture. Land Use Policy, 45, 26-35, <https://doi.org/10.1016/j.landusepol.2014.12.009>, 2015

- Giannakis, E., Bruggeman, A., Djuma, H., Kozyra, J. and Hammer, J.: Water pricing and irrigation across Europe: Opportunities and constraints for adopting irrigation scheduling decision support systems. *Water Science and Technology: Water Supply*, 16(1), 245-252, <https://doi.org/10.2166/ws.2015.136>, 2016
- 635 Giannakis, E., Bruggeman, A.: Exploring the labour productivity of agricultural systems across European regions: A multilevel approach. *Land use policy*, 77, 94-106, <https://doi.org/10.1016/j.landusepol.2018.05.037>, 2018
- Götze, U., Northcott, D. and Schuster, P.: *Investment Appraisal - Methods and Models*, Springer, London, doi:10.1007/978-3-662-45851-8, 2015.
- Harrison, P. A., Holman, I.P., Cojocar, G., Kok, K., Kontogianni, A., Metzger, M.J., & Gramberger, M.: Combining
 640 qualitative and quantitative understanding for exploring cross-sectoral climate change impacts, adaptation and vulnerability in Europe, *Regional Environmental Change*, 13(4), 761-780, <https://doi.org/10.1007/s10113-012-0361-y>, 2013
- Hanley, N. and Edward, B.B.: *Pricing Nature - Cost-Benefit Analysis and Environmental Policy*, Edward Elgar Publishing, Inc., Cheltenham, Northampton, ISBN 9781845427894, 2009
- Havekes, H., Hofstra, M., Van der Kerk, A., Teeuwen, B., Van Cleef, R., and Oosterloo, K.: *Building Blocks for Good Water Governance*. Water Governance Centre (WGC), <https://www.uvw.nl/wp-content/uploads/2017/11/Building-blocks-for-good-water-governance-2016.pdf>, 2016
- 645 Ikeme, J.: Equity, environmental justice and sustainability: incomplete approaches in climate change politics. *Global Environmental Change*, 13(3): 195-206, doi: 10.1016/S0959-3780(03)00047-5, 2003
- IPCC: Summary for Policymakers. In: *Global Warming of 1.5°C. An IPCC Special Report on the impacts of global warming of 1.5°C above pre-industrial levels and related global greenhouse gas emission pathways, in the context of strengthening the global response to the threat of climate change, sustainable development, and efforts to eradicate poverty*, Masson-Delmotte, V., P. Zhai, H.-O. Pörtner, D. Roberts, J. Skea, P.R. Shukla, A. Pirani, W. Moufouma-Okia, C. Péan, R. Pidcock, S. Connors, J.B.R. Matthews, Y. Chen, X. Zhou, M.I. Gomis, E. Lonnoy, T. Maycock, M. Tignor, and T. Waterfield (eds.)). World Meteorological Organization, Geneva, Switzerland, 32 pp, <https://www.ipcc.ch/sr15/>, 2018.
- 655 Koti, J., Hein, A., Interwies, E., Wencki, K. and Görlitz, S.: MS22-report: Economic and social impacts of measures determined. Suitable assessment methods for the evaluation of adaptation strategies and/or measures to climate change European Commission, Brussels, 2017.

- Levin, H.M., and McEwan, P.J.: Cost-Effectiveness Analysis: Methods and Applications, Sage Publications, London, ISBN 9780761919346, 2001.
- 660 Locatelli, L., Guerrero, M., Russo, B., Martínez-Gomariz, E., David Sunyer, Martínez, M.: Socio-Economic Assessment of Green Infrastructure for Climate Change Adaptation in the Context of Urban Drainage Planning. *Sustainability*, 12(9), 3792, <https://doi.org/10.3390/su12093792>, 2020
- Low, N. and Gleeson, B.: Justice, Society and Nature, Routledge, London, <https://doi.org/10.4324/9780203006689>, 1998.
- 665 Markanday, A., Galarraga, I. and Markandya, A.: A critical review of cost-benefit analysis for climate change adaptation in cities, *Climate Change Economics* 10(4), <https://doi.org/10.1142/S2010007819500143>, 2019.
- Martínez-Gomariz E, Gómez M, Russo B, Sánchez P, and Montes J.: Methodology for the damage assessment of vehicles exposed to flooding in urban areas. *Journal of Flood Risk Management*, 12(3), <https://doi.org/10.1111/jfr3.12475>, 2018
- Meyer, V., O. Gebhardt, F. Moreira Alves: Economic evaluation of adaptation options, BASE project report D5.2, European Commission, Brussels, https://base-adaptation.eu/sites/default/files/Deliverable_5_2_FINAL.pdf , 2015
- 670 Miller, D.: The principles of Social Justice, Harvard University Press, Cambridge, ISBN 9780674007147, 1999.
- MKULNV, Hochwasserrisikomanagementplanung in NRW, Hochwassergefährdung und Maßnahmenplanung Wuppertal, Bezirksregierung Düsseldorf und Ministerium für Klimaschutz, Umwelt, Landwirtschaft, Natur- und Verbraucherschutz des Landes Nordrhein-Westfalen, <https://docplayer.org/58398659-Hochwasserrisikomanagementplanung-in-nrw-hochwassergefaehrdung-und-massnahmenplanung-wuppertal.html>, 2015.
- 675 OECD, Water Governance in OECD Countries: A Multi-level Approach, OECD Studies on Water, OECD Publishing, Paris, <https://doi.org/10.1787/9789264119284-en>, 2011
- OECD, Cost-Benefit Analysis and the Environment: Further Developments and Policy Use, OECD Publishing, Paris. <http://dx.doi.org/10.1787/9789264085169-en>, 2018.
- 680 O’Sullivan, J., Pollino, C., Taylor, P., Sengupta, A., & Parashar, A.: An Integrative Framework for Stakeholder Engagement Using the Basin Futures Platform. *Water*, 12(9), 2398, <https://doi.org/10.3390/w12092398>, 2020
- Paavola, J. and Neil Agder, W.: Justice and Adaptation to Climate Change, Working paper no. 23, Tyndall Centre for Climate Change Research, Norwich,

https://www.researchgate.net/profile/Jouni_Paavola/publication/228813871_Justice_and_Adaptation_to_Climate_Change/links/0deec52b32569b86d8000000/Justice-and-Adaptation-to-Climate-Change.pdf, 2002

685 Patterson, J., Thaler, T., Hoffman, M., Hughes, S., Oels, A., Chu, E., Mert, A., Huitema, D., Burch, S. and Jordan, A.: Political feasibility of 1.5°C societal transformations, the role of social justice, *Current Opinion in Environmental Sustainability*, 31, 1-9, <https://doi.org/10.1016/j.cosust.2017.11.002>, 2018.

Penning-Rowsell, E., Viavattene, C., Pardoe, J., Chatterton, J., Parker, D. und Morris, J.: *The Benefits of Flood and Coastal Risk Management: A Handbook of Assessment Techniques* - pp. 98, Flood Hazard Research Centre, Middlesex University, 690 London, ISBN 1904750516, 2010.

Persson, A. and E. Remling: Equity and efficiency in adaptation finance: initial experiences of the Adaptation Fund, *Climate Policy*, 14(4): 488-506, <https://doi.org/10.1080/14693062.2013.879514>, 2014

Pielke, R. Jr., G. Prins, S. Rayner and D. Sarewitz: Lifting the taboo on adaptation: renewed attention to policies for adapting to climate change cannot come too soon, *Nature*, 445, 597–8, doi: 10.1038/445597a, 2007

695 Rawls, John: *A Theory of Justice*, Harvard University Press: Cambridge, ISBN 9780674000780 (1971, rev. ed. 1999)

Reckien, D., Lwasa, S., Satterthwaite, D., McEvoy, D., Creutzig, F., Montgomery, M., Schensul, D., Balk, D., and Khan, I.: Equity, environmental justice, and urban climate change. In: Rosenzweig, C., W. Solecki, P. Romero-Lankao, S. Mehrotra, S. Dhakal, Ali Ibrahim, S. (eds.): *Climate Change and Cities, Second Assessment Report of the Urban Climate Change Research Network*, Cambridge University Press, New York, 173–224, ISBN 9781316603338, 2018.

700 Saaty, R. W., *The Analytic Hierarchy Process – What it is and how it is used*, in: *Mathematical Modelling*, 9(3-5), 161-176, [https://doi.org/10.1016/0270-0255\(87\)90473-8](https://doi.org/10.1016/0270-0255(87)90473-8), 1987.

Saaty, T. L., *Decision making with the analytic hierarchy process*. *International Journal of Services Sciences*, 1 (1), 83-98, doi: 10.1504/IJSSCI.2008.017590, 2008.

Shue, H. *Global environment and international inequality*, *International Affairs*, 75, 531-545, <https://doi.org/10.1111/1468-2346.00092>, 1999 705

Singh, C., J. Ford, D. Ley, et al. *Assessing the feasibility of adaptation options: methodological advancements and directions for climate adaptation research and practice*, *Climatic Change*, 162, 255–277, <https://doi.org/10.1007/s10584-020-02762-x>, 2020

- Skrede, T.I., T. Merete Muthanna, K. Alfredesen: Applicability of urban streets as temporary open floodways. *Hydrology Research* 51 (4): 621–634. doi: <https://doi.org/10.2166/nh.2020.067>, 2020
- 710
- Strehl, C., Bruggeman, A., Freitas, A., Petersen, A., Hein, A., Grange, A.S., Iacovides, A., Zoumides, C., Interwies, E., Martinez-Gomariz, E., Giannakis, E., Kristvik, E., Vollmer, F., Rocha, F., van Alphen, H.-J., Koti, J., Handelsmann, L., Locatelli, L., Sekse, M., Scheibel, M., Hidalgo Guerrero, M., Mouskoundis, M., Aase, M., Martinez, M., Lorza, P., Brito, P., Mittelstädt, R., Görlitz, S., Buil, S., Spek, T., Luckner, T. and Muthanna, T.: D5.3 Report on economic and societal impacts of the proposed measures, BINGO project report from WP5 Developing risk treatment and adaptation strategies for extreme weather events, European Commission, Brussels, http://www.projectbingo.eu/downloads/BINGO_Deliverable5.3.pdf, 2019a.
- 715
- Strehl, C., Vollmer, F., Hein, A., Koti, J., Scheibel, M., Lorza, P., Heinenberg, D., Mittelstädt, R., Interwies, E. and Görlitz, S.: BINGO PROJECT: Selection of effective adaptation measures to weather extremes – Reducing flood risk in Wuppertal, Germany, Conference Contribution to the 4th European Climate Change Adaptation conference (ECCA), Lisbon, http://www.projectbingo.eu/downloads/BINGO_Deliverable7.9.pdf, 2019b.
- 720
- Tol, R.S.J., en Verheyen, R.: State Responsibility and Compensation for Climate Change Damages – a Legal and Economic Assessment. *Energy Policy*, 32, 1109-1130, [https://doi.org/10.1016/S0301-4215\(03\)00075-2](https://doi.org/10.1016/S0301-4215(03)00075-2), 2003
- Verkerk, P.J., A. Sánchez, S Libbrecht, A. Broekman, A. Bruggeman, H. Daly-Hassen, E. Giannakis, S. Jebari. K. Kok, A. Krivograd Klemencic, M. Magjar, I. Martinez de Arano, N. Robert, N. Smolar-Zvanut, E. Varela, C. Zoumides: A Participatory Approach for Adapting River Basins to Climate Change, *Water*, 9, 958, <http://doi.org/10.3390/w9120958>, 2017
- 725
- Watkiss, P., A. Hunt, J. Rouillard, J. Tröltzsch, M. Lago, M. Skourtos, A. Kontogianni, A. Chiabai, I. Galarraga, A. Markandya, E. Sainz de Murieta, F. Bosello, M. Ščasný, R. Mechler, P. Havlik, P. Scussolini, O. Kuik, J. Carlos, X. Zhu: The costs and benefits of adaptation: results from the ECONADAPT project. *Policy report*. <http://dio.org/10.13140/RG.2.1.2061.7443>, 2015
- Wilby, R.L.: A global hydrology research agenda fit for the 2030s, *Hydrology Research*, 50(6), 1464-1480, <https://doi.org/10.2166/nh.2019.100>, 2019.
- 730
- Zhou, Q., Mikkelsen, P.S., Halsnæs, K. and Arnbjerg-Nielsen, K.: Framework for economic pluvial flood risk assessment considering climate change effects and adaptation benefits, *Journal of Hydrology*, 414–415, 539–549, <https://doi.org/10.1016/j.jhydrol.2011.11.031>, 2012.